



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷: C12N 15/12, C07K 14/47, C12Q 1/68, A61K 39/395, G01N 33/68, 33/574, C07K 16/30, C12N 15/62, 5/02 // A61P 35/00	A2	(11) International Publication Number: WO 00/04149 (43) International Publication Date: 27 January 2000 (27.01.00)																				
(21) International Application Number: PCT/US99/15838 (22) International Filing Date: 14 July 1999 (14.07.99) (30) Priority Data: <table border="0"> <tr> <td>09/115,453</td> <td>14 July 1998 (14.07.98)</td> <td>US</td> </tr> <tr> <td>09/116,134</td> <td>14 July 1998 (14.07.98)</td> <td>US</td> </tr> <tr> <td>09/159,822</td> <td>23 September 1998 (23.09.98)</td> <td>US</td> </tr> <tr> <td>09/159,812</td> <td>23 September 1998 (23.09.98)</td> <td>US</td> </tr> <tr> <td>09/232,880</td> <td>15 January 1999 (15.01.99)</td> <td>US</td> </tr> <tr> <td>09/232,149</td> <td>15 January 1999 (15.01.99)</td> <td>US</td> </tr> <tr> <td>09/288,946</td> <td>9 April 1999 (09.04.99)</td> <td>US</td> </tr> </table> (71) Applicant: CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US). (72) Inventors: DILLON, Davin, Clifford; 21607 N.E. 24th Street, Redmond, WA 98053 (US). HARLOCKER, Susan, Louise; 6203 20th Avenue N.W., Seattle, WA 98107 (US). YUQIU, Jiang; 5001 South 232nd Street, Kent, WA 98032 (US). XU, Jiangchun; 15805 S.E. 43rd Place, Bellevue, WA 98006 (US). MITCHAM, Jennifer, Lynn; 16677 Northeast 88th Street, Redmond, WA 98052 (US).	09/115,453	14 July 1998 (14.07.98)	US	09/116,134	14 July 1998 (14.07.98)	US	09/159,822	23 September 1998 (23.09.98)	US	09/159,812	23 September 1998 (23.09.98)	US	09/232,880	15 January 1999 (15.01.99)	US	09/232,149	15 January 1999 (15.01.99)	US	09/288,946	9 April 1999 (09.04.99)	US	(74) Agents: MAKI, David, J. et al.; Seed and Berry LLP, 6300 Columbia, 701 Fifth Avenue, Seattle, WA 98104-7092 (US). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
09/115,453	14 July 1998 (14.07.98)	US																				
09/116,134	14 July 1998 (14.07.98)	US																				
09/159,822	23 September 1998 (23.09.98)	US																				
09/159,812	23 September 1998 (23.09.98)	US																				
09/232,880	15 January 1999 (15.01.99)	US																				
09/232,149	15 January 1999 (15.01.99)	US																				
09/288,946	9 April 1999 (09.04.99)	US																				
(54) Title: COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF PROSTATE CANCER (57) Abstract <p>Compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer, are disclosed. Compositions may comprise one or more prostate tumor proteins, immunogenic portions thereof, or polynucleotides that encode such portions. Alternatively, a therapeutic composition may comprise an antigen presenting cell that expresses a prostate tumor protein, or a T cell that is specific for cells expressing such a protein. Such compositions may be used, for example, for the prevention and treatment of diseases such as prostate cancer. Diagnostic methods based on detecting a prostate tumor protein, or mRNA encoding such a protein, in a sample are also provided.</p>																						

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF PROSTATE CANCER

TECHNICAL FIELD

The present invention relates generally to therapy and diagnosis of cancer, such as prostate cancer. The invention is more specifically related to polypeptides comprising at least a portion of a prostate tumor protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for prevention and treatment of prostate cancer, and for the diagnosis and monitoring of such cancers.

BACKGROUND OF THE INVENTION

Prostate cancer is the most common form of cancer among males, with an estimated incidence of 30% in men over the age of 50. Overwhelming clinical evidence shows that human prostate cancer has the propensity to metastasize to bone, and the disease appears to progress inevitably from androgen dependent to androgen refractory status, leading to increased patient mortality. This prevalent disease is currently the second leading cause of cancer death among men in the U.S.

In spite of considerable research into therapies for the disease, prostate cancer remains difficult to treat. Commonly, treatment is based on surgery and/or radiation therapy, but these methods are ineffective in a significant percentage of cases. Two previously identified prostate specific proteins - prostate specific antigen (PSA) and prostatic acid phosphatase (PAP) - have limited therapeutic and diagnostic potential. For example, PSA levels do not always correlate well with the presence of prostate cancer, being positive in a percentage of non-prostate cancer cases, including benign prostatic hyperplasia (BPH). Furthermore, PSA measurements correlate with prostate volume, and do not indicate the level of metastasis.

In spite of considerable research into therapies for these and other cancers, prostate cancer remains difficult to diagnose and treat effectively. Accordingly, there is a need in the art for improved methods for detecting and treating such cancers. The present invention fulfills these needs and further provides other related advantages.

SUMMARY OF THE INVENTION

Briefly stated, the present invention provides compositions and methods for the diagnosis and therapy of cancer, such as prostate cancer. In one aspect, the present

invention provides polypeptides comprising at least a portion of a prostate tumor protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises at least an immunogenic portion of a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; (b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and (c) complements of any of the sequence of (a) or (b). In certain specific embodiments, such a polypeptide comprises at least a portion, or variant thereof, of a tumor protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380 and 383.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a prostate tumor protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and a non-specific immune response enhancer.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a prostate tumor protein; and (b) a physiologically acceptable carrier.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a non-specific immune response enhancer.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.

Within related aspects, pharmaceutical compositions comprising a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, that comprise a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a non-specific immune response enhancer.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate tumor protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated as described above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a prostate tumor protein, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a polypeptide; under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Isolated T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a prostate tumor protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited

above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody. The cancer may be prostate cancer.

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein; (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic

kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

BRIEF DESCRIPTION OF THE DRAWINGS AND SEQUENCE IDENTIFIERS

Figure 1 illustrates the ability of T cells to kill fibroblasts expressing the representative prostate tumor polypeptide P502S, as compared to control fibroblasts. The percentage lysis is shown as a series of effector:target ratios, as indicated.

Figures 2A and 2B illustrate the ability of T cells to recognize cells expressing the representative prostate tumor polypeptide P502S. In each case, the number of γ -interferon spots is shown for different numbers of responders. In Figure 2A, data is presented for fibroblasts pulsed with the P2S-12 peptide, as compared to fibroblasts pulsed with a control E75 peptide. In Figure 2B, data is presented for fibroblasts expressing P502S, as compared to fibroblasts expressing HER-2/*neu*.

Figure 3 represents a peptide competition binding assay showing that the P1S#10 peptide, derived from P501S, binds HLA-A2. Peptide P1S#10 inhibits HLA-A2 restricted presentation of fluM58 peptide to CTL clone D150M58 in TNF release bioassay. D150M58 CTL is specific for the HLA-A2 binding influenza matrix peptide fluM58.

Figure 4 illustrates the ability of T cell lines generated from P1S#10 immunized mice to specifically lyse P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat A2Kb targets, as compared to EGFP-transduced Jurkat A2Kb. The percent lysis is shown as a series of effector to target ratios, as indicated.

Figure 5 illustrates the ability of a T cell clone to recognize and specifically lyse Jurkat A2Kb cells expressing the representative prostate tumor polypeptide P501S, thereby demonstrating that the P1S#10 peptide may be a naturally processed epitope of the P501S polypeptide.

Figures 6A and 6B are graphs illustrating the specificity of a CD8⁺ cell line (3A-1) for a representative prostate tumor antigen (P501S). Figure 6A shows the results of a ⁵¹Cr release assay. The percent specific lysis is shown as a series of effector:target ratios, as indicated. Figure 6B shows the production of interferon-gamma by 3A-1 cells stimulated with autologous B-LCL transduced with P501S, at varying effector:target ratios as indicated.

SEQ ID NO: 1 is the determined cDNA sequence for F1-13

SEQ ID NO: 2 is the determined 3' cDNA sequence for F1-12

SEQ ID NO: 3 is the determined 5' cDNA sequence for F1-12
SEQ ID NO: 4 is the determined 3' cDNA sequence for F1-16
SEQ ID NO: 5 is the determined 3' cDNA sequence for H1-1
SEQ ID NO: 6 is the determined 3' cDNA sequence for H1-9
SEQ ID NO: 7 is the determined 3' cDNA sequence for H1-4
SEQ ID NO: 8 is the determined 3' cDNA sequence for J1-17
SEQ ID NO: 9 is the determined 5' cDNA sequence for J1-17
SEQ ID NO: 10 is the determined 3' cDNA sequence for L1-12
SEQ ID NO: 11 is the determined 5' cDNA sequence for L1-12
SEQ ID NO: 12 is the determined 3' cDNA sequence for N1-1862
SEQ ID NO: 13 is the determined 5' cDNA sequence for N1-1862
SEQ ID NO: 14 is the determined 3' cDNA sequence for J1-13
SEQ ID NO: 15 is the determined 5' cDNA sequence for J1-13
SEQ ID NO: 16 is the determined 3' cDNA sequence for J1-19
SEQ ID NO: 17 is the determined 5' cDNA sequence for J1-19
SEQ ID NO: 18 is the determined 3' cDNA sequence for J1-25
SEQ ID NO: 19 is the determined 5' cDNA sequence for J1-25
SEQ ID NO: 20 is the determined 5' cDNA sequence for J1-24
SEQ ID NO: 21 is the determined 3' cDNA sequence for J1-24
SEQ ID NO: 22 is the determined 5' cDNA sequence for K1-58
SEQ ID NO: 23 is the determined 3' cDNA sequence for K1-58
SEQ ID NO: 24 is the determined 5' cDNA sequence for K1-63
SEQ ID NO: 25 is the determined 3' cDNA sequence for K1-63
SEQ ID NO: 26 is the determined 5' cDNA sequence for L1-4
SEQ ID NO: 27 is the determined 3' cDNA sequence for L1-4
SEQ ID NO: 28 is the determined 5' cDNA sequence for L1-14
SEQ ID NO: 29 is the determined 3' cDNA sequence for L1-14
SEQ ID NO: 30 is the determined 3' cDNA sequence for J1-12
SEQ ID NO: 31 is the determined 3' cDNA sequence for J1-16
SEQ ID NO: 32 is the determined 3' cDNA sequence for J1-21
SEQ ID NO: 33 is the determined 3' cDNA sequence for K1-48
SEQ ID NO: 34 is the determined 3' cDNA sequence for K1-55
SEQ ID NO: 35 is the determined 3' cDNA sequence for L1-2
SEQ ID NO: 36 is the determined 3' cDNA sequence for L1-6
SEQ ID NO: 37 is the determined 3' cDNA sequence for N1-1858
SEQ ID NO: 38 is the determined 3' cDNA sequence for N1-1860
SEQ ID NO: 39 is the determined 3' cDNA sequence for N1-1861

SEQ ID NO: 40 is the determined 3' cDNA sequence for N1-1864
SEQ ID NO: 41 is the determined cDNA sequence for P5
SEQ ID NO: 42 is the determined cDNA sequence for P8
SEQ ID NO: 43 is the determined cDNA sequence for P9
SEQ ID NO: 44 is the determined cDNA sequence for P18
SEQ ID NO: 45 is the determined cDNA sequence for P20
SEQ ID NO: 46 is the determined cDNA sequence for P29
SEQ ID NO: 47 is the determined cDNA sequence for P30
SEQ ID NO: 48 is the determined cDNA sequence for P34
SEQ ID NO: 49 is the determined cDNA sequence for P36
SEQ ID NO: 50 is the determined cDNA sequence for P38
SEQ ID NO: 51 is the determined cDNA sequence for P39
SEQ ID NO: 52 is the determined cDNA sequence for P42
SEQ ID NO: 53 is the determined cDNA sequence for P47
SEQ ID NO: 54 is the determined cDNA sequence for P49
SEQ ID NO: 55 is the determined cDNA sequence for P50
SEQ ID NO: 56 is the determined cDNA sequence for P53
SEQ ID NO: 57 is the determined cDNA sequence for P55
SEQ ID NO: 58 is the determined cDNA sequence for P60
SEQ ID NO: 59 is the determined cDNA sequence for P64
SEQ ID NO: 60 is the determined cDNA sequence for P65
SEQ ID NO: 61 is the determined cDNA sequence for P73
SEQ ID NO: 62 is the determined cDNA sequence for P75
SEQ ID NO: 63 is the determined cDNA sequence for P76
SEQ ID NO: 64 is the determined cDNA sequence for P79
SEQ ID NO: 65 is the determined cDNA sequence for P84
SEQ ID NO: 66 is the determined cDNA sequence for P68
SEQ ID NO: 67 is the determined cDNA sequence for P80
SEQ ID NO: 68 is the determined cDNA sequence for P82
SEQ ID NO: 69 is the determined cDNA sequence for U1-3064
SEQ ID NO: 70 is the determined cDNA sequence for U1-3065
SEQ ID NO: 71 is the determined cDNA sequence for V1-3692
SEQ ID NO: 72 is the determined cDNA sequence for 1A-3905
SEQ ID NO: 73 is the determined cDNA sequence for V1-3686
SEQ ID NO: 74 is the determined cDNA sequence for R1-2330
SEQ ID NO: 75 is the determined cDNA sequence for 1B-3976
SEQ ID NO: 76 is the determined cDNA sequence for V1-3679

SEQ ID NO: 77 is the determined cDNA sequence for 1G-4736
SEQ ID NO: 78 is the determined cDNA sequence for 1G-4738
SEQ ID NO: 79 is the determined cDNA sequence for 1G-4741
SEQ ID NO: 80 is the determined cDNA sequence for 1G-4744
SEQ ID NO: 81 is the determined cDNA sequence for 1G-4734
SEQ ID NO: 82 is the determined cDNA sequence for 1H-4774
SEQ ID NO: 83 is the determined cDNA sequence for 1H-4781
SEQ ID NO: 84 is the determined cDNA sequence for 1H-4785
SEQ ID NO: 85 is the determined cDNA sequence for 1H-4787
SEQ ID NO: 86 is the determined cDNA sequence for 1H-4796
SEQ ID NO: 87 is the determined cDNA sequence for 1I-4807
SEQ ID NO: 88 is the determined cDNA sequence for 1I-4810
SEQ ID NO: 89 is the determined cDNA sequence for 1I-4811
SEQ ID NO: 90 is the determined cDNA sequence for 1J-4876
SEQ ID NO: 91 is the determined cDNA sequence for 1K-4884
SEQ ID NO: 92 is the determined cDNA sequence for 1K-4896
SEQ ID NO: 93 is the determined cDNA sequence for 1G-4761
SEQ ID NO: 94 is the determined cDNA sequence for 1G-4762
SEQ ID NO: 95 is the determined cDNA sequence for 1H-4766
SEQ ID NO: 96 is the determined cDNA sequence for 1H-4770
SEQ ID NO: 97 is the determined cDNA sequence for 1H-4771
SEQ ID NO: 98 is the determined cDNA sequence for 1H-4772
SEQ ID NO: 99 is the determined cDNA sequence for 1D-4297
SEQ ID NO: 100 is the determined cDNA sequence for 1D-4309
SEQ ID NO: 101 is the determined cDNA sequence for 1D.1-4278
SEQ ID NO: 102 is the determined cDNA sequence for 1D-4288
SEQ ID NO: 103 is the determined cDNA sequence for 1D-4283
SEQ ID NO: 104 is the determined cDNA sequence for 1D-4304
SEQ ID NO: 105 is the determined cDNA sequence for 1D-4296
SEQ ID NO: 106 is the determined cDNA sequence for 1D-4280
SEQ ID NO: 107 is the determined full length cDNA sequence for F1-12 (also referred to as P504S)
SEQ ID NO: 108 is the predicted amino acid sequence for F1-12
SEQ ID NO: 109 is the determined full length cDNA sequence for J1-17
SEQ ID NO: 110 is the determined full length cDNA sequence for L1-12
SEQ ID NO: 111 is the determined full length cDNA sequence for N1-1862
SEQ ID NO: 112 is the predicted amino acid sequence for J1-17

SEQ ID NO: 113 is the predicted amino acid sequence for L1-12
SEQ ID NO: 114 is the predicted amino acid sequence for N1-1862
SEQ ID NO: 115 is the determined cDNA sequence for P89
SEQ ID NO: 116 is the determined cDNA sequence for P90
SEQ ID NO: 117 is the determined cDNA sequence for P92
SEQ ID NO: 118 is the determined cDNA sequence for P95
SEQ ID NO: 119 is the determined cDNA sequence for P98
SEQ ID NO: 120 is the determined cDNA sequence for P102
SEQ ID NO: 121 is the determined cDNA sequence for P110
SEQ ID NO: 122 is the determined cDNA sequence for P111
SEQ ID NO: 123 is the determined cDNA sequence for P114
SEQ ID NO: 124 is the determined cDNA sequence for P115
SEQ ID NO: 125 is the determined cDNA sequence for P116
SEQ ID NO: 126 is the determined cDNA sequence for P124
SEQ ID NO: 127 is the determined cDNA sequence for P126
SEQ ID NO: 128 is the determined cDNA sequence for P130
SEQ ID NO: 129 is the determined cDNA sequence for P133
SEQ ID NO: 130 is the determined cDNA sequence for P138
SEQ ID NO: 131 is the determined cDNA sequence for P143
SEQ ID NO: 132 is the determined cDNA sequence for P151
SEQ ID NO: 133 is the determined cDNA sequence for P156
SEQ ID NO: 134 is the determined cDNA sequence for P157
SEQ ID NO: 135 is the determined cDNA sequence for P166
SEQ ID NO: 136 is the determined cDNA sequence for P176
SEQ ID NO: 137 is the determined cDNA sequence for P178
SEQ ID NO: 138 is the determined cDNA sequence for P179
SEQ ID NO: 139 is the determined cDNA sequence for P185
SEQ ID NO: 140 is the determined cDNA sequence for P192
SEQ ID NO: 141 is the determined cDNA sequence for P201
SEQ ID NO: 142 is the determined cDNA sequence for P204
SEQ ID NO: 143 is the determined cDNA sequence for P208
SEQ ID NO: 144 is the determined cDNA sequence for P211
SEQ ID NO: 145 is the determined cDNA sequence for P213
SEQ ID NO: 146 is the determined cDNA sequence for P219
SEQ ID NO: 147 is the determined cDNA sequence for P237
SEQ ID NO: 148 is the determined cDNA sequence for P239
SEQ ID NO: 149 is the determined cDNA sequence for P248

SEQ ID NO: 150 is the determined cDNA sequence for P251
SEQ ID NO: 151 is the determined cDNA sequence for P255
SEQ ID NO: 152 is the determined cDNA sequence for P256
SEQ ID NO: 153 is the determined cDNA sequence for P259
SEQ ID NO: 154 is the determined cDNA sequence for P260
SEQ ID NO: 155 is the determined cDNA sequence for P263
SEQ ID NO: 156 is the determined cDNA sequence for P264
SEQ ID NO: 157 is the determined cDNA sequence for P266
SEQ ID NO: 158 is the determined cDNA sequence for P270
SEQ ID NO: 159 is the determined cDNA sequence for P272
SEQ ID NO: 160 is the determined cDNA sequence for P278
SEQ ID NO: 161 is the determined cDNA sequence for P105
SEQ ID NO: 162 is the determined cDNA sequence for P107
SEQ ID NO: 163 is the determined cDNA sequence for P137
SEQ ID NO: 164 is the determined cDNA sequence for P194
SEQ ID NO: 165 is the determined cDNA sequence for P195
SEQ ID NO: 166 is the determined cDNA sequence for P196
SEQ ID NO: 167 is the determined cDNA sequence for P220
SEQ ID NO: 168 is the determined cDNA sequence for P234
SEQ ID NO: 169 is the determined cDNA sequence for P235
SEQ ID NO: 170 is the determined cDNA sequence for P243
SEQ ID NO: 171 is the determined cDNA sequence for P703P-DE1
SEQ ID NO: 172 is the predicted amino acid sequence for P703P-DE1
SEQ ID NO: 173 is the determined cDNA sequence for P703P-DE2
SEQ ID NO: 174 is the determined cDNA sequence for P703P-DE6
SEQ ID NO: 175 is the determined cDNA sequence for P703P-DE13
SEQ ID NO: 176 is the predicted amino acid sequence for P703P-DE13
SEQ ID NO: 177 is the determined cDNA sequence for P703P-DE14
SEQ ID NO: 178 is the predicted amino acid sequence for P703P-DE14
SEQ ID NO: 179 is the determined extended cDNA sequence for 1G-4736
SEQ ID NO: 180 is the determined extended cDNA sequence for 1G-4738
SEQ ID NO: 181 is the determined extended cDNA sequence for 1G-4741
SEQ ID NO: 182 is the determined extended cDNA sequence for 1G-4744
SEQ ID NO: 183 is the determined extended cDNA sequence for 1H-4774
SEQ ID NO: 184 is the determined extended cDNA sequence for 1H-4781
SEQ ID NO: 185 is the determined extended cDNA sequence for 1H-4785
SEQ ID NO: 186 is the determined extended cDNA sequence for 1H-4787

SEQ ID NO: 187 is the determined extended cDNA sequence for 1H-4796
SEQ ID NO: 188 is the determined extended cDNA sequence for 1I-4807
SEQ ID NO: 189 is the determined 3' cDNA sequence for 1I-4810
SEQ ID NO: 190 is the determined 3' cDNA sequence for 1I-4811
SEQ ID NO: 191 is the determined extended cDNA sequence for 1J-4876
SEQ ID NO: 192 is the determined extended cDNA sequence for 1K-4884
SEQ ID NO: 193 is the determined extended cDNA sequence for 1K-4896
SEQ ID NO: 194 is the determined extended cDNA sequence for 1G-4761
SEQ ID NO: 195 is the determined extended cDNA sequence for 1G-4762
SEQ ID NO: 196 is the determined extended cDNA sequence for 1H-4766
SEQ ID NO: 197 is the determined 3' cDNA sequence for 1H-4770
SEQ ID NO: 198 is the determined 3' cDNA sequence for 1H-4771
SEQ ID NO: 199 is the determined extended cDNA sequence for 1H-4772
SEQ ID NO: 200 is the determined extended cDNA sequence for 1D-4309
SEQ ID NO: 201 is the determined extended cDNA sequence for 1D.1-4278
SEQ ID NO: 202 is the determined extended cDNA sequence for 1D-4288
SEQ ID NO: 203 is the determined extended cDNA sequence for 1D-4283
SEQ ID NO: 204 is the determined extended cDNA sequence for 1D-4304
SEQ ID NO: 205 is the determined extended cDNA sequence for 1D-4296
SEQ ID NO: 206 is the determined extended cDNA sequence for 1D-4280
SEQ ID NO: 207 is the determined cDNA sequence for 10-d8fwd
SEQ ID NO: 208 is the determined cDNA sequence for 10-H10con
SEQ ID NO: 209 is the determined cDNA sequence for 11-C8rev
SEQ ID NO: 210 is the determined cDNA sequence for 7.g6fwd
SEQ ID NO: 211 is the determined cDNA sequence for 7.g6rev
SEQ ID NO: 212 is the determined cDNA sequence for 8-b5fwd
SEQ ID NO: 213 is the determined cDNA sequence for 8-b5rev
SEQ ID NO: 214 is the determined cDNA sequence for 8-b6fwd
SEQ ID NO: 215 is the determined cDNA sequence for 8-b6 rev
SEQ ID NO: 216 is the determined cDNA sequence for 8-d4fwd
SEQ ID NO: 217 is the determined cDNA sequence for 8-d9rev
SEQ ID NO: 218 is the determined cDNA sequence for 8-g3fwd
SEQ ID NO: 219 is the determined cDNA sequence for 8-g3rev
SEQ ID NO: 220 is the determined cDNA sequence for 8-h11rev
SEQ ID NO: 221 is the determined cDNA sequence for g-f12fwd
SEQ ID NO: 222 is the determined cDNA sequence for g-f3rev
SEQ ID NO: 223 is the determined cDNA sequence for P509S

SEQ ID NO: 224 is the determined cDNA sequence for P510S
SEQ ID NO: 225 is the determined cDNA sequence for P703DE5
SEQ ID NO: 226 is the determined cDNA sequence for 9-A11
SEQ ID NO: 227 is the determined cDNA sequence for 8-C6
SEQ ID NO: 228 is the determined cDNA sequence for 8-H7
SEQ ID NO: 229 is the determined cDNA sequence for JPTPN13
SEQ ID NO: 230 is the determined cDNA sequence for JPTPN14
SEQ ID NO: 231 is the determined cDNA sequence for JPTPN23
SEQ ID NO: 232 is the determined cDNA sequence for JPTPN24
SEQ ID NO: 233 is the determined cDNA sequence for JPTPN25
SEQ ID NO: 234 is the determined cDNA sequence for JPTPN30
SEQ ID NO: 235 is the determined cDNA sequence for JPTPN34
SEQ ID NO: 236 is the determined cDNA sequence for PTPN35
SEQ ID NO: 237 is the determined cDNA sequence for JPTPN36
SEQ ID NO: 238 is the determined cDNA sequence for JPTPN38
SEQ ID NO: 239 is the determined cDNA sequence for JPTPN39
SEQ ID NO: 240 is the determined cDNA sequence for JPTPN40
SEQ ID NO: 241 is the determined cDNA sequence for JPTPN41
SEQ ID NO: 242 is the determined cDNA sequence for JPTPN42
SEQ ID NO: 243 is the determined cDNA sequence for JPTPN45
SEQ ID NO: 244 is the determined cDNA sequence for JPTPN46
SEQ ID NO: 245 is the determined cDNA sequence for JPTPN51
SEQ ID NO: 246 is the determined cDNA sequence for JPTPN56
SEQ ID NO: 247 is the determined cDNA sequence for PTPN64
SEQ ID NO: 248 is the determined cDNA sequence for JPTPN65
SEQ ID NO: 249 is the determined cDNA sequence for JPTPN67
SEQ ID NO: 250 is the determined cDNA sequence for JPTPN76
SEQ ID NO: 251 is the determined cDNA sequence for JPTPN84
SEQ ID NO: 252 is the determined cDNA sequence for JPTPN85
SEQ ID NO: 253 is the determined cDNA sequence for JPTPN86
SEQ ID NO: 254 is the determined cDNA sequence for JPTPN87
SEQ ID NO: 255 is the determined cDNA sequence for JPTPN88
SEQ ID NO: 256 is the determined cDNA sequence for JP1F1
SEQ ID NO: 257 is the determined cDNA sequence for JP1F2
SEQ ID NO: 258 is the determined cDNA sequence for JP1C2
SEQ ID NO: 259 is the determined cDNA sequence for JP1B1
SEQ ID NO: 260 is the determined cDNA sequence for JP1B2

SEQ ID NO: 261 is the determined cDNA sequence for JP1D3
SEQ ID NO: 262 is the determined cDNA sequence for JP1A4
SEQ ID NO: 263 is the determined cDNA sequence for JP1F5
SEQ ID NO: 264 is the determined cDNA sequence for JP1E6
SEQ ID NO: 265 is the determined cDNA sequence for JP1D6
SEQ ID NO: 266 is the determined cDNA sequence for JP1B5
SEQ ID NO: 267 is the determined cDNA sequence for JP1A6
SEQ ID NO: 268 is the determined cDNA sequence for JP1E8
SEQ ID NO: 269 is the determined cDNA sequence for JP1D7
SEQ ID NO: 270 is the determined cDNA sequence for JP1D9
SEQ ID NO: 271 is the determined cDNA sequence for JP1C10
SEQ ID NO: 272 is the determined cDNA sequence for JP1A9
SEQ ID NO: 273 is the determined cDNA sequence for JP1F12
SEQ ID NO: 274 is the determined cDNA sequence for JP1E12
SEQ ID NO: 275 is the determined cDNA sequence for JP1D11
SEQ ID NO: 276 is the determined cDNA sequence for JP1C11
SEQ ID NO: 277 is the determined cDNA sequence for JP1C12
SEQ ID NO: 278 is the determined cDNA sequence for JP1B12
SEQ ID NO: 279 is the determined cDNA sequence for JP1A12
SEQ ID NO: 280 is the determined cDNA sequence for JP8G2
SEQ ID NO: 281 is the determined cDNA sequence for JP8H1
SEQ ID NO: 282 is the determined cDNA sequence for JP8H2
SEQ ID NO: 283 is the determined cDNA sequence for JP8A3
SEQ ID NO: 284 is the determined cDNA sequence for JP8A4
SEQ ID NO: 285 is the determined cDNA sequence for JP8C3
SEQ ID NO: 286 is the determined cDNA sequence for JP8G4
SEQ ID NO: 287 is the determined cDNA sequence for JP8B6
SEQ ID NO: 288 is the determined cDNA sequence for JP8D6
SEQ ID NO: 289 is the determined cDNA sequence for JP8F5
SEQ ID NO: 290 is the determined cDNA sequence for JP8A8
SEQ ID NO: 291 is the determined cDNA sequence for JP8C7
SEQ ID NO: 292 is the determined cDNA sequence for JP8D7
SEQ ID NO: 293 is the determined cDNA sequence for P8D8
SEQ ID NO: 294 is the determined cDNA sequence for JP8E7
SEQ ID NO: 295 is the determined cDNA sequence for JP8F8
SEQ ID NO: 296 is the determined cDNA sequence for JP8G8
SEQ ID NO: 297 is the determined cDNA sequence for JP8B10

SEQ ID NO: 298 is the determined cDNA sequence for JP8C10
SEQ ID NO: 299 is the determined cDNA sequence for JP8E9
SEQ ID NO: 300 is the determined cDNA sequence for JP8E10
SEQ ID NO: 301 is the determined cDNA sequence for JP8F9
SEQ ID NO: 302 is the determined cDNA sequence for JP8H9
SEQ ID NO: 303 is the determined cDNA sequence for JP8C12
SEQ ID NO: 304 is the determined cDNA sequence for JP8E11
SEQ ID NO: 305 is the determined cDNA sequence for JP8E12
SEQ ID NO: 306 is the amino acid sequence for the peptide PS2#12
SEQ ID NO: 307 is the determined cDNA sequence for P711P
SEQ ID NO: 308 is the determined cDNA sequence for P712P
SEQ ID NO: 309 is the determined cDNA sequence for CLONE23
SEQ ID NO: 310 is the determined cDNA sequence for P774P
SEQ ID NO: 311 is the determined cDNA sequence for P775P
SEQ ID NO: 312 is the determined cDNA sequence for P715P
SEQ ID NO: 313 is the determined cDNA sequence for P710P
SEQ ID NO: 314 is the determined cDNA sequence for P767P
SEQ ID NO: 315 is the determined cDNA sequence for P768P
SEQ ID NO: 316-325 are the determined cDNA sequences of previously isolated genes
SEQ ID NO: 326 is the determined cDNA sequence for P703PDE5
SEQ ID NO: 327 is the predicted amino acid sequence for P703PDE5
SEQ ID NO: 328 is the determined cDNA sequence for P703P6.26
SEQ ID NO: 329 is the predicted amino acid sequence for P703P6.26
SEQ ID NO: 330 is the determined cDNA sequence for P703PX-23
SEQ ID NO: 331 is the predicted amino acid sequence for P703PX-23
SEQ ID NO: 332 is the determined full length cDNA sequence for P509S
SEQ ID NO: 333 is the determined extended cDNA sequence for P707P (also referred to as 11-C9) ✓
SEQ ID NO: 334 is the determined cDNA sequence for P714P
SEQ ID NO: 335 is the determined cDNA sequence for P705P (also referred to as 9-F3)
SEQ ID NO: 336 is the predicted amino acid sequence for P705P
SEQ ID NO: 337 is the amino acid sequence of the peptide P1S#10
SEQ ID NO: 338 is the amino acid sequence of the peptide p5
SEQ ID NO: 339 is the predicted amino acid sequence of P509S
SEQ ID NO: 340 is the determined cDNA sequence for P778P
SEQ ID NO: 341 is the determined cDNA sequence for P786P
SEQ ID NO: 342 is the determined cDNA sequence for P789P

SEQ ID NO: 343 is the determined cDNA sequence for a clone showing homology to Homo sapiens MM46 mRNA

SEQ ID NO: 344 is the determined cDNA sequence for a clone showing homology to Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA

SEQ ID NO: 345 is the determined cDNA sequence for a clone showing homology to Homo sapiens mRNA for E-cadherin

SEQ ID NO: 346 is the determined cDNA sequence for a clone showing homology to Human nuclear-encoded mitochondrial serine hydroxymethyltransferase (SHMT)

SEQ ID NO: 347 is the determined cDNA sequence for a clone showing homology to Homo sapiens natural resistance-associated macrophage protein2 (NRAMP2)

SEQ ID NO: 348 is the determined cDNA sequence for a clone showing homology to Homo sapiens phosphoglucomutase-related protein (PGMRP)

SEQ ID NO: 349 is the determined cDNA sequence for a clone showing homology to Human mRNA for proteosome subunit p40

SEQ ID NO: 350 is the determined cDNA sequence for P777P

SEQ ID NO: 351 is the determined cDNA sequence for P779P

SEQ ID NO: 352 is the determined cDNA sequence for P790P

SEQ ID NO: 353 is the determined cDNA sequence for P784P

SEQ ID NO: 354 is the determined cDNA sequence for P776P

SEQ ID NO: 355 is the determined cDNA sequence for P780P

SEQ ID NO: 356 is the determined cDNA sequence for P544S

SEQ ID NO: 357 is the determined cDNA sequence for P745S

SEQ ID NO: 358 is the determined cDNA sequence for P782P

SEQ ID NO: 359 is the determined cDNA sequence for P783P

SEQ ID NO: 360 is the determined cDNA sequence for unknown 17984

SEQ ID NO: 361 is the determined cDNA sequence for P787P

SEQ ID NO: 362 is the determined cDNA sequence for P788P

SEQ ID NO: 363 is the determined cDNA sequence for unknown 17994

SEQ ID NO: 364 is the determined cDNA sequence for P781P

SEQ ID NO: 365 is the determined cDNA sequence for P785P

SEQ ID NO: 366-375 are the determined cDNA sequences for splice variants of B305D.

SEQ ID NO: 376 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 366.

SEQ ID NO: 377 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 372.

SEQ ID NO: 378 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 373.

SEQ ID NO: 379 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 374.

SEQ ID NO: 380 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 375.

SEQ ID NO: 381 is the determined cDNA sequence for B716P.

SEQ ID NO: 382 is the determined full-length cDNA sequence for P711P.

SEQ ID NO: 383 is the predicted amino acid sequence for P711P.

SEQ ID NO: 384 is the cDNA sequence for P1000C.

SEQ ID NO: 385 is the cDNA sequence for CGI-82.

SEQ ID NO:386 is the cDNA sequence for 23320.

SEQ ID NO:387 is the cDNA sequence for CGI-69.

SEQ ID NO:388 is the cDNA sequence for L-iditol-2-dehydrogenase.

SEQ ID NO:389 is the cDNA sequence for 23379.

SEQ ID NO:390 is the cDNA sequence for 23381.

SEQ ID NO:391 is the cDNA sequence for KIAA0122.

SEQ ID NO:392 is the cDNA sequence for 23399.

SEQ ID NO:393 is the cDNA sequence for a previously identified gene.

SEQ ID NO:394 is the cDNA sequence for HCLBP.

SEQ ID NO:395 is the cDNA sequence for transglutaminase.

SEQ ID NO:396 is the cDNA sequence for a previously identified gene.

SEQ ID NO:397 is the cDNA sequence for PAP.

SEQ ID NO:398 is the cDNA sequence for Ets transcription factor PDEF.

SEQ ID NO:399 is the cDNA sequence for hTGR.

SEQ ID NO:400 is the cDNA sequence for KIAA0295.

SEQ ID NO:401 is the cDNA sequence for 22545.

SEQ ID NO:402 is the cDNA sequence for 22547.

SEQ ID NO:403 is the cDNA sequence for 22548.

SEQ ID NO:404 is the cDNA sequence for 22550.

SEQ ID NO:405 is the cDNA sequence for 22551.

SEQ ID NO:406 is the cDNA sequence for 22552.

SEQ ID NO:407 is the cDNA sequence for 22553.

SEQ ID NO:408 is the cDNA sequence for 22558.

SEQ ID NO:409 is the cDNA sequence for 22562.

SEQ ID NO:410 is the cDNA sequence for 22565.

SEQ ID NO:411 is the cDNA sequence for 22567.

SEQ ID NO:412 is the cDNA sequence for 22568.

SEQ ID NO:413 is the cDNA sequence for 22570.

SEQ ID NO:414 is the cDNA sequence for 22571.
SEQ ID NO:415 is the cDNA sequence for 22572.
SEQ ID NO:416 is the cDNA sequence for 22573.
SEQ ID NO:417 is the cDNA sequence for 22573.
SEQ ID NO:418 is the cDNA sequence for 22575.
SEQ ID NO:419 is the cDNA sequence for 22580.
SEQ ID NO:420 is the cDNA sequence for 22581.
SEQ ID NO:421 is the cDNA sequence for 22582.
SEQ ID NO:422 is the cDNA sequence for 22583.
SEQ ID NO:423 is the cDNA sequence for 22584.
SEQ ID NO:424 is the cDNA sequence for 22585.
SEQ ID NO:425 is the cDNA sequence for 22586.
SEQ ID NO:426 is the cDNA sequence for 22587.
SEQ ID NO:427 is the cDNA sequence for 22588.
SEQ ID NO:428 is the cDNA sequence for 22589.
SEQ ID NO:429 is the cDNA sequence for 22590.
SEQ ID NO:430 is the cDNA sequence for 22591.
SEQ ID NO:431 is the cDNA sequence for 22592.
SEQ ID NO:432 is the cDNA sequence for 22593.
SEQ ID NO:433 is the cDNA sequence for 22594.
SEQ ID NO:434 is the cDNA sequence for 22595.
SEQ ID NO:435 is the cDNA sequence for 22596.
SEQ ID NO:436 is the cDNA sequence for 22847.
SEQ ID NO:437 is the cDNA sequence for 22848.
SEQ ID NO:438 is the cDNA sequence for 22849.
SEQ ID NO:439 is the cDNA sequence for 22851.
SEQ ID NO:440 is the cDNA sequence for 22852.
SEQ ID NO:441 is the cDNA sequence for 22853.
SEQ ID NO:442 is the cDNA sequence for 22854.
SEQ ID NO:443 is the cDNA sequence for 22855.
SEQ ID NO:444 is the cDNA sequence for 22856.
SEQ ID NO:445 is the cDNA sequence for 22857.
SEQ ID NO:446 is the cDNA sequence for 23601.
SEQ ID NO:447 is the cDNA sequence for 23602.
SEQ ID NO:448 is the cDNA sequence for 23605.
SEQ ID NO:449 is the cDNA sequence for 23606.
SEQ ID NO:450 is the cDNA sequence for 23612.

SEQ ID NO:451 is the cDNA sequence for 23614.
SEQ ID NO:452 is the cDNA sequence for 23618.
SEQ ID NO:453 is the cDNA sequence for 23622.
SEQ ID NO:454 is the cDNA sequence for folate hydrolase.
SEQ ID NO:455 is the cDNA sequence for LIM protein.
SEQ ID NO:456 is the cDNA sequence for a known gene.
SEQ ID NO:457 is the cDNA sequence for a known gene.
SEQ ID NO:458 is the cDNA sequence for a previously identified gene.
SEQ ID NO:459 is the cDNA sequence for 23045.
SEQ ID NO:460 is the cDNA sequence for 23032.
SEQ ID NO:461 is the cDNA sequence for 23054.
SEQ ID NOs:462-467 are cDNA sequences for known genes.
SEQ ID NOs:468-471 are cDNA sequences for P710P.
SEQ ID NO:472 is a cDNA sequence for P1001C.

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer. The compositions described herein may include prostate tumor polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (*e.g.*, T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic portion) of a prostate tumor protein or a variant thereof. A "prostate tumor protein" is a protein that is expressed in prostate tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a normal tissue, as determined using a representative assay provided herein. Certain prostate tumor proteins are tumor proteins that react detectably (within an immunoassay, such as an ELISA or Western blot) with antisera of a patient afflicted with prostate cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery of human prostate tumor proteins. Sequences of polynucleotides encoding certain tumor proteins, or portions thereof, are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472. Sequences of polypeptides comprising at least a portion of a tumor protein are provided in SEQ ID NOs:112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380 and 383.

PROSTATE TUMOR PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a prostate tumor protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a prostate tumor protein. More preferably, a polynucleotide encodes an immunogenic portion of a prostate tumor protein. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a prostate tumor protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the encoded polypeptide is not diminished, relative to a native tumor protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native prostate tumor protein or a portion thereof.

Two polynucleotide or polypeptide sequences are said to be "identical" if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A "comparison window" as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50,

in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenesis pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad. Sci. USA* 80:726-730.

Preferably, the “percentage of sequence identity” is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (*i.e.*, gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (*i.e.*, the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native prostate tumor protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to

the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that is at least five fold greater in a prostate tumor than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as prostate tumor cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

An amplified portion may be used to isolate a full length gene from a suitable library (*e.g.*, a prostate tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (*e.g.*, by nick-translation or end-labeling with ^{32}P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (*see* Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using

standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids. Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs may be used to generate a contiguous full length sequence.

Certain nucleic acid sequences of cDNA molecules encoding at least a portion of a prostate tumor protein are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472. Isolation of these

polynucleotides is described below. Each of these prostate tumor proteins was overexpressed in prostate tumor tissue.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a prostate tumor protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (e.g., by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a prostate tumor polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a tumor protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In Huber and Carr, Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (e.g., promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such

as inosine, queosine and wybutosine, as well as acetyl-, methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (e.g., avian pox virus). Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (i.e., an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

PROSTATE TUMOR POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a prostate tumor protein or a variant thereof, as described herein. As noted above, a "prostate tumor protein" is a protein that is expressed by prostate tumor cells. Proteins that are prostate tumor proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with prostate cancer. Polypeptides as described herein may be of any length. Additional sequences derived from

the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a prostate tumor protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may contain a small N- and/or C-terminal deletion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native prostate tumor protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ¹²⁵I-labeled Protein A.

As noted above, a composition may comprise a variant of a native prostate tumor protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native prostate tumor protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein.

Preferred variants include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein. Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydropathic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (*e.g.*, poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast and higher eukaryotic cells. Preferably, the host cells employed are

E. coli, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into

the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene*, 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see, for example, Stoute et al. New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as

amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (see *Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

BINDING AGENTS

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to a prostate tumor protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a prostate tumor protein if it reacts at a detectable level (within, for example, an ELISA) with a prostate tumor protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about 10^3 L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as prostate cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a prostate tumor protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (e.g., blood, sera, urine and/or tumor biopsies) from

patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. *See, e.g., Harlow and Lane, Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (*e.g., mice, rats, rabbits, sheep or goats*). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (*i.e., reactivity with the polypeptide of interest*). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient

time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and

thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a prostate tumor protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the CEPRATE™ system, available from CellPro Inc., Bothell WA (*see also* U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a prostate tumor polypeptide, polynucleotide encoding a prostate tumor polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a prostate tumor polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a prostate tumor polypeptide if the T cells kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell proliferation can be detected by measuring an increased rate of DNA synthesis (*e.g.*, by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a prostate tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (*e.g.*, TNF or IFN-γ) is indicative of T cell activation (*see* Coligan et al., *Current Protocols in Immunology*, vol. 1, Wiley Interscience

(Greene 1998)). T cells that have been activated in response to a prostate tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4⁺ and/or CD8⁺. Prostate tumor protein-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4⁺ or CD8⁺ T cells that proliferate in response to a prostate tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a prostate tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a prostate tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of a prostate tumor protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and a non-specific immune response enhancer. A non-specific immune response enhancer may be any substance that enhances an immune response to an exogenous antigen. Examples of non-specific immune response enhancers include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998,

and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl. Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) and/or

preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of non-specific immune response enhancers may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- γ , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6, IL-10 and TNF- β) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt. MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT; see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555. Another preferred adjuvant is a saponin, preferably QS21, which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is

quenched with cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210. Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient.

The compositions described herein may be administered as part of a sustained release formulation (*i.e.*, a formulation such as a capsule or sponge that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained within a reservoir surrounded by a rate controlling membrane. Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*) and based on the lack of differentiation markers of B cells (CD19 and CD20), T cells (CD3), monocytes (CD14) and natural killer cells (CD56), as determined using standard assays. Dendritic cells may, of course, be engineered to express specific cell-

surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (*see* Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood, bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc γ receptor, mannose receptor and DEC-205 marker. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80 and CD86).

APCs may generally be transfected with a polynucleotide encoding a prostate tumor protein (or portion or other variant thereof) such that the prostate tumor polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the prostate tumor polypeptide, DNA (naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that

provides T cell help (e.g., a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as prostate cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8⁺ cytotoxic T lymphocytes and CD4⁺ T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein

may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see*, for example, Cheever et al., *Immunological Reviews* 157:177, 1997).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 100 µg to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such

a response can be monitored by establishing an improved clinical outcome (e.g., more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a prostate tumor protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or more prostate tumor proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as prostate cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, a prostate tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue.

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. See, e.g., Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding

agent. Suitable polypeptides for use within such assays include full length prostate tumor proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 μ g, and preferably about 100 ng to about 1 μ g, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.*, Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody. Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with prostate cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of a cancer, such as prostate cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred

embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent. Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use prostate tumor polypeptides to

detect antibodies that bind to such polypeptides in a biological sample. The detection of such prostate tumor protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a prostate tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4⁺ and/or CD8⁺ T cells isolated from a patient is incubated with a prostate tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with prostate tumor polypeptide (e.g., 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of prostate tumor polypeptide to serve as a control. For CD4⁺ T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8⁺ T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a prostate tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a prostate tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (*i.e.*, hybridizes to) a polynucleotide encoding the prostate tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a prostate tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%, preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a prostate tumor protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers

comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375 and 381. Techniques for both PCR based assays and hybridization assays are well known in the art (*see, for example, Mullis et al., Cold Spring Harbor Symp. Quant. Biol., 51:263, 1987; Erlich ed., PCR Technology, Stockton Press, NY, 1989*).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor. One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple prostate tumor protein markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins provided herein may be combined with assays for other known tumor antigens.

DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a prostate tumor protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding a prostate tumor protein in a biological sample. Such kits generally comprise at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a prostate tumor protein. Such an oligonucleotide may be used, for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a prostate tumor protein.

The following Examples are offered by way of illustration and not by way of limitation.

EXAMPLES

EXAMPLE 1

ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES

This Example describes the isolation of certain prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library was constructed from prostate tumor poly A⁺ RNA using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD 20897) following the manufacturer's protocol. Specifically, prostate tumor tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A⁺ RNA was then purified using a Qiagen oligotex spin column mRNA purification kit (Qiagen, Santa Clarita, CA 91355) according to the manufacturer's protocol. First-strand cDNA was synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with EcoRI/BAXI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with Chroma Spin-1000 columns (Clontech, Palo Alto, CA), the cDNA was ligated into the EcoRI/NotI site of pCDNA3.1 (Invitrogen) and transformed into ElectroMax *E. coli* DH10B cells (BRL Life Technologies) by electroporation.

Using the same procedure, a normal human pancreas cDNA expression library was prepared from a pool of six tissue specimens (Clontech). The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis. The prostate tumor library contained 1.64×10^7 independent colonies, with 70% of clones having an insert and the average insert size being 1745 base pairs. The normal pancreas cDNA library contained 3.3×10^6 independent colonies, with 69% of clones having inserts and the average insert size being 1120 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA, with minimal rRNA and mitochondrial DNA contamination.

cDNA library subtraction was performed using the above prostate tumor and normal pancreas cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a prostate tumor-specific subtracted cDNA library was generated as follows. Normal pancreas cDNA library (70 μ g) was digested with EcoRI, NotI, and SfuI, followed by a filling-in reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 100 μ l of

H₂O, heat-denatured and mixed with 100 µl (100 µg) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (50 µl) was added and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23 µl H₂O to form the driver DNA.

To form the tracer DNA, 10 µg prostate tumor cDNA library was digested with BamHI and XhoI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech). Following ethanol precipitation, the tracer DNA was dissolved in 5 µl H₂O. Tracer DNA was mixed with 15 µl driver DNA and 20 µl of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12 µl H₂O, mixed with 8 µl driver DNA and 20 µl of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After removal of biotinylated double-stranded DNA, subtracted cDNA was ligated into BamHI/XhoI site of chloramphenicol resistant pBCSK⁺ (Stratagene, La Jolla, CA 92037) and transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a prostate tumor specific subtracted cDNA library (referred to as "prostate subtraction 1").

To analyze the subtracted cDNA library, plasmid DNA was prepared from 100 independent clones, randomly picked from the subtracted prostate tumor specific library and grouped based on insert size. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A (Foster City, CA). Six cDNA clones, hereinafter referred to as F1-13, F1-12, F1-16, H1-1, H1-9 and H1-4, were shown to be abundant in the subtracted prostate-specific cDNA library. The determined 3' and 5' cDNA sequences for F1-12 are provided in SEQ ID NO: 2 and 3, respectively, with determined 3' cDNA sequences for F1-13, F1-16, H1-1, H1-9 and H1-4 being provided in SEQ ID NO: 1 and 4-7, respectively.

The cDNA sequences for the isolated clones were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). Four of the prostate tumor cDNA clones, F1-13, F1-16, H1-1, and H1-4, were determined to encode the following previously identified proteins: prostate specific antigen (PSA), human glandular kallikrein, human tumor expression enhanced gene, and mitochondria cytochrome C oxidase subunit II. H1-9 was found to be identical to a previously identified human

autonomously replicating sequence. No significant homologies to the cDNA sequence for F1-12 were found.

Subsequent studies led to the isolation of a full-length cDNA sequence for F1-12. This sequence is provided in SEQ ID NO: 107, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 108.

To clone less abundant prostate tumor specific genes, cDNA library subtraction was performed by subtracting the prostate tumor cDNA library described above with the normal pancreas cDNA library and with the three most abundant genes in the previously subtracted prostate tumor specific cDNA library: human glandular kallikrein, prostate specific antigen (PSA), and mitochondria cytochrome C oxidase subunit II. Specifically, 1 µg each of human glandular kallikrein, PSA and mitochondria cytochrome C oxidase subunit II cDNAs in pCDNA3.1 were added to the driver DNA and subtraction was performed as described above to provide a second subtracted cDNA library hereinafter referred to as the "subtracted prostate tumor specific cDNA library with spike".

Twenty-two cDNA clones were isolated from the subtracted prostate tumor specific cDNA library with spike. The determined 3' and 5' cDNA sequences for the clones referred to as J1-17, L1-12, N1-1862, J1-13, J1-19, J1-25, J1-24, K1-58, K1-63, L1-4 and L1-14 are provided in SEQ ID NOS: 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-21, 22-23, 24-25, 26-27 and 28-29, respectively. The determined 3' cDNA sequences for the clones referred to as J1-12, J1-16, J1-21, K1-48, K1-55, L1-2, L1-6, N1-1858, N1-1860, N1-1861, N1-1864 are provided in SEQ ID NOS: 30-40, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to three of the five most abundant DNA species, (J1-17, L1-12 and N1-1862; SEQ ID NOS: 8-9, 10-11 and 12-13, respectively). Of the remaining two most abundant species, one (J1-12; SEQ ID NO:30) was found to be identical to the previously identified human pulmonary surfactant-associated protein, and the other (K1-48; SEQ ID NO:33) was determined to have some homology to *R. norvegicus* mRNA for 2-arylpropionyl-CoA epimerase. Of the 17 less abundant cDNA clones isolated from the subtracted prostate tumor specific cDNA library with spike, four (J1-16, K1-55, L1-6 and N1-1864; SEQ ID NOS:31, 34, 36 and 40, respectively) were found to be identical to previously identified sequences, two (J1-21 and N1-1860; SEQ ID NOS: 32 and 38, respectively) were found to show some homology to non-human sequences, and two (L1-2 and N1-1861; SEQ ID NOS: 35 and 39, respectively) were found to show some homology to known human sequences. No significant homologies were found to the polypeptides J1-13, J1-19, J1-24, J1-25, K1-58, K1-63, L1-4, L1-14 (SEQ ID NOS: 14-15, 16-17, 20-21, 18-19, 22-23, 24-25, 26-27, 28-29, respectively).

Subsequent studies led to the isolation of full length cDNA sequences for J1-17, L1-12 and N1-1862 (SEQ ID NOS: 109-111, respectively). The corresponding predicted

amino acid sequences are provided in SEQ ID NOS: 112-114. L1-12 is also referred to as P501S.

In a further experiment, four additional clones were identified by subtracting a prostate tumor cDNA library with normal prostate cDNA prepared from a pool of three normal prostate poly A+ RNA (referred to as "prostate subtraction 2"). The determined cDNA sequences for these clones, hereinafter referred to as U1-3064, U1-3065, V1-3692 and 1A-3905, are provided in SEQ ID NO: 69-72, respectively. Comparison of the determined sequences with those in the gene bank revealed no significant homologies to U1-3065.

A second subtraction with spike (referred to as "prostate subtraction spike 2") was performed by subtracting a prostate tumor specific cDNA library with spike with normal pancreas cDNA library and further spiked with PSA, J1-17, pulmonary surfactant-associated protein, mitochondrial DNA, cytochrome c oxidase subunit II, N1-1862, autonomously replicating sequence, L1-12 and tumor expression enhanced gene. Four additional clones, hereinafter referred to as V1-3686, R1-2330, 1B-3976 and V1-3679, were isolated. The determined cDNA sequences for these clones are provided in SEQ ID NO:73-76, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to V1-3686 and R1-2330.

Further analysis of the three prostate subtractions described above (prostate subtraction 2, subtracted prostate tumor specific cDNA library with spike, and prostate subtraction spike 2) resulted in the identification of sixteen additional clones, referred to as 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1G-4734, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4810, 1I-4811, 1J-4876, 1K-4884 and 1K-4896. The determined cDNA sequences for these clones are provided in SEQ ID NOS: 77-92, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to 1G-4741, 1G-4734, 1I-4807, 1J-4876 and 1K-4896 (SEQ ID NOS: 79, 81, 87, 90 and 92, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4807, 1J-4876, 1K-4884 and 1K-4896, provided in SEQ ID NOS: 179-188 and 191-193, respectively, and to the determination of additional partial cDNA sequences for 1I-4810 and 1I-4811, provided in SEQ ID NOS: 189 and 190, respectively.

Additional studies with prostate subtraction spike 2 resulted in the isolation of three more clones. Their sequences were determined as described above and compared to the most recent GenBank. All three clones were found to have homology to known genes, which are Cysteine-rich protein, KIAA0242, and KIAA0280 (SEQ ID NO: 317, 319, and 320, respectively). Further analysis of these clones by Synteni microarray (Synteni, Palo Alto, CA) demonstrated that all three clones were over-expressed in most prostate tumors and

prostate BPH, as well as in the majority of normal prostate tissues tested, but low expression in all other normal tissues.

An additional subtraction was performed by subtracting a normal prostate cDNA library with normal pancreas cDNA (referred to as "prostate subtraction 3"). This led to the identification of six additional clones referred to as 1G-4761, 1G-4762, 1H-4766, 1H-4770, 1H-4771 and 1H-4772 (SEQ ID NOS: 93-98). Comparison of these sequences with those in the gene bank revealed no significant homologies to 1G-4761 and 1H-4771 (SEQ ID NOS: 93 and 97, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4761, 1G-4762, 1H-4766 and 1H-4772 provided in SEQ ID NOS: 194-196 and 199, respectively, and to the determination of additional partial cDNA sequences for 1H-4770 and 1H-4771, provided in SEQ ID NOS: 197 and 198, respectively.

Subtraction of a prostate tumor cDNA library, prepared from a pool of polyA+ RNA from three prostate cancer patients, with a normal pancreas cDNA library (prostate subtraction 4) led to the identification of eight clones, referred to as 1D-4297, 1D-4309, 1D.1-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280 (SEQ ID NOS: 99-107). These sequences were compared to those in the gene bank as described above. No significant homologies were found to 1D-4283 and 1D-4304 (SEQ ID NOS: 103 and 104, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1D-4309, 1D.1-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280, provided in SEQ ID NOS: 200-206, respectively.

cDNA clones isolated in prostate subtraction 1 and prostate subtraction 2, described above, were colony PCR amplified and their mRNA expression levels in prostate tumor, normal prostate and in various other normal tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization intensity. Two clones (referred to as P509S and P510S) were found to be over-expressed in prostate tumor and normal prostate and expressed at low levels in all other normal tissues tested (liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon). The determined cDNA sequences for P509S and P510S are provided in SEQ ID NO: 223 and 224, respectively. Comparison of these sequences with those in the gene bank as described above, revealed some homology to previously identified ESTs.

Additional, studies led to the isolation of the full-length cDNA sequence for P509S. This sequence is provided in SEQ ID NO: 332, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 339.

EXAMPLE 2

DETERMINATION OF TISSUE SPECIFICITY OF PROSTATE TUMOR POLYPEPTIDES

Using gene specific primers, mRNA expression levels for the representative prostate tumor polypeptides F1-16, H1-1, J1-17 (also referred to as P502S), L1-12 (also referred to as P501S), F1-12 (also referred to as P504S) and N1-1862 (also referred to as P503S) were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor tissues using Trizol reagent as described above. First strand synthesis was carried out using 1-2 µg of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR, β-actin was used as an internal control for each of the tissues examined. First, serial dilutions of the first strand cDNAs were prepared and RT-PCR assays were performed using β-actin specific primers. A dilution was then chosen that enabled the linear range amplification of the β-actin template and which was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the β-actin levels were determined for each reverse transcription reaction from each tissue. DNA contamination was minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in four different types of tumor tissue (prostate tumor from 2 patients, breast tumor from 3 patients, colon tumor, lung tumor), and sixteen different normal tissues, including prostate, colon, kidney, liver, lung, ovary, pancreas, skeletal muscle, skin, stomach, testes, bone marrow and brain. F1-16 was found to be expressed at high levels in prostate tumor tissue, colon tumor and normal prostate, and at lower levels in normal liver, skin and testes, with expression being undetectable in the other tissues examined. H1-1 was found to be expressed at high levels in prostate tumor, lung tumor, breast tumor, normal prostate, normal colon and normal brain, at much lower levels in normal lung, pancreas, skeletal muscle, skin, small intestine, bone marrow, and was not detected in the other tissues tested. J1-17 (P502S) and L1-12 (P501S) appear to be specifically over-expressed in prostate, with both genes being expressed at high levels in prostate tumor and normal prostate but at low to undetectable levels in all the other tissues examined. N1-1862 (P503S) was found to be over-expressed in 60% of prostate tumors and detectable in normal colon and kidney. The RT-PCR results thus indicate that

F1-16, H1-1, J1-17 (P502S), N1-1862 (P503S) and L1-12 (P501S) are either prostate specific or are expressed at significantly elevated levels in prostate.

Further RT-PCR studies showed that F1-12 (P504S) is over-expressed in 60% of prostate tumors, detectable in normal kidney but not detectable in all other tissues tested. Similarly, R1-2330 was shown to be over-expressed in 40% of prostate tumors, detectable in normal kidney and liver, but not detectable in all other tissues tested. U1-3064 was found to be over-expressed in 60% of prostate tumors, and also expressed in breast and colon tumors, but was not detectable in normal tissues.

RT-PCR characterization of R1-2330, U1-3064 and 1D-4279 showed that these three antigens are over-expressed in prostate and/or prostate tumors.

Northern analysis with four prostate tumors, two normal prostate samples, two BPH prostates, and normal colon, kidney, liver, lung, pancreas, skeletal muscle, brain, stomach, testes, small intestine and bone marrow, showed that L1-12 (P501S) is over-expressed in prostate tumors and normal prostate, while being undetectable in other normal tissues tested. J1-17 (P502S) was detected in two prostate tumors and not in the other tissues tested. N1-1862 (P503S) was found to be over-expressed in three prostate tumors and to be expressed in normal prostate, colon and kidney, but not in other tissues tested. F1-12 (P504S) was found to be highly expressed in two prostate tumors and to be undetectable in all other tissues tested.

The microarray technology described above was used to determine the expression levels of representative antigens described herein in prostate tumor, breast tumor and the following normal tissues: prostate, liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon. L1-12 (P501S) was found to be over-expressed in normal prostate and prostate tumor, with some expression being detected in normal skeletal muscle. Both J1-12 and F1-12 (P504S) were found to be over-expressed in prostate tumor, with expression being lower or undetectable in all other tissues tested. N1-1862 (P503S) was found to be expressed at high levels in prostate tumor and normal prostate, and at low levels in normal large intestine and normal colon, with expression being undetectable in all other tissues tested. R1-2330 was found to be over-expressed in prostate tumor and normal prostate, and to be expressed at lower levels in all other tissues tested. 1D-4279 was found to be over-expressed in prostate tumor and normal prostate, expressed at lower levels in normal spinal cord, and to be undetectable in all other tissues tested.

Further microarray analysis to specifically address the extent to which P501S (SEQ ID NO: 110) was expressed in breast tumor revealed moderate over-expression not only in breast tumor, but also in metastatic breast tumor (2/31), with negligible to low expression

in normal tissues. This data suggests that P501S may be over-expressed in various breast tumors as well as in prostate tumors.

The expression levels of 32 ESTs (expressed sequence tags) described by Vasmatazis *et al.* (*Proc. Natl. Acad. Sci. USA* 95:300-304, 1998) in a variety of tumor and normal tissues were examined by microarray technology as described above. Two of these clones (referred to as P1000C and P1001C) were found to be over-expressed in prostate tumor and normal prostate, and expressed at low to undetectable levels in all other tissues tested (normal aorta, thymus, resting and activated PBMC, epithelial cells, spinal cord, adrenal gland, fetal tissues, skin, salivary gland, large intestine, bone marrow, liver, lung, dendritic cells, stomach, lymph nodes, brain, heart, small intestine, skeletal muscle, colon and kidney. The determined cDNA sequences for P1000C and P1001C are provided in SEQ ID NO: 384 and 472, respectively. The sequence of P1001C was found to show some homology to the previously isolated Human mRNA for JM27 protein. No significant homologies were found to the sequence of P1000C.

The expression of the polypeptide encoded by the full length cDNA sequence for F1-12 (also referred to as P504S; SEQ ID NO: 108) was investigated by immunohistochemical analysis. Rabbit-anti-P504S polyclonal antibodies were generated against the full length P504S protein by standard techniques. Subsequent isolation and characterization of the polyclonal antibodies were also performed by techniques well known in the art. Immunohistochemical analysis showed that the P504S polypeptide was expressed in 100% of prostate carcinoma samples tested (n=5).

The rabbit-anti-P504S polyclonal antibody did not appear to label benign prostate cells with the same cytoplasmic granular staining, but rather with light nuclear staining. Analysis of normal tissues revealed that the encoded polypeptide was found to be expressed in some, but not all normal human tissues. Positive cytoplasmic staining with rabbit-anti-P504S polyclonal antibody was found in normal human kidney, liver, brain, colon and lung-associated macrophages, whereas heart and bone marrow were negative.

This data indicates that the P504S polypeptide is present in prostate cancer tissues, and that there are qualitative and quantitative differences in the staining between benign prostatic hyperplasia tissues and prostate cancer tissues, suggesting that this polypeptide may be detected selectively in prostate tumors and therefore be useful in the diagnosis of prostate cancer.

EXAMPLE 3

ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA subtraction library, containing cDNA from normal prostate subtracted with ten other normal tissue cDNAs (brain, heart, kidney, liver, lung, ovary, placenta, skeletal muscle, spleen and thymus) and then submitted to a first round of PCR amplification, was purchased from Clontech. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector pT7 Blue T-vector (Novagen, Madison, WI) and transformed into XL-1 Blue MRF' *E. coli* (Stratagene). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

Fifty-nine positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the gene bank, as described above, revealed no significant homologies to 25 of these clones, hereinafter referred to as P5, P8, P9, P18, P20, P30, P34, P36, P38, P39, P42, P49, P50, P53, P55, P60, P64, P65, P73, P75, P76, P79 and P84. The determined cDNA sequences for these clones are provided in SEQ ID NO: 41-45, 47-52 and 54-65, respectively. P29, P47, P68, P80 and P82 (SEQ ID NO: 46, 53 and 66-68, respectively) were found to show some degree of homology to previously identified DNA sequences. To the best of the inventors' knowledge, none of these sequences have been previously shown to be present in prostate.

Further studies using the PCR-based methodology described above resulted in the isolation of more than 180 additional clones, of which 23 clones were found to show no significant homologies to known sequences. The determined cDNA sequences for these clones are provided in SEQ ID NO: 115-123, 127, 131, 137, 145, 147-151, 153, 156-158 and 160. Twenty-three clones (SEQ ID NO: 124-126, 128-130, 132-136, 138-144, 146, 152, 154, 155 and 159) were found to show some homology to previously identified ESTs. An additional ten clones (SEQ ID NO: 161-170) were found to have some degree of homology to known genes. Larger cDNA clones containing the P20 sequence represent splice variants of a gene referred to as P703P. The determined DNA sequence for the variants referred to as DE1, DE13 and DE14 are provided in SEQ ID NOS: 171, 175 and 177, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 172, 176 and 178, respectively. The determined cDNA sequence for an extended spliced form of P703 is provided in SEQ ID NO: 225. The DNA sequences for the splice variants referred to as DE2 and DE6 are provided in SEQ ID NOS: 173 and 174, respectively.

mRNA Expression levels for representative clones in tumor tissues (prostate (n=5), breast (n=2), colon and lung) normal tissues (prostate (n=5), colon, kidney, liver, lung (n=2), ovary (n=2), skeletal muscle, skin, stomach, small intestine and brain), and activated

and non-activated PBMC was determined by RT-PCR as described above. Expression was examined in one sample of each tissue type unless otherwise indicated.

P9 was found to be highly expressed in normal prostate and prostate tumor compared to all normal tissues tested except for normal colon which showed comparable expression. P20, a portion of the P703P gene, was found to be highly expressed in normal prostate and prostate tumor, compared to all twelve normal tissues tested. A modest increase in expression of P20 in breast tumor (n=2), colon tumor and lung tumor was seen compared to all normal tissues except lung (1 of 2). Increased expression of P18 was found in normal prostate, prostate tumor and breast tumor compared to other normal tissues except lung and stomach. A modest increase in expression of P5 was observed in normal prostate compared to most other normal tissues. However, some elevated expression was seen in normal lung and PBMC. Elevated expression of P5 was also observed in prostate tumors (2 of 5), breast tumor and one lung tumor sample. For P30, similar expression levels were seen in normal prostate and prostate tumor, compared to six of twelve other normal tissues tested. Increased expression was seen in breast tumors, one lung tumor sample and one colon tumor sample, and also in normal PBMC. P29 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to the majority of normal tissues. However, substantial expression of P29 was observed in normal colon and normal lung (2 of 2). P80 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to all other normal tissues tested, with increased expression also being seen in colon tumor.

Further studies resulted in the isolation of twelve additional clones, hereinafter referred to as 10-d8, 10-h10, 11-c8, 7-g6, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3, 8-h11, 9-f12 and 9-f3. The determined DNA sequences for 10-d8, 10-h10, 11-c8, 8-d4, 8-d9, 8-h11, 9-f12 and 9-f3 are provided in SEQ ID NO: 207, 208, 209, 216, 217, 220, 221 and 222, respectively. The determined forward and reverse DNA sequences for 7-g6, 8-b5, 8-b6 and 8-g3 are provided in SEQ ID NO: 210 and 211; 212 and 213; 214 and 215; and 218 and 219, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to the sequence of 9-f3. The clones 10-d8, 11-c8 and 8-h11 were found to show some homology to previously isolated ESTs, while 10-h10, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3 and 9-f12 were found to show some homology to previously identified genes. Further characterization of 7-G6 and 8-G3 showed identity to the known genes PAP and PSA, respectively.

mRNA expression levels for these clones were determined using the microarray technology described above. The clones 7-G6, 8-G3, 8-B5, 8-B6, 8-D4, 8-D9, 9-F3, 9-F12, 9-H3, 10-A2, 10-A4, 11-C9 and 11-F2 were found to be over-expressed in prostate tumor and normal prostate, with expression in other tissues tested being low or undetectable.

Increased expression of 8-F11 was seen in prostate tumor and normal prostate, bladder, skeletal muscle and colon. Increased expression of 10-H10 was seen in prostate tumor and normal prostate, bladder, lung, colon, brain and large intestine. Increased expression of 9-B1 was seen in prostate tumor, breast tumor, and normal prostate, salivary gland, large intestine and skin, with increased expression of 11-C8 being seen in prostate tumor, and normal prostate and large intestine.

An additional cDNA fragment derived from the PCR-based normal prostate subtraction, described above, was found to be prostate specific by both micro-array technology and RT-PCR. The determined cDNA sequence of this clone (referred to as 9-A11) is provided in SEQ ID NO: 226. Comparison of this sequence with those in the public databases revealed 99% identity to the known gene HOXB13.

Further studies led to the isolation of the clones 8-C6 and 8-H7. The determined cDNA sequences for these clones are provided in SEQ ID NO: 227 and 228, respectively. These sequences were found to show some homology to previously isolated ESTs.

PCR and hybridization-based methodologies were employed to obtain longer cDNA sequences for clone P20 (also referred to as P703P), yielding three additional cDNA fragments that progressively extend the 5' end of the gene. These fragments, referred to as P703PDE5, P703P6.26, and P703PX-23 (SEQ ID NO: 326, 328 and 330, with the predicted corresponding amino acid sequences being provided in SEQ ID NO: 327, 329 and 331, respectively) contain additional 5' sequence. P703PDE5 was recovered by screening of a cDNA library (#141-26) with a portion of P703P as a probe. P703P6.26 was recovered from a mixture of three prostate tumor cDNAs and P703PX_23 was recovered from cDNA library (#438-48). Together, the additional sequences include all of the putative mature serine protease along with part of the putative signal sequence. Further studies using a PCR-based subtraction library of a prostate tumor pool subtracted against a pool of normal tissues (referred to as JP: PCR subtraction) resulted in the isolation of thirteen additional clones, seven of which did not share any significant homology to known GenBank sequences. The determined cDNA sequences for these seven clones (P711P, P712P, novel 23, P774P, P775P, P710P and P768P) are provided in SEQ ID NO: 307-311, 313 and 315, respectively. The remaining six clones (SEQ ID NO: 316 and 321-325) were shown to share some homology to known genes. By microarray analysis, all thirteen clones showed three or more fold over-expression in prostate tissues, including prostate tumors, BPH and normal prostate as compared to normal non-prostate tissues. Clones P711P, P712P, novel 23 and P768P showed over-expression in most prostate tumors and BPH tissues tested (n=29), and in the majority of normal prostate tissues (n=4), but background to low expression levels in all normal tissues.

Clones P774P, P775P and P710P showed comparatively lower expression and expression in fewer prostate tumors and BPH samples, with negative to low expression in normal prostate.

The full-length cDNA for P711P was obtained by employing the partial sequence of SEQ ID NO: 307 to screen a prostate cDNA library. Specifically, a directionally cloned prostate cDNA library was prepared using standard techniques. One million colonies of this library were plated onto LB/Amp plates. Nylon membrane filters were used to lift these colonies, and the cDNAs which were picked up by these filters were denatured and cross-linked to the filters by UV light. The P711P cDNA fragment of SEQ ID NO: 307 was radio-labeled and used to hybridize with these filters. Positive clones were selected, and cDNAs were prepared and sequenced using an automatic Perkin Elmer/Applied Biosystems sequencer. The determined full-length sequence of P711P is provided in SEQ ID NO: 382, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 383.

Using PCR and hybridization-based methodologies, additional cDNA sequence information was derived for two clones described above, 11-C9 and 9-F3, herein after referred to as P707P and P714P, respectively (SEQ ID NO: 333 and 334). After comparison with the most recent GenBank, P707P was found to be a splice variant of the known gene HoxB13. In contrast, no significant homologies to P714P were found.

Clones 8-B3, P89, P98, P130 and P201 (as disclosed in U.S. Patent Application No. 09/020,956, filed February 9, 1998) were found to be contained within one contiguous sequence, referred to as P705P (SEQ ID NO: 335, with the predicted amino acid sequence provided in SEQ ID NO: 336), which was determined to be a splice variant of the known gene NKX 3.1.

EXAMPLE 4

SYNTHESIS OF POLYPEPTIDES

Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems 430A peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following

lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

EXAMPLE 5

FURTHER ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA library generated from prostate primary tumor mRNA as described above was subtracted with cDNA from normal prostate. The subtraction was performed using a PCR-based protocol (Clontech), which was modified to generate larger fragments. Within this protocol, tester and driver double stranded cDNA were separately digested with five restriction enzymes that recognize six-nucleotide restriction sites (MluI, MscI, PvuII, SalI and StuI). This digestion resulted in an average cDNA size of 600 bp, rather than the average size of 300 bp that results from digestion with RsaI according to the Clontech protocol. This modification did not affect the subtraction efficiency. Two tester populations were then created with different adapters, and the driver library remained without adapters.

The tester and driver libraries were then hybridized using excess driver cDNA. In the first hybridization step, driver was separately hybridized with each of the two tester cDNA populations. This resulted in populations of (a) unhybridized tester cDNAs, (b) tester cDNAs hybridized to other tester cDNAs, (c) tester cDNAs hybridized to driver cDNAs and (d) unhybridized driver cDNAs. The two separate hybridization reactions were then combined, and rehybridized in the presence of additional denatured driver cDNA. Following this second hybridization, in addition to populations (a) through (d), a fifth population (e) was generated in which tester cDNA with one adapter hybridized to tester cDNA with the second adapter. Accordingly, the second hybridization step resulted in enrichment of differentially expressed sequences which could be used as templates for PCR amplification with adaptor-specific primers.

The ends were then filled in, and PCR amplification was performed using adaptor-specific primers. Only population (e), which contained tester cDNA that did not hybridize to driver cDNA, was amplified exponentially. A second PCR amplification step was then performed, to reduce background and further enrich differentially expressed sequences.

This PCR-based subtraction technique normalizes differentially expressed cDNAs so that rare transcripts that are overexpressed in prostate tumor tissue may be recoverable. Such transcripts would be difficult to recover by traditional subtraction methods.

In addition to genes known to be overexpressed in prostate tumor, seventy-seven further clones were identified. Sequences of these partial cDNAs are provided in SEQ ID NO: 29 to 305. Most of these clones had no significant homology to database sequences. Exceptions were JPTPN23 (SEQ ID NO: 231; similarity to pig valosin-containing protein), JPTPN30 (SEQ ID NO: 234; similarity to rat mRNA for proteasome subunit), JPTPN45 (SEQ ID NO: 243; similarity to rat *norvegicus* cytosolic NADP-dependent isocitrate dehydrogenase), JPTPN46 (SEQ ID NO: 244; similarity to human subclone H8 4 d4 DNA sequence), JP1D6 (SEQ ID NO: 265; similarity to *G. gallus* dynein light chain-A), JP8D6 (SEQ ID NO: 288; similarity to human BAC clone RG016J04), JP8F5 (SEQ ID NO: 289; similarity to human subclone H8 3 b5 DNA sequence), and JP8E9 (SEQ ID NO: 299; similarity to human Alu sequence).

Additional studies using the PCR-based subtraction library consisting of a prostate tumor pool subtracted against a normal prostate pool (referred to as PT-PN PCR subtraction) yielded three additional clones. Comparison of the cDNA sequences of these clones with the most recent release of GenBank revealed no significant homologies to the two clones referred to as P715P and P767P (SEQ ID NO: 312 and 314). The remaining clone was found to show some homology to the known gene KIAA0056 (SEQ ID NO: 318). Using microarray analysis to measure mRNA expression levels in various tissues, all three clones were found to be over-expressed in prostate tumors and BPH tissues. Specifically, clone P715P was over-expressed in most prostate tumors and BPH tissues by a factor of three or greater, with elevated expression seen in the majority of normal prostate samples and in fetal tissue, but negative to low expression in all other normal tissues. Clone P767P was over-expressed in several prostate tumors and BPH tissues, with moderate expression levels in half of the normal prostate samples, and background to low expression in all other normal tissues tested.

Further analysis, by microarray as described above, of the PT-PN PCR subtraction library and of a DNA subtraction library containing cDNA from prostate tumor subtracted with a pool of normal tissue cDNAs, led to the isolation of 27 additional clones (SEQ ID NO: 340-365 and 381) which were determined to be over-expressed in prostate tumor. The clones of SEQ ID NO: 341, 342, 345, 347, 348, 349, 351, 355-359, 361, 362 and 364 were also found to be expressed in normal prostate. Expression of all 26 clones in a variety of normal tissues was found to be low or undetectable, with the exception of P544S (SEQ ID NO: 356) which was found to be expressed in small intestine. Of the 26 clones, 10 (SEQ ID NO: 340-349) were found to show some homology to previously identified sequences. No significant homologies were found to the clones of SEQ ID NO: 350-365.

EXAMPLE 6

PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

6.1. This Example illustrates the preparation of a CTL cell line specific for cells expressing the P502S gene.

Mice expressing the transgene for human HLA A2.1 (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with P2S#12 peptide (VLGWVAEL; SEQ ID NO: 306), which is derived from the P502S gene (also referred to herein as J1-17, SEQ ID NO: 8), as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with 100µg of P2S#12 and 120µg of an I-A^b binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and using a nylon mesh single cell suspensions prepared. Cells were then resuspended at 6×10^6 cells/ml in complete media (RPMI-1640; Gibco BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL), 2×10^{-5} M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) P2S#12-pulsed (5mg/ml P2S#12 and 10mg/ml β 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7µg/ml dextran sulfate and 25µg/ml LPS for 3 days). Six days later, cells (5×10^5 /ml) were restimulated with 2.5×10^6 /ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and 3×10^6 /ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20U/ml IL-2. Cells continued to be restimulated on a weekly basis as described, in preparation for cloning the line.

P2S#12 line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells (1×10^4 cells/ well) as stimulators and A2 transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were

restimulated as before. On day 21, clones that were growing were isolated and maintained in culture. Several of these clones demonstrated significantly higher reactivity (lysis) against human fibroblasts (HLA A2.1 expressing) transduced with P502S than against control fibroblasts. An example is presented in Figure 1.

This data indicates that P2S #12 represents a naturally processed epitope of the P502S protein that is expressed in the context of the human HLA A2.1 molecule.

6.2. This Example illustrates the preparation of murine CTL lines and CTL clones specific for cells expressing the P501S gene.

This series of experiments were performed similarly to that described above. Mice were immunized with the P1S#10 peptide (SEQ ID NO: 337), which is derived from the P501S gene (also referred to herein as L1-12, SEQ ID NO: 110). The P1S#10 peptide was derived by analysis of the predicted polypeptide sequence for P501S for potential HLA-A2 binding sequences as defined by published HLA-A2 binding motifs (Parker, KC, *et al*, *J. Immunol.*, 152:163, 1994). P1S#10 peptide was synthesized as described in Example 4, and empirically tested for HLA-A2 binding using a T cell based competition assay. Predicted A2 binding peptides were tested for their ability to compete HLA-A2 specific peptide presentation to an HLA-A2 restricted CTL clone (D150M58), which is specific for the HLA-A2 binding influenza matrix peptide fluM58. D150M58 CTL secretes TNF in response to self-presentation of peptide fluM58. In the competition assay, test peptides at 100-200 $\mu\text{g/ml}$ were added to cultures of D150M58 CTL in order to bind HLA-A2 on the CTL. After thirty minutes, CTL cultured with test peptides, or control peptides, were tested for their antigen dose response to the fluM58 peptide in a standard TNF bioassay. As shown in Figure 3, peptide P1S#10 competes HLA-A2 restricted presentation of fluM58, demonstrating that peptide P1S#10 binds HLA-A2.

Mice expressing the transgene for human HLA A2.1 were immunized as described by Theobald *et al.* (*Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995) with the following modifications. Mice were immunized with 62.5 μg of P1S #10 and 120 μg of an I-A^b binding peptide derived from Hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared using a nylon mesh. Cells were then resuspended at 6×10^6 cells/ml in complete media (as described above) and cultured in the presence of irradiated (3000 rads) P1S#10-pulsed (2 $\mu\text{g/ml}$ P1S#10 and 10mg/ml β 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7 $\mu\text{g/ml}$ dextran sulfate and 25 $\mu\text{g/ml}$ LPS for 3 days). Six days later cells ($5 \times 10^5/\text{ml}$) were restimulated with $2.5 \times 10^6/\text{ml}$ peptide-pulsed irradiated (20,000 rads) EL4A2Kb cells, as described above, and $3 \times 10^6/\text{ml}$ A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20 U/ml IL-2. Cells were restimulated on a weekly

basis in preparation for cloning. After three rounds of *in vitro* stimulations, one line was generated that recognized P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat targets as shown in Figure 4.

A P1S#10-specific CTL line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells (1×10^4 cells/ well) as stimulators and A2 transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, viable clones were isolated and maintained in culture. As shown in Figure 5, five of these clones demonstrated specific cytolytic reactivity against P501S-transduced Jurkat A2Kb targets. This data indicates that P1S#10 represents a naturally processed epitope of the P501S protein that is expressed in the context of the human HLA-A2.1 molecule.

EXAMPLE 7

ABILITY OF HUMAN T CELLS TO RECOGNIZE PROSTATE TUMOR POLYPEPTIDES

This Example illustrates the ability of T cells specific for a prostate tumor polypeptide to recognize human tumor.

Human CD8⁺ T cells were primed *in vitro* to the P2S-12 peptide (SEQ ID NO: 306) derived from P502S (also referred to as J1-17) using dendritic cells according to the protocol of Van Tsai et al. (*Critical Reviews in Immunology* 18:65-75, 1998). The resulting CD8⁺ T cell microcultures were tested for their ability to recognize the P2S-12 peptide presented by autologous fibroblasts or fibroblasts which were transduced to express the P502S gene in a γ -interferon ELISPOT assay (*see* Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). Briefly, titrating numbers of T cells were assayed in duplicate on 10^4 fibroblasts in the presence of 3 μ g/ml human β_2 -microglobulin and 1 μ g/ml P2S-12 peptide or control E75 peptide. In addition, T cells were simultaneously assayed on autologous fibroblasts transduced with the P502S gene or as a control, fibroblasts transduced with HER-2/*neu*. Prior to the assay, the fibroblasts were treated with 10 ng/ml γ -interferon for 48 hours to upregulate class I MHC expression. One of the microcultures (#5) demonstrated strong recognition of both peptide pulsed fibroblasts as well as transduced fibroblasts in a γ -interferon ELISPOT assay. Figure 2A demonstrates that there was a strong increase in the number of γ -interferon spots with increasing numbers of T cells on fibroblasts pulsed with the P2S-12 peptide (solid bars) but not with the control E75 peptide (open bars). This shows the ability of these T cells to specifically recognize the P2S-12 peptide. As shown in Figure 2B, this microculture also demonstrated an increase in the number of γ -interferon spots with increasing numbers of T

cells on fibroblasts transduced to express the P502S gene but not the HER-2/*neu* gene. These results provide additional confirmatory evidence that the P2S-12 peptide is a naturally processed epitope of the P502S protein. Furthermore, this also demonstrates that there exists in the human T cell repertoire, high affinity T cells which are capable of recognizing this epitope. These T cells should also be capable of recognizing human tumors which express the P502S gene.

EXAMPLE 8

PRIMING OF CTL *IN VIVO* USING NAKED DNA IMMUNIZATION WITH A PROSTATE ANTIGEN

The prostate tumor antigen L1-12, as described above, is also referred to as P501S. HLA A2Kb Tg mice (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with 100 µg VR10132-P501S either intramuscularly or intradermally. The mice were immunized three times, with a two week interval between immunizations. Two weeks after the last immunization, immune spleen cells were cultured with Jurkat A2Kb-P501S transduced stimulator cells. CTL lines were stimulated weekly. After two weeks of *in vitro* stimulation, CTL activity was assessed against P501S transduced targets. Two out of 8 mice developed strong anti-P501S CTL responses. These results demonstrate that P501S contains at least one naturally processed A2-restricted CTL epitope.

EXAMPLE 9

GENERATION OF HUMAN CTL *IN VITRO* USING WHOLE GENE PRIMING AND STIMULATION TECHNIQUES WITH PROSTATE TUMOR ANTIGEN

Using *in vitro* whole-gene priming with P501S-retrovirally transduced autologous fibroblasts (see, for example, Yee et al, *The Journal of Immunology*, 157(9):4079-86, 1996), human CTL lines were derived that specifically recognize autologous fibroblasts transduced with P501S (also known as L1-12), as determined by interferon-γ ELISPOT analysis as described above. Using a panel of HLA-mismatched fibroblast lines transduced with P501S, these CTL lines were shown to be restricted HLA-A2 class I allele. Specifically, dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by growing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, DC were infected overnight with recombinant P501S vaccinia virus at a multiplicity of infection (M.O.I) of five, and matured overnight by the addition of 3 µg/ml CD40 ligand. Virus was inactivated by UV irradiation. CD8⁺ T cells were isolated using a magnetic bead system, and

priming cultures were initiated using standard culture techniques. Cultures were restimulated every 7-10 days using autologous primary fibroblasts retrovirally transduced with P501S. Following four stimulation cycles, CD8+ T cell lines were identified that specifically produced interferon- γ when stimulated with P501S-transduced autologous fibroblasts. The P501S-specific activity could be sustained by the continued stimulation of the cultures with P501S-transduced fibroblasts in the presence of IL-15. A panel of HLA-mismatched fibroblast lines transduced with P501S were generated to define the restriction allele of the response. By measuring interferon- γ in an ELISPOT assay, the P501S specific response was shown to be restricted by HLA-A2. These results demonstrate that a CD8+ CTL response to P501S can be elicited.

EXAMPLE 10

IDENTIFICATION OF A NATURALLY PROCESSED CTL EPITOPE CONTAINED WITHIN A PROSTATE TUMOR ANTIGEN

The 9-mer peptide p5 (SEQ ID NO: 338) was derived from the P703P antigen (also referred to as P20). The p5 peptide is immunogenic in human HLA-A2 donors and is a naturally processed epitope. Antigen specific CD8+ T cells can be primed following repeated *in vitro* stimulations with monocytes pulsed with p5 peptide. These CTL specifically recognize p5-pulsed target cells in both ELISPOT (as described above) and chromium release assays. Additionally, immunization of HLA-A2 transgenic mice with p5 leads to the generation of CTL lines which recognize a variety of P703P transduced target cells expressing either HLA-A2Kb or HLA-A2. Specifically, HLA-A2 transgenic mice were immunized subcutaneously in the footpad with 100 μ g of p5 peptide together with 140 μ g of hepatitis B virus core peptide (a Th peptide) in Freund's incomplete adjuvant. Three weeks post immunization, spleen cells from immunized mice were stimulated *in vitro* with peptide-pulsed LPS blasts. CTL activity was assessed by chromium release assay five days after primary *in vitro* stimulation. Retrovirally transduced cells expressing the control antigen P703P and HLA-A2Kb were used as targets. CTL lines that specifically recognized both p5-pulsed targets as well as P703P-expressing targets were identified.

Human *in vitro* priming experiments demonstrated that the p5 peptide is immunogenic in humans. Dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by culturing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, the DC were pulsed with p5 peptide and cultured with GM-CSF and IL-4 together with CD8+ T cell enriched PBMC. CTL lines were restimulated on a weekly basis

with p5-pulsed monocytes. Five to six weeks after initiation of the CTL cultures, CTL recognition of p5-pulsed target cells was demonstrated.

EXAMPLE 11

EXPRESSION OF A BREAST TUMOR-DERIVED ANTIGEN IN PROSTATE

Isolation of the antigen B305D from breast tumor by differential display is described in US Patent Application No. 08/700,014, filed August 20, 1996. Several different splice forms of this antigen were isolated. The determined cDNA sequences for these splice forms are provided in SEQ ID NO: 366-375, with the predicted amino acid sequences corresponding to the sequences of SEQ ID NO: 292, 298 and 301-303 being provided in SEQ ID NO: 299-306, respectively.

The expression levels of B305D in a variety of tumor and normal tissues were examined by real time PCR and by Northern analysis. The results indicated that B305D is highly expressed in breast tumor, prostate tumor, normal prostate tumor and normal testes, with expression being low or undetectable in all other tissues examined (colon tumor, lung tumor, ovary tumor, and normal bone marrow, colon, kidney, liver, lung, ovary, skin, small intestine, stomach).

EXAMPLE 12

ELICITATION OF PROSTATE TUMOR ANTIGEN-SPECIFIC CTL RESPONSES IN HUMAN BLOOD

This Example illustrates the ability of a prostate tumor antigen to elicit a CTL response in blood of normal humans.

Autologous dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal donors by growth for five days in RPMI medium containing 10% human serum, 50 ng/ml GMCSF and 30 ng/ml IL-4. Following culture, DC were infected overnight with recombinant P501S-expressing vaccinia virus at an M.O.I. of 5 and matured for 8 hours by the addition of 2 micrograms/ml CD40 ligand. Virus was inactivated by UV irradiation, CD8⁺ cells were isolated by positive selection using magnetic beads, and priming cultures were initiated in 24-well plates. Following five stimulation cycles, CD8⁺ lines were identified that specifically produced interferon-gamma when stimulated with autologous P501S-transduced fibroblasts. The P501S-specific activity of cell line 3A-1 could be maintained following additional stimulation cycles on autologous B-LCL transduced with P501S. Line 3A-1 was shown to specifically recognize autologous B-LCL transduced to

express P501S, but not EGFP-transduced autologous B-LCL, as measured by cytotoxicity assays (^{51}Cr release) and interferon-gamma production (Interferon-gamma Elispot; *see above* and Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). The results of these assays are presented in Figures 6A and 6B.

EXAMPLE 13

IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of certain prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 372 clones were identified, and 319 were successfully sequenced. Table I presents a summary of these clones, which are shown in SEQ ID NOs:385-400. Of these sequences SEQ ID NOs:386, 389, 390 and 392 correspond to novel genes, and SEQ ID NOs: 393 and 396 correspond to previously identified sequences. The others (SEQ ID NOs:385, 387, 388, 391, 394, 395 and 397-400) correspond to known sequences, as shown in Table I.

Table I
Summary of Prostate Tumor Antigens

Known Genes	Previously identified Genes	Novel Genes
T-cell gamma chain	P504S	23379 (SEQ ID NO:389)
Kallikrein	P1000C	23399 (SEQ ID NO:392)
Vector	P501S	23320 (SEQ ID NO:386)
CGI-82 protein mRNA (23319; SEQ ID NO:385)	P503S	23381 (SEQ ID NO:390)
PSA	P510S	
Ald. 6 Dehyd.	P784P	
L-iditol-2 dehydrogenase (23376; SEQ ID NO:388)	P502S	
Ets transcription factor PDEF (22672; SEQ ID NO:398)	P706P	
hTGR (22678; SEQ ID NO:399)	I9142.2, bangur.seq (22621; SEQ ID NO:396)	
KIAA0295(22685; SEQ ID NO:400)	5566.1 Wang(23404; SEQ ID NO:393)	
Prostatic Acid Phosphatase(22655; SEQ ID NO:397)	P712P	

transglutaminase (22611; SEQ ID NO:395)	P778P	
HDLBP (23508; SEQ ID NO:394)		
CGI-69 Protein(23367; SEQ ID NO:387)		
KIAA0122(23383; SEQ ID NO:391)		
TEEG		

CGI-82 showed 4.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 43% of prostate tumors, 25% normal prostate, not detected in other normal tissues tested. L-iditol-2 dehydrogenase showed 4.94 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 90% of prostate tumors, 100% of normal prostate, and not detected in other normal tissues tested. Ets transcription factor PDEF showed 5.55 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% prostate tumors, 25% normal prostate and not detected in other normal tissues tested. hTGR1 showed 9.11 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 63% of prostate tumors and is not detected in normal tissues tested including normal prostate. KIAA0295 showed 5.59 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% of prostate tumors, low to undetectable in normal tissues tested including normal prostate tissues. Prostatic acid phosphatase showed 9.14 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 67% of prostate tumors, 50% of normal prostate, and not detected in other normal tissues tested. Transglutaminase showed 14.84 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 30% of prostate tumors, 50% of normal prostate, and is not detected in other normal tissues tested. High density lipoprotein binding protein (HDLBP) showed 28.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% of normal prostate, and is undetectable in all other normal tissues tested. CGI-69 showed 3.56 fold over-expression in prostate tissues as compared to other normal tissues tested. It is a low abundant gene, detected in more than 90% of prostate tumors, and in 75% normal prostate tissues. The expression of this gene in normal tissues was very low. KIAA0122 showed 4.24 fold over-expression in prostate

tissues as compared to other normal tissues tested. It was over-expressed in 57% of prostate tumors, it was undetectable in all normal tissues tested including normal prostate tissues. 19142.2 bangur showed 23.25 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors and 100% of normal prostate. It was undetectable in other normal tissues tested. 5566.1 Wang showed 3.31 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% normal prostate and was also over-expressed in normal bone marrow, pancreas, and activated PBMC. Novel clone 23379 showed 4.86 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in 97% of prostate tumors and 75% normal prostate and is undetectable in all other normal tissues tested. Novel clone 23399 showed 4.09 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 27% of prostate tumors and was undetectable in all normal tissues tested including normal prostate tissues. Novel clone 23320 showed 3.15 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in all prostate tumors and 50% of normal prostate tissues. It was also expressed in normal colon and trachea. Other normal tissues do not express this gene at high level.

EXAMPLE 14

IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY ELECTRONIC SUBTRACTION

This Example describes the use of an electronic subtraction technique to identify prostate tumor antigens.

Potential prostate-specific genes present in the GenBank human EST database were identified by electronic subtraction (similar to that described by Vasmatizis et al., *Proc. Natl. Acad. Sci. USA* 95:300-304, 1998). The sequences of EST clones (43,482) derived from various prostate libraries were obtained from the GenBank public human EST database. Each prostate EST sequence was used as a query sequence in a BLASTN (National Center for Biotechnology Information) search against the human EST database. All matches considered identical (length of matching sequence >100 base pairs, density of identical matches over this region > 70%) were grouped (aligned) together in a cluster. Clusters containing more than 200 ESTs were discarded since they probably represented repetitive elements or highly expressed genes such as those for ribosomal proteins. If two or more clusters shared common ESTs, those clusters were grouped together into a "supercluster," resulting in 4,345 prostate superclusters.

Records for the 479 human cDNA libraries represented in the GenBank release were downloaded to create a database of these cDNA library records. These 479 cDNA libraries were grouped into three groups, Plus (normal prostate and prostate tumor libraries, and breast cell lines, in which expression was desired), Minus (libraries from other normal adult tissues, in which expression was not desirable), and Other (fetal tissue, infant tissue, tissues found only in women, non-prostate tumors and cell lines other than prostate cell lines, in which expression was considered to be irrelevant). A summary of these library groups is presented in Table II.

Table II
Prostate cDNA Libraries and ESTs

Library	# of Libraries	# of ESTs
Plus	25	43,482
Normal	11	18,875
Tumor	11	21,769
Cell lines	3	2,838
Minus	166	
Other	287	

Each supercluster was analyzed in terms of the ESTs within the supercluster. The tissue source of each EST clone was noted and used to classify the superclusters into four groups: Type 1- EST clones found in the Plus group libraries only; no expression detected in Minus or Other group libraries; Type 2- EST clones found in the Plus and Other group libraries only; no expression detected in the Minus group; Type 3- EST clones found in the Plus, Minus and Other group libraries, but the expression in the Plus group is higher than in either the Minus or Other groups; and Type 4- EST clones found in Plus, Minus and Other group libraries, but the expression in the Plus group is higher than the expression in the Minus group. This analysis identified 4,345 breast clusters (*see* Table III). From these clusters, 3,172 EST clones were ordered from Research Genetics, Inc., and were received as frozen glycerol stocks in 96-well plates.

Table III
Prostate Cluster Summary

Type	# of Superclusters	# of ESTs Ordered
1	688	677
2	2899	2484
3	85	11
4	673	0
Total	4345	3172

The inserts were PCR-amplified using amino-linked PCR primers for Synteni microarray analysis. When more than one PCR product was obtained for a particular clone, that PCR product was not used for expression analysis. In total, 2,528 clones from the electronic subtraction method were analyzed by microarray analysis to identify electronic subtraction breast clones that had high tumor vs. normal tissue mRNA. Such screens were performed using a Synteni (Palo Alto, CA) microarray, according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Within these analyses, the clones were arrayed on the chip, which was then probed with fluorescent probes generated from normal and tumor prostate cDNA, as well as various other normal tissues. The slides were scanned and the fluorescence intensity was measured.

Clones with an expression ratio greater than 3 (*i.e.*, the level in prostate tumor cDNA was at least three times the level in normal prostate cDNA) were identified as prostate tumor-specific sequences (Table IV). The sequences of these clones are provided in SEQ ID NOs:401-453, with certain novel sequences shown in SEQ ID NOs:407, 413, 416-419, 422, 426, 427 and 450.

Table IV
Prostate-tumor Specific Clones

SEQ ID NO.	Sequence Designation	Comments
401	22545	previously identified P1000C
402	22547	previously identified P704P

403	22548	known
404	22550	known
405	22551	PSA
406	22552	prostate secretory protein 94
407	22553	novel
408	22558	previously identified P509S
409	22562	glandular kallikrein
410	22565	previously identified P1000C
411	22567	PAP
412	22568	B1006C (breast tumor antigen)
413	22570	novel
414	22571	PSA
415	22572	previously identified P706P
416	22573	novel
417	22574	novel
418	22575	novel
419	22580	novel
420	22581	PAP
421	22582	prostatic secretory protein 94
422	22583	novel
423	22584	prostatic secretory protein 94
424	22585	prostatic secretory protein 94
425	22586	known
426	22587	novel
427	22588	novel
428	22589	PAP
429	22590	known
430	22591	PSA
431	22592	known
432	22593	Previously identified P777P
433	22594	T cell receptor gamma chain
434	22595	Previously identified P705P
435	22596	Previously identified P707P
436	22847	PAP
437	22848	known
438	22849	prostatic secretory protein 57

439	22851	PAP
440	22852	PAP
441	22853	PAP
442	22854	previously identified P509S
443	22855	previously identified P705P
444	22856	previously identified P774P
445	22857	PSA
446	23601	previously identified P777P
447	23602	PSA
448	23605	PSA
449	23606	PSA
450	23612	novel
451	23614	PSA
452	23618	previously identified P1000C
453	23622	previously identified P705P

EXAMPLE 15

FURTHER IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of additional prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 142 clones were identified and sequenced. Certain of these clones are shown in SEQ ID NOs:454-467. Of these sequences SEQ ID NOs:459-461 correspond to novel genes. The others (SEQ ID NOs:454-458 and 461-467) correspond to known sequences.

EXAMPLE 16

FURTHER CHARACTERIZATION OF PROSTATE TUMOR ANTIGEN P710P

This Example describes the full length cloning of P710P.

The prostate cDNA library described above was screened with the P710P fragment described above. One million colonies were plated on LB/Ampicillin plates. Nylon membrane filters were used to lift these colonies, and the cDNAs picked up by these filters were then denatured and cross-linked to the filters by UV light. The P710P fragment was radiolabeled and used to hybridize with the filters. Positive cDNA clones were selected and their cDNAs recovered and sequenced by an automatic ABI Sequencer. Four sequences were obtained, and are presented in SEQ ID NOs:468-471.

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the present invention is not limited except as by the appended claims.

CLAIMS

1. An isolated polypeptide comprising at least an immunogenic portion of a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

- (a) sequences recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472;
- (b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and
- (c) complements of any of the sequence of (a) or (b).

2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing polynucleotide sequences.

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 108, 112, 113, 114, 172, 176, 178, 327, 329, 331, 339 and 383.

4. An isolated polynucleotide encoding at least 15 amino acid residues of a prostate tumor protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434,

435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing sequences.

6. An isolated polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

7. An isolated polynucleotide comprising a sequence that hybridizes, under moderately stringent conditions, to a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.

9. An expression vector comprising a polynucleotide according to any one of claims 4-7.

10. A host cell transformed or transfected with an expression vector according to claim 9.

11. An expression vector comprising a polynucleotide according claim 8.

12. A host cell transformed or transfected with an expression vector according to claim 11.

13. A pharmaceutical composition comprising a polypeptide according to claim 1, in combination with a physiologically acceptable carrier.

14. A vaccine comprising a polypeptide according to claim 1, in combination with a non-specific immune response enhancer.

15. A vaccine according to claim 14, wherein the non-specific immune response enhancer is an adjuvant.

16. A vaccine according to claim 14, wherein the non-specific immune response enhancer induces a predominantly Type I response.

17. A pharmaceutical composition comprising a polynucleotide according to claim 4, in combination with a physiologically acceptable carrier.

18. A vaccine comprising a polynucleotide according to claim 4, in combination with a non-specific immune response enhancer.

19. A vaccine according to claim 18, wherein the non-specific immune response enhancer is an adjuvant.

20. A vaccine according to claim 18, wherein the non-specific immune response enhancer induces a predominantly Type I response.

21. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a prostate tumor protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472 or a complement of any of the foregoing polynucleotide sequences.

22. A pharmaceutical composition comprising an antibody or fragment thereof according to claim 18, in combination with a physiologically acceptable carrier.

23. A pharmaceutical composition comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

24. A pharmaceutical composition according to claim 23, wherein the antigen presenting cell is a dendritic cell or a macrophage.

25. A vaccine comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a non-specific immune response enhancer.

26. A vaccine according to claim 25, wherein the non-specific immune response enhancer is an adjuvant.

27. A vaccine according to claim 25, wherein the non-specific immune response enhancer induces a predominantly Type I response.

28. A vaccine according to claim 25, wherein the antigen-presenting cell is a dendritic cell.

29. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

30. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polynucleotide according to claim 4, and thereby inhibiting the development of a cancer in the patient.

31. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antibody or antigen-binding fragment thereof according to claim 21, and thereby inhibiting the development of a cancer in the patient.

32. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

33. A method according to claim 32, wherein the antigen-presenting cell is a dendritic cell.

34. A method according to any one of claims 29-32, wherein the cancer is prostate cancer.

35. A fusion protein comprising at least one polypeptide according to claim 1.

36. A fusion protein according to claim 35, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.

37. A fusion protein according to claim 35, wherein the fusion protein comprises a T helper epitope that is not present within the polypeptide of claim 1.

38. A fusion protein according to claim 35, wherein the fusion protein comprises an affinity tag.

39. An isolated polynucleotide encoding a fusion protein according to claim 35.

40. A pharmaceutical composition comprising a fusion protein according to claim 32, in combination with a physiologically acceptable carrier.

41. A vaccine comprising a fusion protein according to claim 35, in combination with a non-specific immune response enhancer.

42. A vaccine according to claim 41, wherein the non-specific immune response enhancer is an adjuvant.

43. A vaccine according to claim 41, wherein the non-specific immune response enhancer induces a predominantly Type I response.

44. A pharmaceutical composition comprising a polynucleotide according to claim 40, in combination with a physiologically acceptable carrier.

45. A vaccine comprising a polynucleotide according to claim 40, in combination with a non-specific immune response enhancer.

46. A vaccine according to claim 45, wherein the non-specific immune response enhancer is an adjuvant.

47. A vaccine according to claim 45, wherein the non-specific immune response enhancer induces a predominantly Type I response.

48. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 40 or claim 44.

49. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 41 or claim 45.

50. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; and

(ii) complements of the foregoing polynucleotides;
wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the prostate tumor protein from the sample.

51. A method according to claim 50, wherein the biological sample is blood or a fraction thereof.

52. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 50.

53. A method for stimulating and/or expanding T cells specific for a prostate tumor protein, comprising contacting T cells with one or more of:

- (i) a polypeptide according to claim 1;
 - (ii) a polypeptide encoded by a polynucleotide comprising a sequence provided in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;
 - (iii) a polynucleotide encoding a polypeptide of (i) or (ii); and/or
 - (iv) an antigen presenting cell that expresses a polypeptide of (i) or (ii);
- under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

54. An isolated T cell population, comprising T cells prepared according to the method of claim 53.

55. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 54.

56. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

- (i) a polypeptide according to claim 1;
- (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;
- (iii) a polynucleotide encoding a polypeptide of (i) or (ii); or
- (iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

57. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

- (i) a polypeptide according to claim 1;
- (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;
- (iii) a polynucleotide encoding a polypeptide of (i) or (ii); or
- (iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate;

- (b) cloning at least one proliferated cell; and
- (c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

58. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with a binding agent that binds to a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; and

- (ii) complements of the foregoing polynucleotides;
- (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and
- (c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

59. A method according to claim 58, wherein the binding agent is an antibody.

60. A method according to claim 59, wherein the antibody is a monoclonal antibody.

61. A method according to claim 58, wherein the cancer is prostate cancer.
62. A method for monitoring the progression of a cancer in a patient, comprising the steps of:
- (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;
 - (b) detecting in the sample an amount of polypeptide that binds to the binding agent;
 - (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and
 - (d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.
63. A method according to claim 62, wherein the binding agent is an antibody.
64. A method according to claim 63, wherein the antibody is a monoclonal antibody.
65. A method according to claim 62, wherein the cancer is a prostate cancer.
66. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:
- (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;
 - (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

67. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

68. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

69. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

70. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

71. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

72. A diagnostic kit, comprising:

- (a) one or more antibodies according to claim 21; and
- (b) a detection reagent comprising a reporter group.

73. A kit according to claim 72, wherein the antibodies are immobilized on a solid support.

74. A kit according to claim 73, wherein the solid support comprises nitrocellulose, latex or a plastic material.

75. A kit according to claim 72, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.


76. A kit according to claim 72, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups, enzymes, biotin and dye particles.

77. An oligonucleotide comprising 10 to 40 nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing polynucleotides.



78. A oligonucleotide according to claim 77, wherein the oligonucleotide comprises 10-40 nucleotides recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

79. A diagnostic kit, comprising:
(a) an oligonucleotide according to claim 77; and
(b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

1/5

*Fig. 1*

2/5

*Fig. 2A**Fig. 2B*

3/5








Fig. 3

4/5

*Fig. 4**Fig. 5*

5/5

*Fig. 6**Fig. 7*

SEQUENCE LISTING

<110> Corixa Corporation

<120> COMPOUNDS FOR IMMUNOTHERAPY AND DIAGNOSIS
OF PROSTATE CANCER AND METHODS FOR THEIR USE

<130> 210121.42701PC

<140> PCT

<141> 1999-07-08

<160> 472

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 814

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(814)

<223> n = A,T,C or G

<400> 1

tttttttttt	tttttcacag	tataacagct	ctttatttct	gtgagttcta	ctaggaaatc	60
atcaaactcg	agggttgct	ggaggacttc	aatacacctc	cccccatagt	gaatcagctt	120
ccaggggggc	cagtcctct	ccttacttca	tccccatccc	atgccaaagg	aagaccctcc	180
ctccttggt	cacagccttc	tctaggcttc	ccagtgcctc	caggacagag	tgggttatgt	240
tttcagctcc	atccttgctg	tgagtgtctg	gtgcgttggt	cctccagctt	ctgctcagtg	300
cttcattggac	agtgtccagc	acatgtcact	ctccactctc	tcagtgtgga	tccactagtt	360
ctagagcggc	cgccaccgcg	gtggagctcc	agcttttggt	cccttttagtg	agggttaatt	420
gcgcgcttg	cgtaatcatg	gtcataactg	tttctgtgtg	gaaattgtta	tccgctcaca	480
attccacaca	acatacgagc	cggaagcata	aagtgtaaag	cctgggggtgc	ctaattgagtg	540
anctaactca	cattaattgc	gttgcgctca	ctgnccgctt	tccagtcngg	aaaactgtcg	600
tgccagctgc	attaatgaat	cggccaacgc	ncggggaaaa	gcggtttgct	ttttgggggc	660
tcttcgctt	ctcgtcact	nantcctgct	ctcggtcctt	cggtgcggg	gaacgggtatc	720
actcctcaaa	ggnggtatta	cggttatccn	naaatcnggg	gataccngg	aaaaaanttt	780
aacaaaagg	cancaaagg	cngaaacgta	aaaa			814

<210> 2

<211> 816

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(816)

<223> n = A,T,C or G

<400> 2

acagaaatgt	tggttggtg	agcacctttc	tatacgactt	acaggacagc	agatggggaa	60
ttcatggctg	ttggagcaat	agaaccccag	ttctacgagc	tgctgatcaa	aggactrgga	120

```

ctaaagtctg atgaacttcc caatcagatg agcatggatg attggccaga aatgaagaag 180
aagtttgcag atgtatttgc aaagaagacg aaggcagagt ggtgtcaa atttgacggc 240
acagatgect gtgtgactcc ggttctgact tttagaggagg ttgttcatca tgatcacac 300
aaggaacggg gctcgtttat caccagttag gagcaggacg tgagcccccg ccctgcacct 360
ctgctgttaa acacccacgc catcccttct ttcaaaaggg atccactagt tctagaagcg 420
gccgccaccg cgggtggagct ccagcttttg ttcccttttag tgagggttaa ttgcgcgctt 480
ggcgtaatca tgggtcatagc tgtttcctgt gtgaaattgt tatccgctca caattcccc 540
aacatacgag ccggaacata aagtgttaag cctgggggtgc ctaatgantg agctaaactn 600
cattaattgc gttgcgctca ctgcccgtt tccagtcggg aaaactgtcg tgccactgcn 660
ttantgaatc ngccaccccc cgggaaaagg cgggtgcntt ttgggcctct tccgctttcc 720
tcgctcattg atcctngcnc ccggtcttcg gctgcggnga acggttcact cctcaaaggc 780
ggtntnccgg ttatccccaa acnggggata cccnga 816

```

<210> 3

<211> 773

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(773)

<223> n = A,T,C or G

<400> 3

```

cttttgaaag aagggatggc tgggggtgtt aacagcagag gtgcagggcg ggggctcacg 60
tctgtctcct cactggtgat aaacgagccc cgttccttgt tgtgatcatg atgaacaacc 120
tcctcaaaag tcagaaccgg agtcacacag gcatctgtgc cgtcaaagat ttgacaccac 180
tctgccttcg tcttctttgc aaatacatct gcaaaattct tcttcatttc tggccaatca 240
tccatgctca tctgattggg aagttcatca gactttagtc canntccttt gatcagcagc 300
tcgtagaact ggggttctat tgctccaaca gccatgaatt ccccatctgc tgtcctgtaa 360
gtcgtataga aaggtgctcc accatccaac atgttctgtc ctcgaggggg ggcccggtag 420
ccaattcgcc ctatantgag tcgtattacg cgcgctcact ggccgtcggt ttacaacgtc 480
gtgactggga aaaccctggg cgttaccaac ttaatcgctt tgcagcacat ccccttttcg 540
ccagctgggc gtaatancga aaaggccgc accgatcgcc cttccaacag ttgcgcacct 600
gaatgggnaa atgggacccc cctgttacg cgcattnaac ccccgcnagg tttngttgtt 660
acccccacnt nnaccgctta cactttgccg gcgccttanc gcccgtctcc tttcnccttt 720
cttccttcc tttcncncn ctttccccg ggggttcccc cntcaaacc cna 773

```

<210> 4

<211> 828

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(828)

<223> n = A,T,C or G

<400> 4

```

cctcctgagt cctactgacc tgtgctttct ggtgtggagt ccagggtgc taggaaaagg 60
aatgggcaga cacaggtgta tgccaatgtt tctgaaatgg gtataatttc gtccttcct 120
tcggaacact ggctgtctct gaagacttct cgctcagttt cagtgaggac acacacaaag 180
acgtgggtga ccatgttgtt tgtgggtgac agagatggga ggggtggggc ccacctgga 240
agagtggaca gtgacacaag gtggacactc tctacagatc actgaggata agctggagcc 300
acaatgcatg aggcacacac acagcaagga tgacnctgta aacatagccc acgctgtcct 360

```



```

gngggcactg ggaagcctan atnaggccgt gagcanaaag aaggggagga tccactagtt      420
ctanagcggc cgccaccgcg gtgganctcc ancttttggt cccttttagtg aggggttaatt      480
gcgcgcttg cntaatcatg gtcatanctn tttcctgtgt gaaattgtta tccgctcaca      540
attccacaca acatacganc cggaacata aantgtaaac ctggggtgcc taatgantga      600
ctaactcaca ttaattgctg tgcgctcact gcccgccttc caatcnggaa acctgtcttg      660
ccncttgcat tnatgaatcn gccaaccccc ggggaaaagc gtttgcgctt tgggcgctct      720
tccgcttcct cncctcantta ntccctncnc tcggtcattc cggtgcngc aaaccggttc      780
accnctcca aaggggggtat tccggtttcc ccnaatccgg gganance      828

```

<210> 5
 <211> 834
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(834)
 <223> n = A,T,C or G

```

<400> 5
tttttttttt tttttactga tagatggaat ttattaagct tttcacatgt gatagcacat      60
agttttaatt gcatccaaag tactaacaaa aactctagca atcaagaatg gcagcatggt      120
attttataac aatcaacacc tgtggctttt aaaatttggg tttcataaga taattttatac      180
tgaagtaaag ctagccatgc ttttaaaaaa tgcttttaggt cactccaagc ttggcagtta      240
acatttgcca taaacaataa taaaacaatc acaatttaat aaataacaaa tacaacattg      300
taggccataa tcatatacag tataaggaaa aggtggtagt gttgagtaag cagttattag      360
aatagaatac cttggcctct atgcaaatat gtctagacac tttgattcac tcagccctga      420
cattcagttt tcaaagtagg agacagggtt tacagtatca ttttacagtt tccaacacat      480
tgaaaacaag tagaaaatga tgagttgatt tttattaatg cattacatcc tcaagagtta      540
tcaccaaccc ctcagttata aaaaattttc tgaagacaac aatgggtccc taatgtgatt      600
ttatttttaa ttagtgctaa atggattaag tgaagacaac aatgggtccc taatgtgatt      660
gatattggtc atttttacca gcttctaaat ctnaactttc aggcctttga actggaacat      720
tgnatnacag tgttccanag ttncaaccta ctggaacatt acagtgtgct tgattcaaaa      780
tgttattttg ttaaaaatta aattttaacc tgggtgaaaa ataatttgaa atna      834

```

<210> 6
 <211> 818
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(818)
 <223> n = A,T,C or G

```

<400> 6
tttttttttt tttttttttt aagaccctca tcaatagatg gagacataca gaaatagtca      60
aaccacatct acaaaatgcc agtatcaggc ggcggcttcg aagccaaagt gatgtttgga      120
tgtaaagtga aatattagtt ggcggatgaa gcagatagtg aggaaagtgt agccaataat      180
gacgtgaagt ccgtggaagc ctgtggctac aaaaaatgtt gagccgtaga tgccgtcgga      240
aatggtgaag ggagactcga agtactctga ggctttagtg agggtaaaat agagaccag      300
taaaattgta ataagcagtg cttgaattat ttggtttcgg ttggttttcta ttagactatg      360
gtgagctcag gtgattgata ctctgatgc gagtaatacg gatgtgttta ggagtgggac      420
ttctagggga tttagcgggg tgatgcctgt tgggggccag tgccctccta gttggggggt      480
aggggctagg ctggagtggg aaaaggctca gaaaaatcct gcgaagaaaa aaacttctga      540

```

```

ggtaataaat aggattatcc cgtatcgaag gcctttttgg acaggtggtg tgtggtggcc 600
ttggatatgtg ctttctcgtg ttacatcgcg ccatcattgg tatatgggta gtgtgttggg 660
ttantanggc ctantatgaa gaacttttgg antggaatta aatcaatngc ttggccggaa 720
gtcattanga nggctnaaaa ggcctgttta ngggtctggg ctnggtttta cccnaccat 780
ggaatncncc ccccggaacna ntgnatccct attcttaa 818

```

<210> 7

<211> 817

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(817)

<223> n = A,T,C or G

<400> 7

```

tttttttttt tttttttttt tggctctaga gggggtagag ggggtgctat agggtaaata 60
cgggccttat ttcaaagatt ttaggggaa ttaattctag gacgatgggt atgaaactgt 120
ggtttgctcc acagatttca gacgattgac cgtagtatac ccccggtcgt gtagcgggta 180
aagtgggttg gtttagacgt ccgggaattg catctgtttt taagcctaata gtggggacag 240
ctcatgagtg caagacgtct tgtgatgtaa ttattatacn aatgggggct tcaatcggga 300
gtactactcg attgtcaacg tcaaggagtc gcaggtcgcc tggttctagg aataatgggg 360
gaagtatgta ggaattgaag attaatccgc cgtagtcggt gttctcctag gttcaatacc 420
attggtggcc aattgatttg atggtaaggg gagggatcgt tgaactcgtc tgttatgtaa 480
aggatncctt ngggatggga aggcnatnaa ggactangga tnaatggcgg gcangatatt 540
tcaaacngtc tctanttcct gaaacgtctg aaatgttaat aanaattaaan tttngttatt 600
gaatnttnng gaaaagggtt tacaggacta gaaaccaaata angaaaanta atnntaangg 660
cnttatcntn aaaggtnata accnctccta tnatcccacc caatngnatt cccacncnn 720
acnattggat nccccanttc canaaanggc cccccccgg tgnannccnc cttttgttcc 780
cttnantgan gggtattcnc cctngcntt atcance 818

```

<210> 8

<211> 799

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(799)

<223> n = A,T,C or G

<400> 8

```

catttccggg tttactttct aaggaaagcc gagcggaagc tgctaactgt ggaatcgggt 60
cataaggaga actttctgct ggcacgcgct agggacaagc gggagagcga ctccgagcgt 120
ctgaagcgca cgtcccagaa ggtggacttg gcaactgaaac agctgggaca catccgcgag 180
tacgaacagc gcctgaaagt gctggagcgg gaggtccagc agtgtagccg cgtcctgggg 240
tgggtggccc angcctganc cgtctgcct tgctgcccc angtgggccg ccacccctg 300
acctgcctgg gtccaaacac tgagccctgc tggcggaact caagganaac cccacangg 360
ggattttgct cctanantaa ggctcatctg ggctcggcc ccccccactg gttggccttg 420
tctttgagt gagcccatg tccatctggg ccaactgtcng gaccacctt ngggagtgtt 480
ctccttacaa ccacannatg cccggtcct cccggaaacc antccancc tnggaaggat 540
caagnccctn atccactnnt nctanaaccg gccnccnccg cngtggaaacc cnccttntgt 600
tccttttctn tnagggttaa tnnccgcttg gccttnccan ngctctncnc nttttccnnt 660
gttnaaattg ttangncccc nccnntccn cncnncnann cccgaccnnc annttnnann 720

```

ncctgggggt nccnnngat tgaccenncc nccctntant tgcnttnggg nncnntgccc 780
ctttccctct nggganncg 799

<210> 9

<211> 801

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(801)

<223> n = A,T,C or G

<400> 9

acgccttgat	cctcccaggc	tgggactggt	tctgggagga	gccgggcatg	ctgtggtttg	60
taangatgac	actcccaaag	gtggtcctga	cagtggccca	gatggacatg	gggctcacct	120
caaggacaag	gccaccaggt	gcggggggccg	aagcccacat	gatccttact	ctatgagcaa	180
aatcccctgt	gggggcttct	ccttgaagtc	cgccancagg	gctcagtctt	tggacccang	240
cagggtcatgg	ggttgtngnc	caactggggg	ccncaacgca	aaanggcnc	gggcctcngn	300
caccatccc	angacgcggc	tacactnctg	gacctccnc	tccaccactt	tcatgcgctg	360
ttcntaccgg	cgmatntgtc	ccanctgttt	cngtgcenac	tccancttct	nggacgtgcg	420
ctacatacgc	ccggantcnc	netcccgtt	tgteccatc	cacgtncan	caacaaattt	480
cncntantg	caccnattcc	caentttnc	agntttccnc	nncngcttc	cttntaaaag	540
ggttganccc	cggaaaatnc	cccaaagggg	gggggcccng	taccaactn	ccccctnata	600
gctgaantcc	ccatnaccnn	gnctcnatgg	anccntccnt	tttaannacn	ttctnaactt	660
gggaanancc	ctcgncntn	ccccnttaa	tccnccttg	cnangnncnt	ccccnntcc	720
nccnnntng	gcntntnann	cnaaaaaggc	ccnnnancaa	tctcctnncn	cctcanttcg	780
ccanccctcg	aaatcgccn	c				801

<210> 10

<211> 789

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(789)

<223> n = A,T,C or G

<400> 10

cagtctatnt	ggccagtggt	gcagctttcc	ctgtggctgc	cggtgccaca	tgctgtccc	60
acagtgtggc	cgtggtgaca	gcttcagccg	ccctcaccgg	gttcaccttc	tcagccctgc	120
agatcctgcc	ctacacactg	gcctccctct	accaccggga	gaagcaggtg	ttcctgccc	180
aataccgagg	ggacactgga	ggtgctagca	gtgaggacag	cctgatgacc	agcttcctgc	240
caggccctaa	gcctggagct	cccttcctta	atggacacgt	gggtgctgga	ggcagtgggc	300
tgctcccacc	tccaccgcg	ctctgcgggg	cctctgcctg	tgatgtctcc	gtacgtgtgg	360
tggtgggtga	gccaccgan	gccagggtgg	ttccgggccc	gggcactctg	ctggacctcg	420
ccatcctgga	tagtgcttcc	tgctgtccca	ngtggcccca	tccctgttta	tgggtcccat	480
tgtccagctc	agccagctctg	tactgccta	tatggtgtct	gccgcaggcc	tgggtctggg	540
cccatttact	ttgctacaca	ggtantattt	gacaagaacg	anttggccaa	atactcagcg	600
ttaaaaaatt	ccagcaacat	tgggggtgga	aggcctgcct	cactgggtcc	aactccccgc	660
tcctgttaac	cccatggggc	tgcgggcttg	gccgccaat	tctgttgctg	ccaaantnat	720
gtggctctct	gctgccacct	gttgctggct	gaagtgcnta	cngcncanct	nggggggtng	780
ggngttccc						789

<210> 11
 <211> 772
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(772)
 <223> n = A,T,C or G

<400> 11
 cccaccctac ccaaataatta gacaccaaca cagaaaagct agcaatggat tcccttctac 60
 tttgttaaataaataagttaaatatatttaaa tgctgtgtc tctgtgatgg caacagaagg 120
 accaacaggc cacatcctga taaaaggtaa gaggggggtg gatcagcaaa aagacagtgc 180
 tgtgggctga ggggacctgg ttcttgtgtg ttgccccctca ggactcttcc cctacaaata 240
 actttcatat gttcaaatacc catggaggag tgtttcatcc tagaaactcc catgcaagag 300
 ctacattaaa cgaagctgca ggtaagggg cttanagatg ggaaaccagg tgactgagtt 360
 tattcagctc ccaaaaaccc ttctctaggt gtgtctcaac taggaggcta gctgttaacc 420
 ctgagcctgg gtaatccacc tgcagagtcc ccgcattcca gtgcatggaa ccttctggc 480
 ctccctgtat aagtcagac tgaaaccccc ttggaaggnc tccagtcagg cagccctana 540
 aactggggaa aaaagaaaag gacgccccan cccccagctg tgcantacg cacctcaaca 600
 gcacagggtg gcagcaaaaa aaccacttta ctttggcaca aacaaaaact ngggggggca 660
 accccggcac ccnangggg gttaacagga ancngggnaa cntggaaccc aattnaggca 720
 ggccnccac ccnaatntt gctgggaaat ttttctccc cttaattntt tc 772

<210> 12
 <211> 751
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(751)
 <223> n = A,T,C or G

<400> 12
 gccccaatc cagctgccac accaccacg gtgactgcat tagttcggat gtcatacaaa 60
 agctgattga agcaaccctc tactttttgg tcgtgagcct tttgcttggg gcaggtttca 120
 ttggctgtgt tgggtgacgtt gtcattgcaa cagaatgggg gaaaggcact gttctctttg 180
 aagtanggtg agtcctcaaa atccgtatag ttggtgaagc cacagcactt gagcccttc 240
 atggtggtgt tccacacttg agtgaagtct tcctgggaac cataatcttt ctgatggca 300
 ggcactacca gcaacgtcag ggaagtgtc agccattgtg gtgtacacca aggcgaccac 360
 agcagctgcn acctcagcaa tgaagatgan gaggangatg aagaagaacg tcncgagggc 420
 acacttgctc tcagtcttan caccatanca gccntgaaa accaananca aagaccacna 480
 cncggctgc gatgaagaaa tnacccnccg ttgacaaact tgcattggcac tggganccac 540
 agtggcccn aaaaatcttca aaaaggatgc cccatcnatt gaccccccaa atgcccactg 600
 ccaacagggg ctgccccacn cncnnaacga tgancnatt gnacaagatc tncntggtct 660
 tnatnaacnt gaacctgcn tngtggctcc tgttcaggnc cnnggcctga cttctnaann 720
 aangaactcn gaagncccca cngganann g 751

<210> 13
 <211> 729
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(729)
 <223> n = A,T,C or G

<400> 13
 gagccaggcg tccctctgcc tgcccaactca gtggcaacac ccgggagctg ttttgtcctt 60
 tgtggancct cagcagtncc ctctttcaga actcantgcc aagancctg aacaggagcc 120
 accatgcagt gcttcagctt cattaagacc atgatgatcc tcttcaattt gctcatcttt 180
 ctgtgtggtg cagccctgtt ggcagtgggc atctgggtgt caatcgatgg ggcacacctt 240
 ctgaagatct tcgggccact gtcgtccagt gccatgcagt ttgtcaacgt gggctacttc 300
 ctcatcgag ccggcggtgt ggtcttagct ctaggtttcc tgggctgcta tgggtgctaag 360
 actgagagca agtgtgccct cgtgacgttc ttcttcatcc tcctcctcat cttcattgct 420
 gaggttgcaa tgctgtggtc gccttggtgt acaccacaat ggctgagcac ttcctgacgt 480
 tgctggtaat gcctgccatc aanaaaagat tatgggttcc caggaanact tcactcaagt 540
 gttggaacac caccatgaaa gggctcaagt gctgtggctt cnnccaacta tacggatttt 600
 gaagantcac ctacttcaaa gaaaanagtg cctttccccc atttctgttg caattgacaa 660
 acgtccccaa cacagccaat tgaaaacctg caccacaacc aaanggggtcc ccaaccanaa 720
 attnaaggg 729

<210> 14
 <211> 816
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(816)
 <223> n = A,T,C or G

<400> 14
 tgctcttcct caaagttgtt cttgttgcca taacaaccac cataggtaaa gcgggagcag 60
 tgctcgctga aggggttgta gtaccagcgc gggatgctct ccttgagag tcctgtgtct 120
 ggcaggcca cgcagtgcc tttgtacttg gggaaatgga tgcgctggag ctctgcaaa 180
 ccactcgtgt atttttcaca ggcagcctcg tccgacgcgt cggggcagtt ggggggtgtct 240
 tcacactcca ggaaactgtc natgcagcag ccattgctgc agcggaaactg ggtgggctga 300
 cangtgccag agcacactgg atggcgcctt tccatgnnan gggccctgng ggaaagtccc 360
 tganccccc anctgcctct caaangcccc accttgaca ccccgacagg ctagaatgga 420
 atcttcttcc cgaaaggtag ttnttcttgt tgcccaancc anccccntaa acaaactctt 480
 gcanatctgc tccngggggg tcntantacc ancgtgggaa aagaacccca ggcngcgaac 540
 caancttggt tggatncgaa gcnataatct nctnttctgc ttggtggaca gcaccantna 600
 ctgtnnanct ttagnccntg gtcctcntgg gttgnncttg aacctaatcn ccnntcaact 660
 gggacaaggt aantngccnt cctttnaatt cccnancntn cccctgggtt tgggggtttt 720
 cncnctccta cccagaaaa nccgtgttcc ccccaacta ggggcnnaaa ccnntnttc 780
 cacaacctn cccacccac ggggtcngnt ggttng 816

<210> 15
 <211> 783
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(783)
 <223> n = A,T,C or G

<400> 15

ccaaggcctg	ggcaggcata	nacttgaagg	tacaacccca	ggaacccctg	gtgctgaagg	60
atgtggaaaa	cacagattgg	cgctactgc	ggggtgacac	ggatgtcagg	gtagagagga	120
aagacccaaa	ccaggtggaa	ctgtggggac	tcaaggaang	cacctacctg	ttccagctga	180
cagtgactag	ctcagaccac	ccagaggaca	cggccaaagt	cacagtcact	gtgctgtcca	240
ccaagcagac	agaagactac	tgcttcgcat	ccaacaangt	gggtcgctgc	cggggctctt	300
tcccacgctg	gtactatgac	cccacggagc	agatctgcaa	gagtttcgtt	tatggaggct	360
gcttgggcaa	caagaacaac	taccttcggg	aagaagagt	cattctancc	tgtcnggggtg	420
tgcaagggtg	gcctttgana	ngcanctctg	gggctcangc	gaatttcccc	caggggcccct	480
ccatggaaag	gcgccatcca	ntgtttctctg	gcacctgtca	gcccccccag	ttccgctgca	540
ncaatggctg	ctgcacnac	antttcctng	aattgtgaca	acacccccca	ntgcccccaa	600
ccctcccaac	aaagcttccc	tgtnaaaaaa	tacnccantt	ggcttttnac	aaacncccg	660
cncctccttt	ttccccnntn	aacaaagggc	nctngccttt	gaactgccc	aaccnnggaa	720
tctnccnngg	aaaaantncc	ccccctgggt	cctnnaancc	cctccnchna	antncccccc	780
ccc						783

<210> 16

<211> 801

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (801)

<223> n = A,T,C or G

<400> 16

gcccccaattc	cagctgccac	accacccacg	gtgactgcat	tagttcggat	gtcatacaaaa	60
agctgattga	agcaaccctc	tactttttgg	tcgtgagcct	tttgcttggg	gcagggtttca	120
ttggctgtgt	tggtgacgtt	gtcattgcaa	cagaatgggg	gaaaggcact	gttctctttg	180
aagtaggggtg	agtcctcaaa	atccgtatag	ttgggtgaagc	cacagcactt	gagccctttc	240
atgggtgggtg	tccacacttg	agtgaagtct	tcctgggaac	cataatcttt	cttgatggca	300
ggcactacca	gcaacgtcag	gaagtgtctc	gccattgtgg	tgtacaccaa	ggcgaccaca	360
gcagctgcaa	cctcagcaat	gaagatgagg	aggaggatga	agaagaacgt	cncgagggca	420
cacttgctct	ccgtcttagc	accatagcag	cccangaaac	caagagcaaa	gaccacaacg	480
cnngctgcga	atgaaagaaa	ntacccacgt	tgacaaaactg	catggccact	ggacgcacagt	540
tgccccgaan	atcttcagaa	aagggatgcc	ccatcgattg	aacacccana	tgccccactgc	600
cnacagggct	gcncncncn	gaaagaatga	gccattgaag	aaggatcctc	ntgggtcttaa	660
tgaactgaaa	ccntgcatgg	tggccccctgt	tcagggtctc	tggcagtgaa	ttctganaaa	720
aaggaacngc	ntnagcccc	ccaaangana	aaacaccccc	gggtgttgcc	ctgaattggc	780
ggccaaggan	ccctgccccn	g				801

<210> 17

<211> 740

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (740)

<223> n = A,T,C or G

<400> 17

gtgagagcca	ggcgccctc	tgcttgccca	ctcagtgcca	acacccggga	gctgttttgt	60
------------	-----------	------------	------------	------------	------------	----

```

cctttgtgga gcctcagcag ttccctcttt cagaactcac tgccaagagc cctgaacagg 120
agccaccatg cagtgcctca gcttcattaa gaccatgatg atcctcttca atttgctcat 180
ctttctgtgt ggtgcagccc tgttggcagt gggcatctgg gtgtcaatcg atggggcatc 240
ctttctgaag atcttcgggc cactgtcgtc cagtgccatg cagtttgtca acgtgggcta 300
cttcctcatc gcagccggcg ttgtggtctt tgctcttggg ttcctgggct gctatggtgc 360
taagacggag agcaagtgtg ccctcgtgac gttctcttcc atcctcctcc tcctcttcat 420
tgctgaagtt gcagctgctg tggtcgcctt ggtgtacacc acaatggctg aaccattcct 480
gacgttgctg gtantgcctg ccatcaanaa agattatggg tccccaggaa aaattcactc 540
aantntggaa caccnccatg aaaagggtc caatttctgn tggcttcccc aactataccg 600
gaattttgaa agantcnccc tacttccaaa aaaaaanant tgcctttnc ccnttctgt 660
tgcaatgaaa acntccaan acngccaatn aaaacctgcc cnnncaaaaa ggntcncaaa 720
caaaaaaant nnaagggttn 740

```

<210> 18

<211> 802

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(802)

<223> n = A,T,C or G

<400> 18

```

ccgctgggtg cgctgggtcca gngnagccac gaagcacgtc agcatacaca gcctcaatca 60
caaggtcttc cagctgccgc acattacgca gggcaagagc ctccagcaac actgcatatg 120
ggatacactt tactttagca gccagggtga caactgagag gtgtcgaagc ttattcttct 180
gagcctctgt tagtggagga agattccggg cttcagctaa gtagttagcg tatgtcccat 240
aagcaaacac tgtgagcagc cggaaggtag aggcaagtc actctcagcc agctctctaa 300
cattgggcat gtccagcagt tctccaaaca cgtagacacc agnggcctcc agcacctgat 360
ggatgagtgt ggcagcgct gccccttgg cgcacttggc taggagcaga aattgctcct 420
ggttctgccc tgtcaccttc acttccgcac tcatactgc actgagtgtg ggggacttgg 480
gctcaggatg tccagagacg tggttccgcc ccctcnctta atgacaccgn ccanncaacc 540
gtcggctccc gccgantgng ttcgtcgtnc ctgggtcagg gtctgctggc cnctacttgc 600
aancttcgtc nggcccatgg aattcaccnc accggaactn gtangatcca ctntttctat 660
aaccgngcgc caccgcnntt ggaactccac tcttnttnc tttacttgag ggtaaggtc 720
acccttnncc ttaccttggg ccaaaccntn cntgtgtcgt anatngtnaa tcnggncna 780
tnccancnc atangaagcc ng 802

```

<210> 19

<211> 731

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(731)

<223> n = A,T,C or G

<400> 19

```

cnaagcttcc aggtnacggg ccgnaancc tgaccnagg tancanaang cagnncgcgg 60
gagccaccg tcacngngng gngtctttat nggagggggc ggagccacat cnctggacnt 120
cntgacccca actccccncc ncncantgca gtgatgagtg cagaactgaa ggtnacgtgg 180
caggaaccaa gancaaannc tgctccnntc caagtccgcn nagggggcgg ggctggccac 240
gcncatcctn cnagtgtcgn aaagccccnn cctgtctact tgtttgagga acngcnnga 300

```

catgcccagn	gttanataac	nggcngagag	tnantttgcc	tctcccttcc	ggctgcgcan	360
cgngtntgct	tagnggacat	aacctgacta	cttaactgaa	cccnngaate	tnccnccct	420
ccactaagct	cagaacaaaa	aacttcgaca	ccactcantt	gtcacctgnc	tgetcaagta	480
aagtgtaccc	catncccaat	gtntgctnga	ngctctgncc	tgcnttangt	tcggtcctgg	540
gaagacctat	caattnaagc	tatgtttctg	actgcctctt	gctccctgna	acaancnacc	600
cnnnntcca	agggggggnc	ggcccccaat	cccccaacc	ntnaattnan	tttanccccn	660
ccccngggc	cggcctttta	cnancntcnn	nnacngggna	aaaccnnngc	tttncccaac	720
nnaatccncc	t					731

<210> 20

<211> 754

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(754)

<223> n = A,T,C or G

<400> 20

tttttttttt	tttttttttt	taaaaacccc	ctccattnaa	tgnaaacctc	cgaaattgtc	60
caaccccctc	ntccaaatnn	ccntttccgg	gnngggggtc	caaacccean	ttanntttgg	120
annttaaatt	aaatnttntt	tgngngnnna	ancnaatgt	nangaaagtt	naaccanta	180
tnancntnaa	tnccctggaaa	ccngtngntt	ccaaaaatnt	ttaaccctta	antccctccg	240
aaatngttna	nggaaaaccc	aantttctnt	aagggtgttt	gaaggntnaa	tnaaaanccc	300
nnccaattgt	ttttngccac	gcctgaatta	attggnttcc	ggtgttttcc	nttaaaanaa	360
ggnnancccc	ggttantnaa	tccccccnnc	cccaattata	ccganttttt	ttngaattgg	420
gancccnccg	gaattaacgg	ggnnnnntccc	tnttgggggg	cnggnncccc	ccccntcggg	480
ggttngggnc	aggncnnaat	tgtttaaggg	tccgaaaaat	ccctccnaga	aaaaaanctc	540
ccaggntgag	nnntnggggtt	nncccccccc	cangggccct	ctcgnanagt	tgggggtttg	600
ggggcctggg	attttntttc	ccctntttnc	tcccccccc	ccnggganag	aggttngngt	660
tttgntcnn	ggccccnccn	aaganctttt	ccganttnan	ttaaatccnt	gcctnggcga	720
agtcnnttgn	agggntaaan	ggccccctnn	cggg			754

<210> 21

<211> 755

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(755)

<223> n = A,T,C or G

<400> 21

atcancccat	gaccccaac	nnnggaccnc	tcancgggnc	nnncnaccnc	cggccnatca	60
nngtnagnnc	actncnnttn	natcacnccc	cncnactac	gcccnananc	cnacgcncta	120
nncanatncc	actganngcg	cgangtngan	ngagaaanct	nataccanag	ncaccanacn	180
ccagctgtcc	nanaangcct	nnnatacngg	nnnatccaat	ntgnancctc	cnaagtattt	240
nnncnncan	gattttcctn	anccgattac	ccntncccc	tanccctcc	cccccaacna	300
cgaaggcnct	ggncnnaagg	nngcgnccnc	ccgctagntc	cccnncnagt	cncncncta	360
aactcanccn	nattacncgc	ttcntgagta	tcactccccg	aatctcacc	tactcaactc	420
aaaaanaten	gatacaaat	aatncaagcc	tgnttatnac	actntgactg	ggtctctatt	480
ttagnggtcc	ntnaancntc	ctaatacttc	cagctcncct	tcnccaattt	ccnaanggct	540
ctttcngaca	gcantttttg	gttcccnntt	gggttcttan	ngaattgcc	ttcntngaac	600


```

gggctcctct tttccttcgg ttanccctggn ttcnncgggc cagttattat ttcccntttt 660
aaattcctnc cntttanttt tggccttcna aacccccggc cttgaaaacg gccccctggg 720
aaaaggttgt tttganaaaa tttttgtttt gttcc 755

```

<210> 22

<211> 849

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(849)

<223> n = A,T,C or G

<400> 22

```

tttttttttt tttttangtg tngtcgtgca ggtagaggct tactacaant gtgaanacgt 60
acgctnnggan taangcgacc cgantttctag ganncnccct aaaatcanac tgtgaagatn 120
atcctgnnna cggaanggtc accggnngat nntgctaggg tgncnctcc cannnenttn 180
cataactcng nggcctgccc caccaccttc ggcggccng ngnccgggccc cgggtcattn 240
gnnttaaccn cactnngcna ncggtttccn nccccnncng acccnggcga tccggggtnc 300
tctgtcttcc cctgnagncn anaaantggg ccncggncce ctttaccct nnacaagcca 360
cngccttcta nccnngccc cccctccant nngggggact gccnanngt cegttnctng 420
nnaccccnnn ggtncctcg gttgtcgant cnaccgnang ccanggattc cnaaggaagg 480
tgcgttnttg gccctaccc ttgctnccg nncaccttc ccgacnanga nccgtcccg 540
cncnccngng cctcncctcg caacacccgc nctcntngt nccgnnnccc cccacccgc 600
nccctcncnc ngncgnancn ctcnccncc gtctcannca ccaccccgcc ccgccaggcc 660
ntcanccacn ggnngacnng nagnccnntc gcncgcgcgn gcgnccncc cgcncngaa 720
ctnctcngg ccantnncgc tcaanccnna cnaaacgcgc ctgcgcggcc cgnagcgncc 780
ncctcncga gtcctcccg cttccnacc angnnttccn cgaggacacn nnaccccgcc 840
nncangcgg 849

```

<210> 23

<211> 872

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(872)

<223> n = A,T,C or G

<400> 23

```

gcgcaaaacta tacttcgctc gnactcgtgc gcctcgtnc tcttttcttc cgcaaccatg 60
tctgacnanc ccgattnggc ngatatacnan aagntcganc agtccaaact gantaacaca 120
cacacnancn aganaaatcc nctgccttcc anagtanacn attgaacnng agaaccangc 180
nggcgaatcg taatnaggcg tgcgcgcga atntgtcncc gtttattntn ccagctcnc 240
ctnccnacc tachtcttcn nagctgtcnn acccctngtn cgnaccccc naggtcggga 300
tcgggtttnn nntgaccng cncnccctcc cccctccat nacganccnc ccgcaccacc 360
nanngcncgc nccccgnct cttcgcncce ctgtcctntn cccctgtngc ctggcncngn 420
accgcattga cctcgcncn ctnrcngaaa ncnanacgt ccgggttggn annancgctg 480
tgggnnngcg tctgcncgc gttccttccn ncnncttcca ccatcttct tacnnggtct 540
ccnccgctc tcnncacnc cctgggacgc tntcctntgc ccccttnac tccccccctt 600
cgnctgncc cgnccccacc ntcatttnca nacgtcttc acaannccct ggntnntcc 660
cnancngncn gtcancnag ggaagggngg ggnncnntg nttgacgttg ngngangtc 720
cgaanantcc tcnccntcan cctacccct cgggcgnnt ctngttncc aacttanca 780

```

ntctcccccg ngngcncntc tcagcctcnc cncccccnct ctctgcantg tntctgtctc 840
tnaccnntac gantnttcgn cncctcttt cc 872

<210> 24

<211> 815

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(815)

<223> n = A,T,C or G

<400> 24

gcattgcaagc ttgagtattc tatagngtca cctaaatanc ttggcntaat catgggtcnta	60
nctgncttcc tgtgtcaaat gtatacnaan tanatatgaa tctnatntga caagannnga	120
tctnccatta gtaacaantg tntgtcccat cctgtcngan canattccca tnnattncgn	180
cgcattcncn gcncantatn taatngggaa ntcnnntnnn ncaccnncat ctatcntncc	240
gcncctgac tgganagagat ggatnanttc tntnttgacc nacatgttca tcttggattn	300
aanancccc cgcnngccac cggttngngn cnagccnntc ccaagacctc ctgtggagggt	360
aacctgcgtc aganncatca aacntgggaa acccgcnnc angtnnaagt ngnnncanan	420
gatcccgtec aggnntnacc atcccttcnc agcgccccct ttngtgcctt anagnnagc	480
gtgtccnanc cncatcaat ganacgcgcc agnccanccg caattnggca caatgtcgn	540
gaacccccca gggggantna tncaaanccc caggattgtc cncncangaa atccnanc	600
ccnccctac ccncttttg gacngtgacc aantcccga gtncagtc ggcngnctc	660
ccccaccgt nncntgggg ggggtgaanct cngnntcanc cngncgaggn ntcgnaagga	720
accggnctn ggncgaanng ancnntcnga agngccnnt cgtataacct cccctcncca	780
nccnagngt agntcccccc cngggtncgg aangg	815

<210> 25

<211> 775

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(775)

<223> n = A,T,C or G

<400> 25

ccgagatgtc tcgctccgtg gccttagctg tgctcgcgt actctctctt tctggcctgg	60
aggctatcca gcgtactcca aagattcagg ttactcacg tcacccagca gagaatggaa	120
agtcaaatc cctgaattgc tatgtgtctg ggtttcatcc atccgacatt gaanttgact	180
tactgaagaa tgganagaga attgaaaaag tggagcattc agacttgtct ttcagcaagg	240
actggctctt ctatctcntg tactacactg aattcacccc cactgaaaaa gatgagtatg	300
cctgccgtgt gaaccatgtg actttgtcac agcccaagat agttaagtgg gatcgagaca	360
tgtaagcagn cnnatggaa gtttgaagat gccgcatttg gattggatga attccaaatt	420
ctgcttgctt gcnttttaant antgatatgc ntatacaccc taccctttat gncccaaat	480
tgtaggggtt acatnantgt tcnctnngga catgatcttc ctttataant ccnccnttcg	540
aattgcccgt cncnngttn ngaatgtttc cnaaaccacg gttggctccc ccaggtcncc	600
tcttacggaa gggcctgggc cnccttncaa ggttggggga accnaaaatt tcnctntgc	660
ccnccncca cnccttgng nncncanttt ggaaccttc cnattcccc tggcctcna	720
nccttnncta anaaaacttn aaancgtngc naaanntttn acttcccccc ttacc	775

<210> 26

<211> 820
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(820)
 <223> n = A,T,C or G

<400> 26
 anattantac agtghtaatct tttcccagag gtgtgtanag ggaacggggc ctagaggcat 60
 cccanagata ncttatanca acagtgtctt gaccaagagc tgctgggcac atttcctgca 120
 gaaaagggtg cgggtcccat cactcctcct ctcccatagc catcccagag gggtagtag 180
 ccatcangcc ttcggtggga gggagtcang gaaacaacan accacagagc anacagacca 240
 ntgatgacca tgggggggag cgagcctctt cctgnaccg ggggtggcna nganagccta 300
 nctgaggggt cactatataa acgttaacga ccnagatnan cacctgcttc aagtgcaccc 360
 ttcctacctg acnaccagn accnnnaact gcngcctggg gacagcncctg ggancagcta 420
 acnnagcact cacctgcccc cccatggcgg tncgntccc tggctcctgnc aagggaagct 480
 ccctgttga attncgggga naccaaggga nccccctcct ccantctga aggaaaaann 540
 gatggaattt tnccttccg gccnntcccc tcttcttta cagccccct nntactcnc 600
 tccctctntt ntcctgncnc acttttnacc ccnnnatttc ccttnattga tcggannctn 660
 ganattccac tnnccctnc cntcnatcng naanacnaaa nactntctna ccnggggat 720
 gggnnccctg ntcactctct cttttcncct accncnntt ctttgctctt ccttngatca
 780tccaacntc gntggcctn ccccccnnt tcttttccc
 820

<210> 27
 <211> 818
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(818)
 <223> n = A,T,C or G

<400> 27
 tctgggtgat ggcctcttcc tcctcagggg cctctgactg ctctgggcca aagaatctct 60
 tgtttcttct ccgagcccca ggcagcgggtg attcagccct gcccaacctg attctgatga 120
 ctgcggtatg tgtgacggac ccaaggggca aatagggtcc caggggtccag ggagggggcg 180
 ctgctgagca cttecgcccc tcacctgcc cagccccctg catgagctct gggctgggtc 240
 tccgcctcca ggggtctgct ctccangca ngccancaa tggcgctggg ccactctggc 300
 ttcttctgct cccctccctg gctctgante tctgtcttcc tgtcctgtgc angcnccttg 360
 gatctcagtt tccctcncctc anngaactct gttctgann tcttcantta actntgantt 420
 tatnaccnan tggnetgtnc tgtcnnactt taatgggccc gaccggctaa tccctccctc 480
 nctcccttcc anttcnnna accngettnc cntentctcc ccntancecg ccngggaanc 540
 ctctttgcc ctnaccangg gccnnnaccg ccntnnctn ggggggcnng gtnnctncnc 600
 ctgntnnccc cntcncnt tncctcgtcc cnnncnccn nngcannttc ncngtccenn 660
 tnnctcttcn ngntcgnaa ngntcncntn tnnnnngncn ngntnntnnc tccctctcnc 720
 cnnntgnang tnnntnnnc ncngncccc nnnncnnnn nggnntnnn tctncncngc 780
 ccnnccccc ngnattaagg cctcncntct ccggccnc 818

<210> 28
 <211> 731
 <212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(731)

<223> n = A,T,C or G

<400> 28

aggaagggcg	gagggatatt	gtangggatt	gagggatagg	agnataangg	gggaggtgtg	60
tccaacatg	anggtgnngt	tctcttttga	angaggggtg	ngtttttann	ccnggtgggt	120
gattnaaccc	cattgtatgg	agnnaaaggn	tttnagggat	ttttcggctc	ttatcagtat	180
ntanattcct	gtnaatcgga	aatnatntt	tcnncnggaa	aatnttgctc	ccatccgnaa	240
attnctcccg	ggtagtgcac	nttngggggg	cngccangtt	tcccaggctg	ctanaatcgt	300
actaaagntt	naagtgggan	tncaaataaa	aacctnncac	agagnatccn	taccgcactg	360
tnnnntnctt	tcgccctntg	actctgcnnn	agcccaatac	ccnngngnat	gtcncccnng	420
nnngcgcnc	tgaaannnnn	tcgnggctnn	gancatcang	gggtttcgca	tcaaaagcnn	480
cgtttncat	naaggcactt	tngcctcatc	caaccnctng	ccctcnccca	tttngccgtc	540
nggttncct	acgctntntg	cncctnnntn	ganattttnc	ccgcctnggg	naancctcct	600
gnaatgggta	gggncttntc	ttttnaccnn	gnggntact	aatcnctnc	acgcntnctt	660
tctcnacccc	cccccttttt	caatcccanc	ggcnaatggg	gtctccccnn	cgangggggg	720
nnnccannnc	c					731

<210> 29

<211> 822

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(822)

<223> n = A,T,C or G

<400> 29

actagtccag	tgtgggtggaa	ttccattgtg	ttggggncnc	ttctatgant	antnttagat	60
cgctcanacc	tcacanctc	ccnacnangc	ctataangaa	nannaataga	nctgtncnnt	120
atntntacnc	tcatanncct	cnnnaccac	tccctcttaa	cccntactgt	gcctatngcn	180
tnnctantct	ntgccgcctn	cnanccaccn	gtggggccnac	cncnngnatt	ctcnatctcc	240
tcnccatntn	gcctananta	ngtncatacc	ctatacctac	nccaatgcta	nnnctaancn	300
tccatnantt	annntaacta	ccactgacnt	ngactttcnc	atnanctcct	aatttgaatc	360
tactctgact	cccacngcct	annnattagc	ancntcccc	nacnatntct	caaccaaadc	420
ntcaacaacc	tatctanctg	ttcnccaacc	nttnccctcg	atccccnnac	aacccccctc	480
ccaaataccc	nccacctgac	ncctaaccnn	caccatcccg	gcaagccnan	ggncatttan	540
ccactggaat	cacnatngga	naaaaaaaac	ccnaactctc	tancncnnat	ctccctaana	600
aatnctcctn	naatttactn	ncantnccat	caancccaacn	tgaaacnnaa	ccccgttttt	660
tanatccctt	ctttcgaaaa	ccnacccttt	annncccaac	ctttngggcc	cccccnctnc	720
ccnaatgaag	gncncccaat	cnangaaaacg	ncntgaaaa	ancnaggcna	anannntccg	780
canatcctat	cccttanttn	ggggnccttt	ncccnngggc	cc		822

<210> 30

<211> 787

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(787)

<223> n = A,T,C or G

<400> 30

cggccgcctg	ctctggcaca	tgcctcctga	atggcatcaa	aagtgatgga	ctgcccattg	60
ctagagaaga	ccttctctcc	tactgtcatt	atggagccct	gcagactgag	ggctcccctt	120
gtctgcagga	tttgatgtct	gaagtcgtgg	agtgtggctt	ggagctcctc	atctacatna	180
gctggaagcc	ctggaggggc	tctctcgcca	gcctccccct	tctctccacg	ctctccangg	240
acaccagggg	ctccaggcag	cccattatct	ccagnangac	atggtgtttc	tccacgcgga	300
cccatggggc	ctgnaaggcc	agggtctcct	ttgacaccat	ctctcccgtc	ctgcctggca	360
ggccgtggga	tccactantt	ctanaacggn	cgccaccncg	gtgggagctc	cagcttttgt	420
tcccnttaat	gaagggtaat	tgcncgcttg	gcgtaatcat	nggtcanaac	tnnttctctgt	480
gtgaaattgt	ttntcccctc	ncnattccnc	ncnacatacn	aacccggaan	cataaagtgt	540
taaagcctgg	gggtngcctn	nngaataaac	tnaactcaat	taattgctgt	ggctcatggc	600
cgcctttccn	ttcnggaaaa	ctgtcntccc	ctgcnttnnt	gaatcgccca	ccccccnggg	660
aaaagcgggt	tgcnttttng	ggggnctcct	ccncttcccc	cctcncctaan	ccctncgcct	720
cggtcgttnc	nggtngcggg	gaangggnat	nnnctcccnc	naagggggng	agnnnngtat	780
ccccaaa						787

<210> 31

<211> 799

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(799)

<223> n = A,T,C or G

<400> 31

tttttttttt	tttttttggc	gatgctactg	tttaattgca	ggagggtggg	gtgtgtgtac	60
catgtaccag	ggctattaga	agcaagaagg	aaggaggggag	ggcagagcgc	cctgctgagc	120
aacaaaggac	tcctgcagcc	ttctctgtct	gtctcttggc	gcaggcacat	ggggaggcct	180
cccgcagggg	gggggcccacc	agtcacgggg	tgggagcact	acanggggtg	ggagtgggtg	240
gtggctggtn	cnaatggcct	gncacanatc	cctacgattc	ttgacacctg	gatttcacca	300
ggggaccttc	tgttctccca	nggnaacttc	ntnnatctcn	aaagaacaca	actgtttctt	360
cngcanttct	ggctgttcat	ggaaagcaca	ggtgtccnat	ttnggctggg	acttgggtaca	420
tatggttccg	gcccacctct	ccntcnaaa	aagtaattca	ccccccccc	ccntctnttg	480
cctgggcccct	taantaccca	caccggaact	canttantta	ttcatcttng	gntgggcttg	540
ntnatcnccn	cctgaangcg	ccaagttgaa	aggccacgcc	gtncnccnctc	cccatagnan	600
ntttttnnct	canctaatac	ccccccnggc	aacnatccaa	tcccccccn	tgggggcccc	660
agccccanggc	ccccgnctcg	ggnnnccngn	cncgnantcc	ccaggntctc	ccantcngnc	720
ccnnngcncc	ccgcacgcga	gaacanaagg	ntngagccnc	cgcannnnnn	nggtnnnncac	780
ctcgcctccc	ccnncgnng					799

<210> 32

<211> 789

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(789)

<223> n = A,T,C or G

<400> 32

tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
tttttncnag	ggcagggtta	ttgacaacct	cncgggacac	aancaggctg	gggacaggac	120
ggcaacaggc	tccggcggcg	gcggcggcgg	ccctacctgc	ggtaccaa	ntgcagcctc	180
cgctcccgtc	tgatnttcct	ctgcagctgc	aggatgccnt	aaaacagggc	ctcggccntn	240
ggtgggcacc	ctgggatttn	aatttccacg	ggcacaatgc	ggtcgcancc	cctcaccacc	300
nattaggaat	agtggnttta	cccnccnccg	ttggcncact	ccccntggaa	accacttntc	360
gcggtccgg	catctggtct	taaaccttgc	aaacnctggg	gccctctttt	tggttantnt	420
nccngccaca	atcatnactc	agactggcnc	gggctggccc	caaaaaancn	ccccaaaacc	480
ggnccatgtc	ttnnccgggt	tgctgcnatn	tncatcacct	cccgggcnca	ncaggncaac	540
ccaaaagtgc	ttgnngcccn	caaaaaanct	ccggggggnc	ccagtttcaa	caaagtcac	600
ccccttggcc	cccaaatcct	ccccccgntt	nctgggtttg	ggaacccacg	cctctnnctt	660
tggnnggcaa	gntggntccc	ccttcggggc	cccggtgggc	ccnntcttaa	ngaaaacncc	720
ntcctnnnca	ccatccccc	nngnnacgnc	tancaangna	tccctttttt	tanaaacggg	780
ccccccnccg						789

<210> 33

<211> 793

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(793)

<223> n = A,T,C or G

<400> 33

gacagaacat	ggttgatggt	ggagcacctt	tctatacgac	ttacaggaca	gcagatgggg	60
aattcatggc	tggttgagca	atanaacccc	agttctacga	gctgctgac	aaaggacttg	120
gactaaagtc	tgatgaactt	cccaatcaga	tgagcatgga	tgattggcca	gaaatgaana	180
agaagtttgc	agatgtattt	gcaaagaaga	cgaaggcaga	gtggtgtcaa	atctttgacg	240
gcacagatgc	ctgtgtgact	ccggttctga	cttttgagga	ggttggtcat	catgatcaca	300
acaangaacg	gggctcgttt	atcaccantg	aggagcagga	cgtgagcccc	cgccctgcac	360
ctctgctggt	aaacacccca	gccatccctt	ctttcaaaag	ggatccacta	cttctagagc	420
ggnccgccc	gcggtggagc	tccagctttt	gttcccttta	gtgaggggta	attgcgcgct	480
tggtgtaatc	atggtcatan	ctgtttcctg	tgtgaaattg	ttatccgctc	acaattccac	540
acaacatacg	anccggaagc	atnaaathtt	aaagcctggg	ggtngccta	tgantgaact	600
nactcacatt	aattggcttt	gcgctcactg	cccgttttcc	agtccggaaa	acctgtcctt	660
gccagctgcc	nttaatgaat	cnggccaccc	cccggggaaa	aggcngtttg	cttnttgggg	720
cgcnttcccc	gctttctcgc	ttcctgaant	ccttccccc	ggtctttcgg	cttgcggcna	780
acggtatcna	cct					793

<210> 34

<211> 756

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(756)

<223> n = A,T,C or G

<400> 34

gccgcgaccg	gcatgtacga	gcaactcaag	ggcgagtggg	accgtaaaag	ccccaatctt	60
ancaagtgcg	gggaanagct	gggtcgactc	aagctagttc	ttctggagct	caacttcttg	120

ccaaccacag	ggaccaagct	gaccaaacag	cagctaattc	tggcccgtga	catactggag	180
atcggggccc	aatggagcat	cctacgcaan	gacatcccc	ccttcgagcg	ctacatggcc	240
cagctcaaat	gctactactt	tgattacaan	gagcagctcc	ccgagtcagc	ctatatgcac	300
cagctcttgg	gcctcaacct	cctcttcttg	ctgtcccaga	accgggtggc	tgantnccac	360
acgganttgg	ancgggtgcc	tgcccaanga	catacanacc	aatgtctaca	tcnaccacca	420
gtgtcctgga	gcaatactga	tgganggcag	ctaccncaaa	gtnttcctgg	ccnagggtaa	480
catccccgcg	cgagagctac	accttcttca	ttgacatcct	gctcgacact	atcagggatg	540
aaaatcgcn	ggttgctcca	gaaaggctnc	aanaanattc	ttttcnctga	aggcccccg	600
atnncntagt	nctagaatcg	gcccgccatc	gcggtgganc	ctccaacctt	tcgttncctt	660
ttactgaggg	ttnattgccg	cccttgccgt	tatcatggtc	acnccngttn	cctgtgttga	720
aattnttaac	cccccaaat	tccacgccna	cattng			756

<210> 35

<211> 834

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(834)

<223> n = A,T,C or G

<400> 35

gggatctct	anactnacct	gnatgcatgg	ttgtcgggtg	ggtcgctgtc	gatgaanatg	60
aacaggatct	tgccttgaa	gctctcggct	gctgtnttta	agttgctcag	tctgccgtca	120
tagtcagaca	cnccttggg	caaaaaacan	caggatntga	gtcttgattt	cacctccaat	180
aatcttcngg	gctgtctgct	cgggtgaactc	gatgacnang	ggcagctggg	tgtgtntgat	240
aaantccanc	angttctcct	tgggtgacctc	cccttcaaa	ttgttccggc	cttcatcaaa	300
cttctnnaan	angannancc	capctttgtc	gagctggnat	ttgganaaca	cgtcactgtt	360
ggaaactgat	cccaaattgg	atgtcatcca	tgcctctgtc	tgcctgcaaa	aaacttgctt	420
ggcncaaata	cgaactcccn	tccttgaaag	aagccnatca	cacccccctc	cctggactcc	480
nncaangact	ctnccgctnc	ccntccnng	cagggttggt	ggcannccgg	gcccntgcgc	540
ttcttcagcc	agttcacnat	nttcatcagc	ccctctgcca	gctgtnttat	tccttggggg	600
ggaanccgtc	tctcccttcc	tgaannaact	ttgaccgtng	gaatagccgc	gcntcncnt	660
acntnctggg	ccgggttcaa	antccctccn	ttgncnntcn	cctcgggcca	ttctggattt	720
nccnaacttt	ttccttcccc	cncctccnng	ngtttgntt	tttcatnggg	ccccaaactc	780
gctnttgccc	antcccttgg	gggcntntan	cncctctnt	gggccntng	ggcc	834

<210> 36

<211> 814

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(814)

<223> n = A,T,C or G

<400> 36

cgngcgtttt	cengccgcgc	cccgtttcca	tgacnaaggc	tccttccang	ttaaatacnn	60
cctagnaaac	attaatgggt	tgctctacta	atacatcata	cnaaccagta	agcctgcccc	120
naacgccaac	tcaggccatt	cctaccaaag	gaagaaaggc	tggctctctc	acccccgtga	180
ggaaaggcct	gccttgtaag	acaccacaat	ncggctgaat	ctnaagtctt	gtgttttact	240
aatggaaaaa	aaaaataaac	aanagggttt	gttctcatgg	ctgcccaccg	cagcctggca	300
ctaaaacanc	ccagcgtcca	cttctgcttg	ganaaatatt	ctttgctctt	ttggacatca	360

```

ggcttgatgg tatcactgcc acntttccac ccagctgggc ncccttcccc catntttgtc      420
antganctgg aaggcctgaa ncttagtctc caaaagtctc ngcccacaag accggccacc      480
aggggangtc ntttncagtg gatctgccaa anantaccn tatcatcnnt gaataaaaag      540
gcccctgaac ganatgcttc cancanctt taagacccat aatcctngaa ccatgggtgcc      600
cttccgggtct gatccnaaag gaatgttctt ggggtccant cctcctttg ttncttacgt      660
tgtnttggac cctgtctngn atnaccaan tganatcccc ngaagcacc tnccttggc      720
atttganttt cntaaattct ctgccctacn nctgaaagca cnattccctn ggcncnaaan      780
ggngaactca agaaggtctn ngaaaaacca cncn                                814

```

<210> 37

<211> 760

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (760)

<223> n = A,T,C or G

<400> 37

```

gcattgctgt cttcctcaaa gttgttcttg ttgccataac aaccaccata ggtaaagcgg      60
gcgcagtgtt cgctgaagg gttgtagtac cagcgcggga tgctctcctt gcagagtcct      120
gtgtctggca ggtccacgca atgcccttgg tctactggga aatggatgag ctggagctcg      180
tcnaanccac tcgtgtattt ttcacangca gcctcctccg aagcntccgg gcagttgggg      240
gtgtcgtcac actccactaa actgtcgatn cancagccca ttgctgcagc ggaactgggt      300
gggctgacag gtgccagaac aactggatn ggcctttcca tgggaaggcc tgggggaaat      360
cncctnancc caaactgcct ctcaaaggcc accttgaca ccccgacagg ctagaaatgc      420
actcttcttc ccaaaggtag ttgttcttgg tgcceaagca ncctccanca aaccaaaanc      480
ttgcaaaatc tgctccgtgg gggtcattnn taccanggtt ggggaaanaa acccgcnngn      540
ganccnctt gtttgaatgc naaggnaata atcctcctgt cttgcttggg tgggaanagca      600
caattgaact gttaacnttg ggccnggttc cncnnggtg gtctgaaact aatcacgctc      660
actggaaaaa ggtangtgcc ttccttgaat tcccaaannt cccctngntt tgggtntttt      720
ctcctctncc ctaaaaatcg tnttcccccc cntangggc                                760

```

<210> 38

<211> 724

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (724)

<223> n = A,T,C or G

<400> 38

```

tttttttttt tttttttttt tttttttttt tttttaaaaa cccctcccat tgaatgaaaa      60
cttcnaaat tgccaaccc cctcnccaa atnnccattt cggggggggg gttccaaacc      120
caaattaatt ttgganttta aattaaatnt tnattngggg aanaanccaa atgtnaagaa      180
aatttaaccc attatnaact taaatnctn gaaaccntg gnttccaaaa atttttaacc      240
cttaaatccc tccgaaattg ntaanggaaa accaaattcn cctaaggctn tttgaagggt      300
ngatttaaac ccccttnant tnttttnacc cnnngctnaa ntattngnt tccggtgttt      360
tcctnttaan cntnggtaac tcccngtaat gaannccct aanccaatta aaccgaattt      420
tttttgaatt ggaaattccn ngggaattna cgggggtttt tcccnthtgg gggccatncc      480
cccnctttcg ggggttgggn ntagggtgaa tttttnnang ncccaaaaaa ncccccaana      540
aaaaaactcc caagnnttaa ttngaantnc ccccttccca ggccttttgg gaaaggnggg      600

```



```

- tttntggggg ccngggantt cnttccccc ttncncccc cccccnggt aaanggttat      660
  ngnttttggg ttttgggcc cttnanggac cttccggatn gaaattaaat ccccgggncg      720
  gccg                                724

```

<210> 39

<211> 751

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (751)

<223> n = A,T,C or G

<400> 39

```

tttttttttt tttttctttg ctcacattta atttttattt tgattttttt taatgctgca      60
caacacaata tttatttcat ttgtttcttt tatttcattt tatttgtttg ctgctgctgt      120
tttatttatt tttactgaaa gtgagaggga acttttgggg ccttttttcc tttttctgta      180
ggcgccttta agctttctaa atttggaaca tctaagcaag ctgaanggaa aaggggggtt      240
cgcaaaatca ctcgggggaa nggaaagggt gctttgttaa tcatgcccta tgggtgggtga      300
ttaactgctt gtacaattac ntttactttt taattaattg tgctnaangc ttttaattana      360
cttggggggt ccttccccc accaaccctn ctgacaaaaa gtgccngccc tcaaatnatg      420
tcccgccnnt cnttgaaca cacngcngaa ngttctcatt ntcccnncnc caggtnaaaa      480
tgaagggtta ccatntttta cncacctcc acntggcnnn gcctgaatcc tcnaaaancn      540
cctcaancn aattnctnng ccccggtcnc gcntnngtc cccccgggct ccgggaantn      600
cacccccnga anncnntnnc naacnaaatt ccgaaaatat tcccnntcnc tcaattcccc      660
cnnagactnt cctcnncnan cncaattttc tttntntcac gaacncgnnc cnnaaatgn      720
nnnnncctc cncnngtcn naatcnccan c                                751

```

<210> 40

<211> 753

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (753)

<223> n = A,T,C or G

<400> 40

```

gtggtatttt ctgtaagatc aggtgttctt cctcgtagg tttagaggaa acaccctcat      60
agatgaaaac cccccgaga cagcagcact gcaactgcca agcagccggg gtaggagggg      120
cgccctatgc acagctgggc ccttgagaca gcagggtctt gatgtcaggc tcgatgtcaa      180
tggtctggaa gcggcggttg tacctgcgta ggggcacacc gtcaggggcc accaggaact      240
tctcaaagtt ccaggcaacn tcgttgcgac acaccggaga ccagggtatn agcttggggg      300
cggtcataan cgcggtggcg tcgtcgttgg gagctggcag ggcctccgc aggaaggcna      360
ataaaagggt gcgccccgca ccgttcant cgcactctc naanaccatg angttgggct      420
cnaaccacc accannccgg acttccttga nggaattccc aaatctcttc gntcttgggc      480
ttctnctgat gccctantg gttgccnngn atgccaanca nccccaancc ccggggctct      540
aaancacccn cctctcntt tcactctggg tntntcccc ggacctgggt tcctctcaag      600
ggancccata tctcnaccan tactcacnt nccccccnt gnnaccanc cttctanngn      660
tcccccccg ncctctggcc cntcaaan gcttnacna cctgggtctg ccttcccccc      720
tncctatct gnaccccn tttgtctcan tnt                                753

```

<210> 41

<211> 341
 <212> DNA
 <213> Homo sapien

<400> 41
 actatatcca tcacaacaga catgcttcat cccatagact tcttgacata gcttcaaatg 60
 agtgaaccca tccttgattt atatacatat atgttctcag tattttggga gcctttccac 120
 ttctttaaac cttgttcatt atgaacactg aaaataggaa tttgtgaaga gttaaaaagt 180
 tatagcttgt ttacgtagta agtttttgaa gtctacattc aatccagaca cttagttgag 240
 tgttaaactg tgatttttaa aaaatatcat ttgagaatat tctttcagag gtattttcat 300
 ttttactttt tgattaattg tgttttatat attagggtag t 341

<210> 42
 <211> 101
 <212> DNA
 <213> Homo sapien

<400> 42
 acttactgaa tttagtcttg tgctcttctt tatttagtgt tgtatcataa atactttgat 60
 gtttcaaaca ttctaaataa ataattttca gtgggttcat a 101

<210> 43
 <211> 305
 <212> DNA
 <213> Homo sapien

<400> 43
 acatctttgt tacagtctaa gatgtgttct taaatcacca ttccttcttg gtcctcacc 60
 tccaggggtg tctcacactg taattagagc tattgaggag tctttacagc aaattaagat 120
 tcagatgcct tgctaagtct agagtcttag agttatgttt cagaaagtct aagaaaccca 180
 cctcttgaga ggtcagtaaa gaggacttaa tatttcatat ctacaaaatg accacaggat 240
 tggatacaga acgagagtta tcttgataa ctacagagctg agtacctgcc cgggggccgc 300
 tcgaa 305

<210> 44
 <211> 852
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(852)
 <223> n = A,T,C or G

<400> 44
 acataaatat cagagaaaag tagtctttga aatatttacg tccaggagtt ctttgtttct 60
 gattatttgg tgtgtgtttt ggtttgtgtc caaagtattg gcagcttcag ttttcatttt 120
 ctctccatcc tcgggcattc tccccaaatt tatataccag tcttcgtcca tccacacgct 180
 ccagaatttc tctttttag taatatctca tagctcggct gagcttttca taggtcatgc 240
 tgctgttgtt ctctttttta cccatagct gagccactgc ctctgatttc aagaacctga 300
 agacgccctc agatcgggtc tccattttta ttaatcctgg gttcttgtct gggttcaaga 360
 ggatgtcgcg gatgaattcc cataagtgag tccctctcgg gttgtgcttt ttgggtgtggc 420
 acttggcagg ggggtcttgc tcttttttca tatcagggtga ctctgcaaca ggaagggtgac 480
 tgggtggtgt catggagatc tgagcccggc agaaagtgtt gctgtccaac aaatctactg 540
 tgctaccata gttggtgtca tataaatagt tctngtcttt ccagggtgttc atgatggaag 600

```

gctcagtttg ttcagtcttg acaatgacat tgtgtgtgga ctggaacagg tcaactactgc      660
actggccgtt ccacttcaga tgctgcaagt tgctgtagag gagntgcccc gccgtccctg      720
ccgcccgggt gaactcctgc aaactcatgc tgcaaagggtg ctgcccgttg atgtcgaact      780
cntggaaagg gatacaattg gcatccagct ggttgggtgtc caggaggtga tggagccact      840
cccacacctg gt                                     852

```

<210> 45

<211> 234

<212> DNA

<213> Homo sapien

<400> 45

```

acaacagacc cttgctcgct aacgacctca tgctcatcaa gttggacgaa tccgtgtccg      60
agtctgacac catccggagc atcagcattg cttcgcagtg ccctaccgcg gggaaactctt      120
gcctcgtttc tggctgggggt ctgctggcga acggcagaat gcctaccgtg ctgcagtgcg      180
tgaacgtgtc ggtgggtgtct gaggaggtct gcagtaagct ctatgacccg ctgt          234

```

<210> 46

<211> 590

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (590)

<223> n = A,T,C or G

<400> 46

```

actttttatt taaatgttta taaggcagat ctatgagaat gatagaaaac atggtgtgtga      60
atttgatagc aatatttttg agattacaga gttttagtaa ttaccaatta cacagttaaa      120
aagaagataa tatattccaa gcanatacaa aatatcctaat gaaagatcaa ggcaggaaaa      180
tgantataac taattgacaa tggaaaatca attttaatgt gaattgcaca ttatccttta      240
aaagctttca aaanaaanaa ttattgcagt ctanttaatt caaacagtgt taaatgggtat      300
caggataaan aactgaaggg canaaaagaat taattttcac ttcattgtaac ncaccanatt      360
ttacaatggc ttaaattgcan ggaaaaagca gtggaagtag ggaagtantc aaggctctttc      420
tggctctctaa tctgccttac tctttgggtg tggctttgat cctctggaga cagctgccag      480
ggctcctgtt atatccacaa tcccagcagc aagatgaagg gatgaaaaag gacacatgct      540
gccttccttt gaggagactt catctcactg gccaacactc agtcacatgt          590

```

<210> 47

<211> 774

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (774)

<223> n = A,T,C or G

<400> 47

```

acaagggggc ataatgaagg agtgggggana gattttaaag aaggaaaaaa aacgaggccc      60
tgaacagaat tttcctgnac aacggggcctt caaaataatt ttcttgggga ggttcaagac      120
gcttcactgc ttgaaactta aatggatgtg ggacanaatt ttctgtaatg accctgaggg      180
cattacagac gggactctgg gaggaaggat aaacagaaag gggacaaaag ctaatcccaa      240
aacatcaaag aaaggaagggt ggcgtcatat ctcccagcct acacagttct ccagggtctt      300

```

```

cctcatccct ggaggacgac agtggaggaa caactgacca tgtccccagg ctccctgtgtg      360
ctggctcctg gtcttcagcc cccagctctg gaagcccacc ctctgctgat cctgcgtggc      420
ccacactcct tgaacacaca tccccaggtt atattcctgg acatggctga acctcctatt      480
cctacttccg agatgccttg ctccctgcag cctgtcaaaa tccactcac cctccaaacc      540
acggcatggg aagcctttct gacttgcttg attactccag catcttgga caatccctga      600
ttccccactc cttagaggca agataggggt gttaagagta gggctggacc acttgagacc      660
aggctgctgg cttcaaattt tggctcattt acgagctatg ggaccttggg caagtnatct      720
tcacttctat gggcntcatt ttgttctacc tgcaaaatgg gggataataa tagt          774

```

<210> 48

<211> 124

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(124)

<223> n = A,T,C or G

<400> 48

```

canaaattga aattttataa aaaggcattt ttctcttata tccataaaat gatataattt      60
ttgcaantat anaaatgtgt cataaattat aatgttcctt aattacagct caacgcaact      120
tggt                                           124

```

<210> 49

<211> 147

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(147)

<223> n = A,T,C or G

<400> 49

```

gccgatgcta ctattttatt gcaggaggtg ggggtgtttt tattattctc tcaacagctt      60
tgtggctaca ggtggtgtct gactgcatna aaaanttttt tacgggtgat tgcaaaaatt      120
ttagggcacc catatcccaa gcantgt                                           147

```

<210> 50

<211> 107

<212> DNA

<213> Homo sapien

<400> 50

```

acattaaatt aataaaagga ctgttggggg tctgctaaaa cacatggctt gatatatattgc      60
atggtttgag gttaggagga gttaggcata tgttttggga gaggggt                    107

```

<210> 51

<211> 204

<212> DNA

<213> Homo sapien

<400> 51

```

gtcctaggaa gtctagggga cacacgactc tggggtcacg gggccgacac acttgacagg      60

```

cggaaggaa aggcagagaa gtgacaccgt cagggggaaa tgacagaaag gaaaatcaag 120
gccttgcaag gtcagaaaagg ggactcaggg cttccaccac agccctgccc cacttgcca 180
cctccctttt gggaccagca atgt 204

<210> 52
<211> 491
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(491)
<223> n = A,T,C or G

<400> 52
acaaagataa catattatctt ataacaaaaa ttgatagtt ttaaagggtta gtattgtgta 60
gggtattttc caaaagacta aagagataac tcaggtaaaa agttagaaat gtataaaaca 120
ccatcagaca gggtttttaa aaacaacata ttacaaaatt agacaatcat ccttaaaaaa 180
aaaacttctt gtatcaattt cttttgttca aaatgactga cttaantatt tttaaatatt 240
tcanaaacac ttcctcaaaa attttcaana tggtagcttt canatgtnc ctcagtccca 300
atgttgctca gataaataaa tctcgtgaga acttaccacc caccacaagc tttctggggc 360
atgcaacagt gtcttttctt tnccttttct tttttttttt ttacaggcac agaaactcat 420
caattttatt tggataacaa agggctctcca aattatattg aaaaataaat ccaagttaat 480
atcactcttg t 491

<210> 53
<211> 484
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(484)
<223> n = A,T,C or G

<400> 53
acataattta gcagggctaa ttaccataag atgctattta ttaanaggtn tatgatctga 60
gtattaacag ttgctgaagt ttggtatttt tatgcagcat tttctttttg ctttgataac 120
actacagaac ccttaaggac actgaaaatt agtaagtaaa gttcagaaac attagctgct 180
caatcaaata tctacataac actatagtaa ttaaaacgtt aaaaaaaagt gttgaaatct 240
gcactagtat anaccgctcc tgtcaggata anactgcttt ggaacagaaa gggaaaaanc 300
agctttgant ttctttgtgc tgatangagg aaaggctgaa ttaccttggt gcctctccct 360
aatgattggc aggtcnggta aatnccaaaa catattccaa ctcaacactt cttttccncg 420
tancttgant ctgtgtattc caggancagg cggatggaat gggccagccc ncggatgttc 480
cant 484

<210> 54
<211> 151
<212> DNA
<213> Homo sapien

<400> 54
actaaacctc gtgcttgtga actccatata gaaaacgggtg ccatccctga acacggctgg 60
ccactgggta tactgctgac aaccgcaaca acaaaaacac aaatccttgg cactggctag 120
tctatgtcct ctcaagtgcc tttttgtttg t 151

<210> 55
<211> 91
<212> DNA
<213> Homo sapien

<400> 55
acctggcttg tctccgggtg gttcccggcg cccccacgg tccccagaac ggacactttc 60
gccctccagt ggatactcga gccaaagtgg t 91

<210> 56
<211> 133
<212> DNA
<213> Homo sapien

<400> 56
ggcggatgtg cgttgggttat atacaaatat gtcattttat gtaagggact tgagtatact 60
tggatttttg gtatctgtgg gttgggggga cgggccagga accaataccc catggatacc 120
aagggacaac tgt 133

<210> 57
<211> 147
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(147)
<223> n = A,T,C or G

<400> 57
actctggaga acctgagccg ctgctccgcc tctgggatga ggtgatgcan gcngtggcgc 60
gactgggagc tgagcccttc cctttgcgcc tgcctcagag gattgttgcc gacntgcana 120
tctcantggg ctggatncat gcagggt 147

<210> 58
<211> 198
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(198)
<223> n = A,T,C or G

<400> 58
acagggatat aggtttnaag ttattgtnat tgtaaaatac attgaatttt ctgtatactc 60
tgattacata catttatcct ttaaaaaaga tgtaaatctt aatttttatg ccacttatta 120
atttaccat gagttacctt gtaaagaga agtcatgata gcactgaatt ttaactagtt 180
ttgacttcta agtttggt 198

<210> 59
<211> 330
<212> DNA
<213> Homo sapien

<400> 59

acaacaaatg ggttgtagg aagtcttctc agcaaaactg gtgatggcta ctgaaaagat	60
ccattgaaaa ttatcattaa tgatttttaa tgacaagtta tcaaaaactc actcaatttt	120
cacctgtgct agcttgctaa aatgggagtt aactctagag caaatatagt atcttctgaa	180
tacagtcaat aaatgacaaa gccagggcct acaggtggtt tccagacttt ccagaccag	240
cagaaggaat ctattttatc acatggatct ccgtctgtgc tcaaaatacc taatgatatt	300
tttctgtctt attggacttc tttgaagagt	330

<210> 60

<211> 175

<212> DNA

<213> Homo sapien

<400> 60

accgtgggtg ccttctacat tcttgacggc tcttcacca acatctggtt ctacttcggc	60
gtcgtgggtc cttctctctt catctctatc cagctggtgc tgcctatcga ctttgccgac	120
tcttggaacc agcgggtggt gggcaaggcc gaggagtgcg attcccgtgc ctggt	175

<210> 61

<211> 154

<212> DNA

<213> Homo sapien

<400> 61

acccacttt tcttctgtg agcagtctgg acttctcact gctacatgat gagggtgagt	60
ggttggtgct cttcaacagt atctctccct ttccggtatc gctgagccgg acagcagtgc	120
tggactgcac agccccggg ctccacattg ctgt	154

<210> 62

<211> 30

<212> DNA

<213> Homo sapien

<400> 62

cgctcgagcc ctatagttag tctgtattaga	30
-----------------------------------	----

<210> 63

<211> 89

<212> DNA

<213> Homo sapien

<400> 63

acaagtcatt tcagcacctt ttgtcttca aaactgacca tcttttatat ttaatgttc	60
ctgtatgaat aaaaatggtt atgtcaagt	89

<210> 64

<211> 97

<212> DNA

<213> Homo sapien

<400> 64

accggagtaa ctgagtcggg acgctgaatc tgaatccacc aataaataaa ggttctgcag	60
aatcagtgc tccaggattg gtccttggat ctggggt	97

<210> 65
 <211> 377
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (377)
 <223> n = A,T,C or G

<400> 65
 acaacaanaa ntcccttctt taggcactg atggaaacct ggaacccctt ttgatggca 60
 gcatggcgct ctaggccttg acacagcggc tggggtttgg gctntccaa accgcacacc 120
 ccaaccctgg tctaccaca nttctggcta tgggctgtct ctgccactga acatcagggg 180
 tcggtcataa natgaaatcc caanggggac agaggtcagt agaggaagct caatgagaaa 240
 ggtgctgttt gctcagccag aaaacagctg cctggcattc gccgctgaac tatgaaccgc 300
 tgggggtgaa ctaccccccag gaggaatcat gcctgggcga tgcaanggtg ccaacaggag 360
 gggcgggagg agcatgt 377

<210> 66
 <211> 305
 <212> DNA
 <213> Homo sapien

<400> 66
 acgcctttcc ctcagaattc agggaagaga ctgtcgctg ccttcctccg ttgttgctg 60
 agaaccctg tgcccttcc caccatatcc accctcgctc catctttgaa ctcaaacacg 120
 aggaactaac tgcaccctgg tctctcccc agtccccagt tcaccctcca tccctcacct 180
 tctccactc taagggatat caacactgcc cagcacaggg gccctgaatt tatgtggttt 240
 ttatatattt ttttaataaga tgcactttat gtcatttttt aataaagtct gaagaattac 300
 tgttt 305

<210> 67
 <211> 385
 <212> DNA
 <213> Homo sapien

<400> 67
 actacacaca ctccacttgc ccttgtgaga cactttgtcc cagcacttta ggaatgctga 60
 ggtcggacca gccacatctc atgtgcaaga ttgccagca gacatcaggc ctgagagttc 120
 ccctttttaa aaaggggact tgcttaaaaa agaagtctag ccacgattgt gtagagcagc 180
 tgtgctgtgc tggagattca cttttgagag agttctctc tgagacctga tctttagagg 240
 ctgggcagtc ttgcacatga gatggggctg gtctgatctc agcactcctt agtctgcttg 300
 cctctcccag ggccccagcc tggccacacc tgcttacagg gcactctcag atgcccatac 360
 catagtttct gtgctagtgg accgt 385

<210> 68
 <211> 73
 <212> DNA
 <213> Homo sapien

<400> 68
 acttaaccag atatattttt accccagatg gggatattct ttgtaaaaaa tgaaaataaa 60
 gtttttttaa tgg 73

<210> 69
 <211> 536
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(536)
 <223> n = A,T,C or G

<400> 69
 actagtccag tgtggtggaa ttccattgtg ttgggggctc tcaccctcct ctctgcagc 60
 tccagctttg tgctctgcct ctgaggagac catggcccag catctgagta ccctgctgct 120
 cctgctggcc accctagctg tggccctggc ctggagcccc aaggaggagg ataggataat 180
 cccgggtggc atctataacg cagacctcaa tgatgagtgg gtacagcgtg cccttcactt 240
 cgccatcagc gagtataaca aggccaccaa agatgactac tacagacgtc cgctgcggtg 300
 actaagagcc aggcaacaga ccgttggggg ggtgaattac ttcttcgacg tagaggtggg 360
 ccgaaccata tgtaccaagt ccagcccaa cttggacacc tgtgccttcc atgaacagcc 420
 agaactgcag aagaaacagt tgtgctcttt cgagatctac gaagttccct ggggagaaca 480
 gaangtcctt ggggtgaaatc caggtgtcaa gaaatcctan ggatctgttg ccaggc 536

<210> 70
 <211> 477
 <212> DNA
 <213> Homo sapien

<400> 70
 atgaccctta acaggggccc tctcagccct cctaattgacc tccggcctag ccatgtgatt 60
 tcacttccac tccataacgc tcctcatact aggcctacta accaaccacac taaccatata 120
 ccaatgatgg cgcatgtaa cacgagaaag cacataccaa ggccaccaca caccacctgt 180
 ccaaaaaggc cttcgatacg ggataatcct atttattacc tcagaagttt ttttcttcgc 240
 agggattttt ctgagccttt taccactcca gcctagcccc taccctccaa ctaggagggc 300
 actggccccc aacaggcatc accccgctaa atcccttaga agtcccactc ctaaacacat 360
 ccgtattact cgcacagga gtatcaatca cctgagctca ccatagctca atagaaaaca 420
 accgaaacca aattattcaa agcactgctt attacaattt tactgggtct ctatttt 477

<210> 71
 <211> 533
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(533)
 <223> n = A,T,C or G

<400> 71
 agagctatag gtacagtgtg atctcagctt tgcaaacaca ttttctacat agatagtact 60
 aggtattaat agatatgtaa agaaagaaat cacaccatta ataatggtaa gattggttta 120
 tgtgatttta gtggtatttt tggcaccctt atatatgttt tccaaacttt cagcagtgat 180
 attatttcca taacttaaaa agtgagtgtg aaaaagaaaa tctccagcaa gcatctcatt 240
 taaataaagg tttgtcatct ttaaaaatac agcaatatgt gactttttta aaaagctgtc 300
 aaatagggtg gaccctacta ataattatta gaaatacatt taaaaacatc gagtacctca 360
 agtcagtttg ccttgaaaaa tatcaaatat aactcttaga gaaatgtaca taaaagaatg 420
 cttcgtaat tggagtang aggttcctc ctcaattttg tattttttaa aagtacatgg 480
 taaaaaaaaa aattcacaac agtatataag gctgtaaaaa gaagaattct gcc 533

<210> 72
 <211> 511
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(511)
 <223> n = A,T,C or G

<400> 72
 tattacggaa aaacacacca cataattcaa ctancaaaga anactgcttc agggcgtgta 60
 aatgaaagg cttccaggca gttatctgat taaagaacac taaaagaggg acaaggctaa 120
 aagccgcagg atgtctacac tatancaggc gctatttggg ttggctggag gagctgtgga 180
 aaacatggan agattggtgc tgganacgc cgtggctatt cctcattgtt attacanagt 240
 gaggttctct gtgtgccac tggtttgaaa accgttctnc aataatgata gaatagtaca 300
 cacatgagaa ctgaaatggc ccaaaccag aaagaaagcc caactagatc ctcagaanac 360
 gcttctaggg acaataaccg atgaagaaaa gatggcctcc ttgtgcccc gtctgttatg 420
 atttctctcc attgcagcna naaaccggtt cttctaagca aacncagggtg atgatggcna 480
 aaatacacc cctcttgaag naccnggagg a 511

<210> 73
 <211> 499
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(499)
 <223> n = A,T,C or G

<400> 73
 cagtgccagc actggtgccca gtaccagtag caataacagt gccagtgccca gtgccagcac 60
 cagtggtagc ttccagtgtg gtgccagcct gaccgccact ctcacatttg ggctcttcgc 120
 tggccttggt ggagctggtg ccagcaccag tggcagctct ggtgcctgtg gtttctccta 180
 caagtgagat tttagatatt gttaatcctg ccagtctttc tcttcaagcc aggggtgcac 240
 ctcagaaacc tactcaacac agcactctag gcagccacta tcaatcaatt gaagttgaca 300
 ctctgcatta aatctatttg ccatttctga aaaaaaaaaa aaaaaaaggg cggccgctcg 360
 antctagagg gcccgtttaa acccgctgat cagcctcgac tgtgccttct anttgccagc 420
 catctgttgt ttgccctcc cccgntgcct tccttgacct tggaaagtgc cactcccact 480
 gtcctttcct aantaaaaat 499

<210> 74
 <211> 537
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(537)
 <223> n = A,T,C or G

<400> 74
 tttcatagga gaacacactg aggagatact tgaagaattt ggattcagcc gcgaagagat 60

ttatcagctt	aactcagata	aatcattga	aagtaataag	gtaaaagcta	gtctctaact	120
tccaggccca	cggtcaagt	gaatttgaat	actgcattta	cagtgtagag	taacacataa	180
cattgtatgc	atggaaacat	ggaggaacag	tattacagtg	tcctaccact	ctaatcaaga	240
aaagaattac	agactctgat	tctacagtga	tgattgaatt	ctaaaaatgg	taatcattag	300
ggcttttgat	ttataanact	ttgggtactt	atactaaatt	atggtagtta	tactgccttc	360
cagtttgctt	gatatatttg	ttgatattaa	gattcttgac	ttatatattg	aatgggttct	420
actgaaaaan	gaatgatata	ttcttgaaga	catcgatata	catttattta	cactcttgat	480
tctacaatgt	agaaaatgaa	ggaaatgccc	caaattgtat	ggtgataaaa	gtcccggt	537

<210> 75

<211> 467

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(467)

<223> n = A,T,C or G

<400> 75

caaanacaat	tgttcaaaaag	atgcaaatga	tacactactg	ctgcagctca	caaacacctc	60
tgcattattac	acgtacctcc	tcctgctcct	caagtagtgt	ggtctatttt	gccatcatca	120
cctgctgtct	gcttagaaga	acggctttct	gctgcaangg	agagaaatca	taacagacgg	180
tggcacaagg	aggccatctt	ttctcatcg	gttattgtcc	ctagaagcgt	cttctgagga	240
tctagttggg	ctttctttct	gggtttgggc	catttcantt	ctcatgtgtg	tactattcta	300
tcattattgt	ataacgggtt	tcaaaccngt	gggcacncag	agaacctcac	tctgtaataa	360
caatgaggaa	tagccacggg	gatctccagc	accaaattct	tccatgttnt	tccagagctc	420
ctccagccaa	cccaaatagc	cgctgctatn	gtgtagaaca	tccttgn		467

<210> 76

<211> 400

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(400)

<223> n = A,T,C or G

<400> 76

aagctgacag	cattcggggc	gagatgtctc	gctccgtggc	cttagctgtg	ctcgcgctac	60
tctctctttc	tggcctggag	gctatccagc	gtactccaaa	gattcaggtt	tactcacgtc	120
atccagcaga	gaatggaaaag	tcaaatttcc	tgaattgcta	tgtgtctggg	tttcatccat	180
ccgacattga	agttgactta	ctgaagaatg	gagagagaat	tgaaaaagtg	gagcattcag	240
acttgtcttt	cagcaaggac	tggcttttct	atctcttgta	ctacactgaa	ttcaccccca	300
ctgaaaaaga	tgagtatgcc	tgccgtgtga	accatgtgac	tttgtcacag	cccaagatng	360
ttnagtggga	tcganacatg	taagcagcan	catgggaggt			400

<210> 77

<211> 248

<212> DNA

<213> Homo sapien

<400> 77

ctggagtgcc	ttggtgtttc	aagcccctgc	aggaagcaga	atgcaccttc	tgaggcacct	60
------------	------------	------------	------------	------------	------------	----

ccagctgccc	cggcggggga	tgcgaggctc	ggagcaccct	tgcccggctg	tgattgctgc	120
caggcactgt	tcattctcagc	ttttctgtcc	ctttgctccc	ggcaagcgct	tctgctgaaa	180
gttcatactc	ggagcctgat	gtcttaacga	ataaaggctc	catgctccac	ccgaaaaaaa	240
aaaaaaaa						248

<210> 78
 <211> 201
 <212> DNA
 <213> Homo sapien

<400> 78						
actagtcag	tgtggtggaa	ttccattgtg	ttgggcccga	cacaatggct	acctttaaca	60
tcaccagac	cccgcctgc	ccgtgcccc	cgctgctgct	aacgacagta	tgatgcttac	120
tctgctactc	ggaaactatt	tttatgtaat	taatgtatgc	tttcttgttt	ataaatgcct	180
gatttaaaaa	aaaaaaaaaa	a				201

<210> 79
 <211> 552
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(552)
 <223> n = A,T,C or G

<400> 79						
tccttttggt	aggtttttga	gacaacccta	gacctaaact	gtgtcacaga	cttctgaatg	60
tttaggcagt	gctagtaatt	tcctcgtaat	gattctgtta	ttactttcct	attctttatt	120
cctctttcct	ctgaagatta	atgaagttga	aaattgaggt	ggataaatac	aaaaaggtag	180
tgtgatagta	taagtatcta	agtgcagatg	aaagtgtggt	atatatatcc	attcaaaatt	240
atgcaagtta	gtaattactc	agggttaact	aaattacttt	aatatgctgt	tgaacctact	300
ctgttccttg	gctagaaaaa	attataaaca	ggactttggt	agtttgggaa	gccaaattga	360
taatattcta	tgttctaata	gttgggctat	acataaanta	tnaagaaata	tggaatttta	420
ttcccaggaa	tatgggggtc	atttatgaat	antaccggg	anagaagttt	tgantnaaac	480
cngttttggt	taatacgtta	atatgtcctn	aatnaacaag	gcntgactta	tttccaaaaa	540
aaaaaaaaaa	aa					552

<210> 80
 <211> 476
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(476)
 <223> n = A,T,C or G

<400> 80						
acagggattt	gagatgctaa	ggccccagag	atcgtttgat	ccaacctctc	tattttcaga	60
ggggaaaatg	gggcctagaa	gttacagagc	atctagctgg	tgcgctggca	cccctggcct	120
cacacagact	cccgagtagc	tgggactaca	ggcacacagt	cactgaagca	ggccctgttt	180
gcaattcacg	ttgccacctc	caacttaaac	attcttcata	tgtgatgtcc	ttagtcacta	240
aggttaaact	ttcccaccca	gaaaaggcaa	cttagataaa	atcttagagt	actttcatac	300
tcttctaagt	cctcttcag	cctcactttg	agtctctcct	gggggttgat	aggaantntc	360

tcttggcttt ctcaataaaa tctctatcca tctcatgttt aatttgggtac gcntaaaaat 420
gctgaaaaaa ttaaaatgtt ctggtttcnc tttaaaaaaa aaaaaaaaaa aaaaaa 476

<210> 81
<211> 232
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(232)
<223> n = A,T,C or G

<400> 81
tttttttttg tatgcctcnc ctgtggngtt attgttgctg ccaccctgga ggagcccagt 60
ttcttctgta tctttctttt ctgggggatc ttcttggtc tgccctcca ttcccagcct 120
ctcatcccca tcttgactt ttgctagggt tggaggcgt ttctggtag cccctcagag 180
actcagtcag cgggaataag tcttaggggt ggggggtgtg gcaagccggc ct 232

<210> 82
<211> 383
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(383)
<223> n = A,T,C or G

<400> 82
aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc 60
agtaccagta ccaataacat gccagtgccg gtgccagcac cagtgggtggc ttcagtgtg 120
gtgccagcct gaccgccact ctacatttg ggctcttcgc tggccttggg ggagctggtg 180
ccagcaccag tggcagctct ggtgcctgtg gtttctcta caagtgagat tttagatatt 240
gttaatcctg ccagtcttct tcttcaagcc aggggtgcac ctcaaaaacc tactcaacac 300
agcactctng gcagccacta tcaatcaatt gaagttgaca ctctgcatta aatctatttg 360
ccatttcaaa aaaaaaaaaa aaa 383

<210> 83
<211> 494
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(494)
<223> n = A,T,C or G

<400> 83
accgaattgg gaccgctggc ttataagcga tcatgtcctc cagtattacc tcaacgagca 60
gggagatcga gtctatacgc tgaagaaatt tgaccgatg ggacaacaga cctgctcagc 120
ccatcctgct cgttctccc cagatgacaa atactctcga caccgaatca ccatcaagaa 180
acgcttcaag gtgctcatga cccagcaacc gcgcctgtc ctctgagggg ccttaactg 240
atgtcttttc tgccacctgt taccctcgg agactccgta accaaactct tcggactgtg 300
agccctgatg cctttttgcc agccatactc tttggcctcc agtctctcgt ggcgattgat 360

tatgcttgtg tgaggcaatc atggtggcat cacccatnaa gggaacacat ttganttttt	420
tttcncatat tttaaattac naccagaata ntccagaata aatgaattga aaaactctta	480
aaaaaaaaaa aaaa	494

<210> 84
 <211> 380
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(380)
 <223> n = A,T,C or G

<400> 84	
gctggtagcc tatggcgtgg ccacggangg gctcctgagg cacgggacag tgacttccca	60
agtatcctgc gccgcgtctt ctaccgtccc tacctgcaga tcttcgggca gattccccag	120
gaggacatgg acgtggccct catggagcac agcaactgct cgtcggagcc cggcttctgg	180
gcacacctc ctggggccca ggccgggacc tgcgtctccc agtatgccaa ctggctggtg	240
gtgctgctcc tcgtcatctt cctgctcgtg gccaacatcc tgctggtcac ttgctcattg	300
ccatgttcag ttacacattc ggcaaagtac agggcaacag cnatctctac tgggaaggcc	360
agcgttnccg cctcatccgg	380

<210> 85
 <211> 481
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(481)
 <223> n = A,T,C or G

<400> 85	
gagtttagctc ctccacaacc ttgatgaggt cgtctgcagt ggccctctgc ttcataaccgc	60
tnccatcgtc atactgtagg ttgcccacca cctcctgcat cttggggcgg ctaatatcca	120
ggaaactctc aatcaagtca ccgtcnatna aacctgtggc tggttctgtc ttccgctcgg	180
tgtgaaagga tctccagaag gagtgtctga tcttcccac acttttgatg actttattga	240
gtcgattctg catgtccagc aggaggtgt accagctctc tgacagtgag gtcaccagcc	300
ctatcatgcc nttgaacgtg ccgaagaaca ccgagccttg tgtggggggt gnagtctcac	360
ccagattctg cattaccaga nagccgtggc aaaaganatt gacaactcgc ccaggngaa	420
aaagaacacc tcttgggaagt gctngccgct cctcgtccnt tgggtggnge gcntnccttt	480
t	481

<210> 86
 <211> 472
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(472)
 <223> n = A,T,C or G

<400> 86

```

aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgctg agaattcatt      60
acttggaata gcaacttnaa gcctggacac tggattataa attcacaata tgcaacactt      120
taaacagtgt gtcaatctgc tcccttactt tgtcatcacc agtctgggaa taagggtatg      180
ccctattcac acctgttaaa agggcgctaa gcatttttga ttcaacatct ttttttttga      240
cacaagtccg aaaaaagcaa aagtaaagag ttnttaattt gttagccaat tcactttctt      300
catgggacag agccatttga tttaaaagc aaattgcata atattgagct ttgggagctg      360
atatntgagc ggaagantag cctttctact tcaccagaca caactccttt catattggga      420
tgtnacnaa agttatgtct cttacagatg ggatgctttt gtggcaattc tg              472

```

<210> 87

<211> 413

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(413)

<223> n = A,T,C or G

<400> 87

```

agaaaccagt atctctnaaa acaacctctc atacctgtg gacctaatTT tgtgtgcgtg      60
tgtgtgtgCG cgcataattat atagacaggc acatcttttt tacttttgta aaagcttatg      120
cctctttggT atctatatct gtgaaagtTT taatgatctg ccataatgtc ttggggacct      180
ttgtcttctg tgtaaattggT actagagaaa acacctatnt tatgagtcaa tctagttngt      240
tttattcgac atgaaggaaa tttccagatn acaacactna caaactctcc cttgactagg      300
ggggacaaaag aaaagcnaaa ctgaacatna gaaacaattn cctggtgaga aatncataa      360
acagaaattg ggtngtatat tgaaanang catcattnaa acgttttttt ttt              413

```

<210> 88

<211> 448

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(448)

<223> n = A,T,C or G

<400> 88

```

cgcagcgggt cctctctatc tagctccagc ctctcgctg cccactccc cgcgtcccgc      60
gtcctagccn accatggcCG ggcctctgCG cgccccgctg ctctgtctgg ccactctggc      120
cgtggcctct gccgtgagcc ccgcggccCG ctccagctcc ggcaagccgc cgcgctgggt      180
gggaggccca tggaccccgC gtggaagaag aaggtgtgCG gcgtgcactg gactttgccg      240
tcggcnanta caacaaaccc gcaacnactt ttaccnagcn cgcgctgcag gttgtgccgc      300
cccaancaaA ttgttactng gggtaantaa ttcttggaag ttgaacctgg gccaaacnng      360
tttaccagaa ccnagccaat tngaacaatt nccctcccat aacagcccct tttaaaagg      420
gaancantcc tgntcttttc caaatttt              448

```

<210> 89

<211> 463

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(463)

<223> n = A,T,C or G

<400> 89

gaattttgtg cactggccac tgtgatggaa ccattgggcc aggatgcttt gagtttatca	60
gtagtgattc tgccaaagt ggtggtgtaa catgagtatg taaaatgtca aaaaattagc	120
agaggtctag gtctgcatat cagcagacag ttgtccgtg tattttgtag ccttgaagtt	180
ctcagtgaca agttnnttct gatgcgaagt tctnattcca gtgttttagt cctttgcatc	240
tttnatgtn agacttgccct ctntnaaatt gcttttgtnt tctgcaggta ctatctgtgg	300
tttaacaaaa tagaannact tctctgcttn gaanatttga atatcttaca tctnaaaatn	360
aattctctcc ccatannaaa acccangccc ttggganaat ttgaaaaang gntccttcnn	420
aattcnana anttcagntn tcatacaaca naacngganc ccc	463

<210> 90

<211> 400

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(400)

<223> n = A,T,C or G

<400> 90

agggattgaa ggtctnttnt actgtcggac tgttcancca ccaactctac aagttgctgt	60
cttcactca ctgtctgtaa gcntnttaac ccagactgta tcttcataaa tagaacaaat	120
tcttcaccag tcacatcttc taggaccttt ttggattcag ttagtataag ctcttccact	180
tcctttgtta agacttcac tggtaaagtc ttaagtttg tagaaaggaa tttaattgct	240
cgttctctaa caatgtcctc tccttgaagt atttggctga acaaccacc tnaagtcct	300
ttgtgcatcc attttaata tacttaatat ggcattggtn cactagggtta aattctgcaa	360
gagtcactctg tctgcaaaaag ttgcgttagt atatctgcca	400

<210> 91

<211> 480

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(480)

<223> n = A,T,C or G

<400> 91

gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnaact	60
ggtctacccc acatgggagc agcatgccgt agntatataa ggtcattccc tgagtcagac	120
atgcctcttt gactaccgtg tgccagtgtt ggtgattctc acacacctcc nnccgtctct	180
tgtggaaaaa ctggcacttg nctggactta gcaagacatc acttaciaaat tcacccacga	240
gacacttgaa aggtgtaaca aagcgactct tgcattgctt ttgtccctc cggcaccagt	300
tgtcaatact aaccgctgg ttgacctca tcacatttgt gatctgtagc tctggataca	360
tctctgaca gtactgaaga acttcttctt ttgtttcaaa agcaactctt ggtgcctgtt	420
ngatcagggt cccatttccc agtccgaatg ttcacatggc atatnttact tcccacaaaa	480

<210> 92

<211> 477

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(477)

<223> n = A,T,C or G

<400> 92

atacagccca	natccccacca	cgaagatgcg	cttggtgact	gagaacctga	tgcgggtcact	60
ggtcccgcgtg	tagccccagc	gactctccac	ctgctggaag	cggttgatgc	tgcactcctt	120
cccacgcagg	cagcagcggg	gccgggtcaat	gaactccact	cgtggcttgg	ggttgacggg	180
taantgcagg	aagagggtga	ccacctcgcg	gtccaccagg	atgcccagact	gtgcgggacc	240
tgcagcgaaa	ctcctcgatg	gtcatgagcg	ggaagcgaat	gangcccagg	gccttgccca	300
gaaccttccg	cctgttctct	ggcgtcacct	gcagctgctg	ccgctnacac	tcggcctcgg	360
accagcggac	aaacggcggt	gaacagccgc	acctcacgga	tgcccantgt	gtcgcgctcc	420
aggaacggcn	ccagcgtgtc	caggtcaatg	tcggtgaanc	ctccgcgggt	aatggcg	477

<210> 93

<211> 377

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(377)

<223> n = A,T,C or G

<400> 93

gaacggctgg	accttgccctc	gcattgtgct	gctggcagga	ataccttggc	aagcagctcc	60
agtccgagca	gccccagacc	gctgccgccc	gaagctaagc	ctgcctctgg	ccttcccctc	120
cgctcaatg	cagaaccant	agtgggagca	ctgtgtttag	agttaagagt	gaacactgtg	180
tgattttact	tgggaatttc	ctctgttata	tagcttttcc	caatgctaata	ttccaaacaa	240
caacaacaaa	ataacatgtt	tgcctgttna	gttgataaaa	agtangtgat	tctgtatnta	300
aagaaaatat	tactgttaca	tatactgctt	gcaanttctg	tatttattgg	tnctctggaa	360
ataaatatat	tattaaa					377

<210> 94

<211> 495

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(495)

<223> n = A,T,C or G

<400> 94

ccctttgagg	ggttagggc	cagttcccag	tggaagaaac	aggccaggag	aantgcgtgc	60
cgagctgang	cagatttccc	acagtgaccc	cagagccctg	ggctatagtc	tctgaccctt	120
ccaaggaaag	accaccttct	ggggacatgg	gctggagggc	aggacctaga	ggcaccaagg	180
gaaggcccca	ttccggggct	gttccccgag	gaggaagggg	aggggctctg	tgtgcccccc	240
acgaggaana	ggccctgant	cctgggatca	nacaccctt	cacgtgtatc	cccacacaaa	300
tgcaagctca	ccaaggtccc	ctctcagtec	cttccctaca	ccctgaacgg	ncactggccc	360
acaccacccc	agancancca	cccgccatgg	ggaatgtntc	caaggaatcg	cngggcaacg	420
tggactctng	tccnnaagg	gggcagaatc	tccaatagan	gganngaacc	cttgctnana	480

aaaaaaaaana aaaaaa

495

<210> 95

<211> 472

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(472)

<223> n = A,T,C or G

<400> 95

ggttacttggg	tttcattgcc	accacttagt	ggatgtcatt	tagaaccatt	ttgtctgctc	60
cctctggaag	ccttgcgcag	agcggacttt	gtaattgttg	gagaataact	gctgaatttt	120
tagctgtttt	gagttgatgc	gcaccactgc	accacaactc	aatatgaaaa	ctatttnact	180
tatttattat	cttgtgaaaa	gtatacaatg	aaaattttgt	tcatactgta	tttatcaagt	240
atgatgaaaa	gcaatagata	tatattcttt	tattatgttn	aattatgatt	gccattatta	300
atcggcaaaa	tgtggagtg	atgttctttt	cacagtaata	tatgcctttt	gtaacttcac	360
ttgggtattt	tattgtaaat	gaattacaaa	attcttaatt	taagaaaatg	gtangttata	420
tttanttcan	taatttcttt	ccttgtttac	gttaattttg	aaaagaatgc	at	472

<210> 96

<211> 476

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(476)

<223> n = A,T,C or G

<400> 96

ctgaagcatt	tcttcaaact	tntctacttt	tgtcattgat	acctgtagta	agttgacaat	60
gtgggtgaaat	ttcaaaatta	tatgtaactt	ctactagttt	tactttctcc	cccaagtctt	120
ttttaactca	tgattttttac	acacacaatc	cagaacttat	tatatagcct	ctaagtcttt	180
attcttcaca	gtagatgatg	aaagagtcct	ccagtgtctt	gngcanaatg	ttctagntat	240
agctggatac	atacngtggg	agttctataa	actcatacct	cagtggggact	naacccaaaat	300
tgtgttagtc	tcaattccta	ccacactgag	ggagcctccc	aatcactat	attcttatct	360
gcaggtactc	ctccagaaaa	acngacaggg	caggcttgca	tgaaaaagtn	acatctgcgt	420
tacaaaagtct	atcttcctca	nangtctgtn	aaggaacaat	ttaatcttct	agcttt	476

<210> 97

<211> 479

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(479)

<223> n = A,T,C or G

<400> 97

actcttttcta	atgctgatat	gatcttgagt	ataagaatgc	atatgtcact	agaatggata	60
aaataatgct	gcaaacttaa	tgttcttatg	caaaatggaa	cgctaatagaa	acacagctta	120

caatcgcaaa	tcaaaaactca	caagtgtctca	tctgtttag	athtagtgta	ataagactta	180
gattgtgctc	cttcggatat	gattgtttct	canatcttgg	gcaatnttcc	ttagtcaaat	240
caggctacta	gaattctgtt	attggatatn	tgagagcatg	aaatttttaa	naatacactt	300
gtgattatna	aattaatcac	aaatttcact	tatacctgct	atcagcagct	agaaaaacat	360
ntnnttttta	natcaaagta	ttttgtgttt	ggaantgttn	aaatgaaatc	tgaatgtggg	420
ttcnatctta	ttttttcccn	gacnactant	tnctttttta	gggnctattc	tgancatc	479

<210> 98
 <211> 461
 <212> DNA
 <213> Homo sapien

<400> 98						
agtgacttgt	cctccaacaa	aaccccttga	tcaagtttgt	ggcactgaca	atcagaccta	60
tgctagtctc	tgctcatctat	tcgctactaa	atgcagactg	gagggggacca	aaaaggggca	120
tcaactccag	ctggattatt	ttggagcctg	caaatctatt	cctacttgta	cggactttga	180
agtgattcag	tttctcttac	ggatgagaga	ctggctcaag	aatatcctca	tcagacttta	240
tgaagccact	ctgaacacgc	tggttatcta	gatgagaaca	gagaaataaa	gtcagaaaat	300
ttacctggag	aaaagagggt	ttggctgggg	accatcccat	tgaaccttct	cttaaggact	360
ttaagaaaaa	ctaccacatg	ttgtgtatcc	tggtgccggc	cgtttatgaa	ctgaccaccc	420
tttggaataa	tcttgacgct	cctgaacttg	ctcctctgcg	a		461

<210> 99
 <211> 171
 <212> DNA
 <213> Homo sapien

<400> 99						
gtggcgcgcg	gcaggtgttt	cctcgtagcg	cagggccccc	tcccttcccc	aggcgctccct	60
cggcgccctc	gcggggccga	ggaggagcgg	ctggcggggtg	gggggagtg	gacccaccct	120
cgtgagaaaa	agccttctct	agcgatctga	gaggcggtgc	ttgggggtac	c	171

<210> 100
 <211> 269
 <212> DNA
 <213> Homo sapien

<400> 100						
cggccgcaag	tgcaactcca	gctggggccg	tgccgacgaa	gattctgcca	gcagttgggtc	60
cgactgagac	gacggcgggc	gcgacagtcg	caggtgcagc	gcggggcgct	ggggtcttgc	120
aaggctgagc	tgacgccgca	gaggtcgtgt	cacgtcccac	gaccttgacg	ccgtcgggga	180
cagccggaac	agagcccggg	gaagcgggag	gcctcgggga	gcccctcggg	aagggcgggc	240
cgagagatac	gcaggtgcag	gtggccgccc				269

<210> 101
 <211> 405
 <212> DNA
 <213> Homo sapien

<400> 101						
tttttttttt	ttttggaatc	tactgcgagc	acagcaggtc	agcaacaagt	ttattttgca	60
gctagcaagg	taacagggtg	gggcatgggt	acatgttcag	gtcaacttcc	tttgtcgtgg	120
ttgattgggt	tgtctttatg	ggggcggggt	ggggtagggg	aaacgaagca	aataacatgg	180
agtgggtgca	ccctccctgt	agaacctggt	tacaaagctt	ggggcagttc	acctgggtctg	240
tgaccgtcat	tttcttgaca	tcaatgttat	tagaagtcag	gatattcttt	agagagtcca	300

ctgttctgga gggagattag ggtttcttgc caaatccaac aaaatccact gaaaaagttg 360
 gatgatcagt acgaataccg aggcataatc tcataatcggt ggcca 405

<210> 102
 <211> 470
 <212> DNA
 <213> Homo sapien

<400> 102
 tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 60
 ggcaacttaat ccatttttat ttcaaaatgt ctacaaatatt aatcccatta tacggtattt 120
 tcaaaatcta aattattcaa attagccaaa tccttaccaa ataataccca aaaatcaaaa 180
 atatacttct ttcagcaaac ttgttacata aattaaaaaa atatatacgg ctggtgtttt 240
 caaagtacaa ttatcttaac actgcaaaaca ttttaaggaa ctaaaataaa aaaaaacact 300
 ccgcaaaagt taaagggaac aacaaattct tttacaacac cattataaaa atcatatctc 360
 aaatcttagg ggaatatata cttcacacgg gatcttaact tttactcact ttgtttattt 420
 ttttaaacca ttgtttgggc ccaacacaat ggaatcccc ctggactagt 470

<210> 103
 <211> 581
 <212> DNA
 <213> Homo sapien

<400> 103
 tttttttttt ttttttttga cccccctctt ataaaaaaca agttaccatt ttattttact 60
 tacacatatt tattttataa ttggtattag atattcaaaa ggcagctttt aaaatcaaac 120
 taaatggaaa ctgccttaga tacataatc tttaggaatta gcttaaaatc tgcctaaagt 180
 gaaaatcttc tctagctctt ttgactgtaa atttttgact ctgtgaaaac atccaaatc 240
 atttttcttg tctttaaaat tatctaattc ttccattttt tccctattcc aagtcaattt 300
 gcttctctag cctcatattc tagctcttat ctactattag taagtggctt ttttcctaaa 360
 agggaaaaca ggaagagaaa tggcacacaa aacaaacatt ttatattcat atttctacct 420
 acgttaataa aatagcattt tgtgaagcca gctcaaaaga aggcttagat ccttttatgt 480
 ccattttagt cactaaacga tatcaaagtg ccagaatgca aaagggttgt gaacatttat 540
 tcaaaagcta atataagata tttcacatac tcatctttct g 581

<210> 104
 <211> 578
 <212> DNA
 <213> Homo sapien

<400> 104
 tttttttttt tttttttttt tttttctctt cttttttttt gaaatgagga tcgagttttt 60
 cactctctag atagggcatg aagaaaactc atctttccag ctttaaaata acaatcaaatt 120
 ctcttatgct atatcatatt ttaagttaaa ctaatgagtc actggcttat cttctcctga 180
 aggaaatctg ttcattcttc tcattcatat agttatatca agtactacct tgcataattga 240
 gaggtttttc ttctctattt acacatatat ttccatgtga atttgatca aacctttatt 300
 ttcagtcaaa ctagaaaata atgtttcttt tgcataagag aagagaacaa tatagcatta 360
 caaaactgct caaattgttt gttaagttat ccattataat tagttggcag gagctaatac 420
 aaatcacatt tacgacagca ataataaaac tgaagtacca gttaaqtatc caaataaatt 480
 aaagggaacat ttttagcctg ggtataatta gctaattcac tttacaagca tttattagaa 540
 tgaattcaca tggtattatt cctagcccaa cacaatgg 578

<210> 105
 <211> 538
 <212> DNA

<213> Homo sapien

<400> 105

tttttttttt	tttttcagta	ataatcagaa	caatatttat	ttttatattt	aaaattcata	60
gaaaagtgcc	ttacatttaa	taaaagtgtg	tttctcaaa	tgatcagagg	aattagatat	120
gtcttgaaca	ccaatattaa	tttgaggaaa	atacaccaaa	atacattaag	taaattattt	180
aagatcatag	agcttgtaag	tgaaaagata	aaatttgacc	tcagaaactc	tgagcattaa	240
aaatccacta	ttagcaaata	aattactatg	gacttcttgc	tttaattttg	tgatgaatat	300
ggggtgtcac	tggtaaacca	acacattctg	aaggatacat	tacttagtga	tagattctta	360
tgtactttgc	taatacgtgg	atatgagttg	acaagtttct	ctttcttcaa	tcttttaagg	420
ggcgagaaat	gaggaagaaa	agaaaaggat	tacgcatact	gttctttcta	tggaaggatt	480
agatatgttt	cctttgccaa	tattaaaaaa	ataataatgt	ttactactag	tgaaaccc	538

<210> 106

<211> 473

<212> DNA

<213> Homo sapien

<400> 106

tttttttttt	tttttagtc	aagtttctat	ttttattata	attaaagtct	tggtcatttc	60
attttattagc	tctgcaactt	acatatttaa	attaaagaaa	cgtttttagac	aactgtacaa	120
tttataaatg	taaggtgcca	ttattgagta	atatattcct	ccaagagtgg	atgtgtccct	180
tctcccacca	actaatgaac	agcaacatta	gtttaatttt	attagtagat	atacactgct	240
gcaaacgcta	attctcttct	ccatccccat	gtgatattgt	gtatatgtgt	gagttggtag	300
aatgcatcac	aatctacaat	caacagcaag	atgaagctag	gctgggcttt	cggtgaaaat	360
agactgtgtc	tgtctgaatc	aaatgatctg	acctatcctc	ggtggcaaga	actcttcgaa	420
ccgcttctctc	aaaggcgctg	ccacatttgt	ggctctttgc	acttgtttca	aaa	473

<210> 107

<211> 1621

<212> DNA

<213> Homo sapien

<400> 107

cgccatggca	ctgcagggca	tctcggtcat	ggagctgtcc	ggcctggccc	cgggcccgtt	60
ctgtgctatg	gtcctggctg	acttcggggc	gcgtgtggta	cgctgggacc	ggccccggctc	120
ccgctacgac	gtgagccgct	tgggccgggg	caagcgctcg	ctagtgtctg	acctgaagca	180
gccgcgggga	gccgcggtgc	tgcggcgctc	gtgcaagcgg	tcggatgtgc	tgtctggagcc	240
cttccgcccgc	ggtgtcatgg	agaaactcca	gctgggcccc	gagattctgc	agcgggaaaa	300
tccaaggctt	atttatgcc	ggctgagtgg	atttggccag	tcaggaagct	tctgccgggt	360
agctggccac	gatatcaact	atttggtttt	gtcaggtgtt	ctctcaaaaa	ttggcagaag	420
tggtgagaat	ccgtatgccc	cgctgaatct	cctggctgac	tttgctgggtg	gtggccttat	480
gtgtgcactg	ggcattataa	tggctctttt	tgaccgcaca	cgcactgaca	agggtcaggt	540
cattgatgca	aatatggtgg	aaggaacagc	atatttaagt	tcttttctgt	ggaaaactca	600
gaaatcgagt	ctgtgggaag	cacctcgagg	acagaacatg	ttggatgggtg	gagcaccttt	660
ctatacgact	tacaggacag	cagatgggga	attcatggct	gttggagcaa	tagaaccccc	720
gttctacgag	ctgctgatca	aaggacttgg	actaaagtct	gatgaacttc	ccaatcagat	780
gagcatggat	gattggccag	aaatgaagaa	gaagtttgca	gatgtatttg	caaagaagac	840
gaaggcagag	tggtgtcaaa	tctttgacgg	cacagatgcc	tgtgtgactc	cggttctgac	900
ttttgaggag	gttgttcatc	atgatcacia	caaggaacgg	ggctcgttta	tcaccagtga	960
ggagcaggac	gtgagcccc	gccctgcacc	tctgtgttta	aacaccccag	ccatcccttc	1020
tttcaaaagg	gacccctttc	taggagaaca	cactgaggag	atacttgaag	aatttggtatt	1080
cagccgcgaa	gagattttatc	agcttaactc	agataaaatc	attgaaagta	ataaggtaaa	1140
agctagtctc	taacttccag	gccacgggt	caagtgaatt	tgaatactgc	atttacagtg	1200
tagagtaaca	cataacattg	tatgcatgga	aacatggagg	aacagtatta	cagtgtccta	1260

```

ccactctaatt caagaaaaga attacagact ctgattctac agtgatgatt gaattctaaa 1320
aatgggtatc attagggctt ttgatttata aaactttggg tacttatact aaattatggt 1380
agttattctg ccttccagtt tgcttgatat atttgttgat attaagattc ttgacttata 1440
ttttgaatgg gttctagtga aaaaggaatg atatatctt gaagacatcg atatacattt 1500
atttacactc ttgattctac aatgtagaaa atgaggaaat gccacaaatt gtatgggtgat 1560
aaaagtcacg tgaacaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
a 1621

```

```

<210> 108
<211> 382
<212> PRT
<213> Homo sapien

```

```

<400> 108
Met Ala Leu Gln Gly Ile Ser Val Met Glu Leu Ser Gly Leu Ala Pro
1 5 10 15
Gly Pro Phe Cys Ala Met Val Leu Ala Asp Phe Gly Ala Arg Val Val
20 25 30
Arg Val Asp Arg Pro Gly Ser Arg Tyr Asp Val Ser Arg Leu Gly Arg
35 40 45
Gly Lys Arg Ser Leu Val Leu Asp Leu Lys Gln Pro Arg Gly Ala Ala
50 55 60
Val Leu Arg Arg Leu Cys Lys Arg Ser Asp Val Leu Leu Glu Pro Phe
65 70 75 80
Arg Arg Gly Val Met Glu Lys Leu Gln Leu Gly Pro Glu Ile Leu Gln
85 90 95
Arg Glu Asn Pro Arg Leu Ile Tyr Ala Arg Leu Ser Gly Phe Gly Gln
100 105 110
Ser Gly Ser Phe Cys Arg Leu Ala Gly His Asp Ile Asn Tyr Leu Ala
115 120 125
Leu Ser Gly Val Leu Ser Lys Ile Gly Arg Ser Gly Glu Asn Pro Tyr
130 135 140
Ala Pro Leu Asn Leu Leu Ala Asp Phe Ala Gly Gly Gly Leu Met Cys
145 150 155 160
Ala Leu Gly Ile Ile Met Ala Leu Phe Asp Arg Thr Arg Thr Asp Lys
165 170 175
Gly Gln Val Ile Asp Ala Asn Met Val Glu Gly Thr Ala Tyr Leu Ser
180 185 190
Ser Phe Leu Trp Lys Thr Gln Lys Ser Ser Leu Trp Glu Ala Pro Arg
195 200 205
Gly Gln Asn Met Leu Asp Gly Gly Ala Pro Phe Tyr Thr Thr Tyr Arg
210 215 220
Thr Ala Asp Gly Glu Phe Met Ala Val Gly Ala Ile Glu Pro Gln Phe
225 230 235 240
Tyr Glu Leu Leu Ile Lys Gly Leu Gly Leu Lys Ser Asp Glu Leu Pro
245 250 255
Asn Gln Met Ser Met Asp Asp Trp Pro Glu Met Lys Lys Lys Phe Ala
260 265 270
Asp Val Phe Ala Lys Lys Thr Lys Ala Glu Trp Cys Gln Ile Phe Asp
275 280 285
Gly Thr Asp Ala Cys Val Thr Pro Val Leu Thr Phe Glu Glu Val Val
290 295 300
His His Asp His Asn Lys Glu Arg Gly Ser Phe Ile Thr Ser Glu Glu
305 310 315 320
Gln Asp Val Ser Pro Arg Pro Ala Pro Leu Leu Leu Asn Thr Pro Ala

```

	325		330		335										
Ile	Pro	Ser	Phe	Lys	Arg	Asp	Pro	Phe	Ile	Gly	Glu	His	Thr	Glu	Glu
	340		345		350										
Ile	Leu	Glu	Glu	Phe	Gly	Phe	Ser	Arg	Glu	Glu	Ile	Tyr	Gln	Leu	Asn
	355		360		365										
Ser	Asp	Lys	Ile	Ile	Glu	Ser	Asn	Lys	Val	Lys	Ala	Ser	Leu		
	370		375		380										

<210> 109

<211> 1524

<212> DNA

<213> Homo sapien

<400> 109

ggcacgaggg	tcgccagg	cctgagcgga	ggcgggggca	gcctcgccag	cgggggcccc	60
gggcctggcc	atgcctcact	gagccagcgc	ctgcgcctct	acctcgccga	cagctggaac	120
cagtgcgacc	tagtggtctt	cacctgcttc	ctcctgggcg	tgggctgccg	gctgaccccg	180
ggtttgtacc	acctgggccc	cactgtcctc	tgcatcgact	tcatggtttt	cacgggtgcg	240
ctgcttcaca	tcttcacggg	caacaaacag	ctggggccca	agatcgatcat	cgtgagcaag	300
atgatgaagg	acgtgttctt	cttcctcttc	ttcctcgggc	tgtggctggg	agcctatggc	360
gtggccacgg	aggggctcct	gaggccacgg	gacagtgact	tcccaagtat	cctgcgcccgc	420
gtcttctacc	gtccctacct	gcagatcttc	gggcagattc	cccaggagga	catggacgtg	480
gccctcatgg	agcacagcaa	ctgctcgctc	gagcccggct	tctgggcaca	ccctcctggg	540
gcccaggcgg	gcacctgcgt	ctcccagtat	gccaaactgg	tgggtgggct	gctcctcgct	600
atcttctctg	tcgtggccaa	catcctgctg	gtcaacttgc	tcattgccat	gttcagttac	660
acattcggca	aagtacaggg	caacagcgat	ctctactgga	aggcgcagcg	ttaccgcctc	720
atccgggaat	tccactctcg	gcccgcgctg	gccccgcctt	ttatcgatcat	ctcccacttg	780
cgcctcctgc	tcaggcaatt	gtgcaggcga	ccccggagcc	cccagccgtc	ctccccggcc	840
ctcgagcatt	tccgggttta	cctttctaag	gaagccgagc	ggaagctgct	aacgtgggaa	900
tcggtgcata	aggagaactt	tctgctggca	cgcgctaggg	acaagcggga	gagcgactcc	960
gagcgtctga	agcgcacgtc	ccagaagggt	gacttggcac	tgaacacagct	gggacacatc	1020
cgcgagtacg	aacagcgcct	gaaagtgtcg	gagcgggagg	tccagcagtg	tagccgcgtc	1080
ctgggggtgg	tggccgaggc	cctgagccgc	tctgccttgc	tgcccccagg	tgggcccgca	1140
ccccctgacc	tgcctgggtc	caaagactga	gccctgctgg	cggacttcaa	ggagaagccc	1200
ccacagggga	ttttgtctct	agagtaaggc	tcatctgggc	ctcggccccc	gcacctgggtg	1260
gccttgctct	tgaggtgagc	cccatgtcca	tctggggcac	tgtcaggacc	acctttggga	1320
gtgtcatcct	tacaaaccac	agcatgcccc	gctcctccca	gaaccagtcc	cagcctggga	1380
ggatcaaggc	ctggatcccc	ggccgttatc	catctggagg	ctgcagggtc	cttggggtaa	1440
cagggaccac	agaccctca	ccactcacag	attcctcaca	ctggggaaat	aaagccattt	1500
cagaggaaaa	aaaaaaaaaa	aaaa				1524

<210> 110

<211> 3410

<212> DNA

<213> Homo sapien

<400> 110

gggaaccagc	ctgcacgcgc	tggctccggg	tgacagccgc	gcgcctcggc	caggatctga	60
gtgatgagac	gtgtccccac	tgaggtgccc	cacagcagca	ggtgttgagc	atgggctgag	120
aagctggacc	ggcaccaaa	ggctggcaga	aatgggcgcc	tggctgattc	ctaggcagtt	180
ggcggcagca	aggaggagag	gccgcagctt	ctggagcaga	gccgagacga	agcagttctg	240
gagtgcctga	acggccccct	gagccctacc	cgcctggccc	actatggtcc	agaggctgtg	300
ggtgagccgc	ctgctgcggc	accggaaaagc	ccagctcttg	ctggtcaacc	tgctaacctt	360
tggcctggag	gtgtgttttg	ccgcaggcat	cacctatgtg	ccgcctctgc	tgctggaagt	420
gggggtagag	gagaagttca	tgaccatggt	gctgggcatt	ggtccagtgc	tgggcctggt	480

ctgtgtcccg	ctcctaggct	cagccagtga	ccactggcgt	ggacgctatg	gccgccgccg	540
gcccttcac	tgggcactgt	ccttgggcat	cctgtgagc	ctctttctca	tcccaagggc	600
cggctggcta	gcagggtg	tgtgccgga	tcccaggccc	ctggagctgg	cactgtcat	660
cctgggcgtg	gggctgctgg	acttctgtgg	ccaggtgtgc	ttcactccac	tggaggccct	720
gctctctgac	ctcttccggg	acccggacca	ctgtcgccag	gcctactctg	tctatgcctt	780
catgatcagt	cttgggggct	gcctgggcta	cctcctgcct	gccattgact	gggacaccag	840
tgccctggcc	ccctacctgg	gcaccagga	ggagtgcctc	tttggcctgc	tcaccctcat	900
cttcctcacc	tgcgtagcag	ccacactgct	ggtagctgag	gaggcagcgc	tgggccccac	960
cgagccagca	gaagggtgt	cggccccctc	cttgtcgccc	cactgctgtc	catgccgggc	1020
ccgcttggt	ttccggaacc	tgggcgcccc	gcttccccgg	ctgcaccagc	tgtgctgccg	1080
catgccccgc	accctgcgcc	ggctcttcgt	ggctgagctg	tgcagctgga	tggcactcat	1140
gaccttcacg	ctgttttaca	cggatttcgt	gggcgagggg	ctgtaccagg	gcgtgccccag	1200
agctgagccg	ggcaccgagg	cccggagaca	ctatgatgaa	ggcgttcgga	tgggcagcct	1260
ggggctgttc	ctgcagtgcg	ccatctccct	ggcttctctc	ctggctatgg	accggctggt	1320
gcagcgattc	ggcactcgag	cagtctattt	ggccagtgtg	gcagctttcc	ctgtggctgc	1380
cggtgccaca	tgcctgtccc	acagtgtggc	cgtggtgaca	gcttcagccg	ccctcaccgg	1440
gttcaccttc	tcagccctgc	agatcctgcc	ctacacactg	gcctccctct	accaccggga	1500
gaagcaggtg	ttcctgcccc	aataccgagg	ggacactgga	ggtagctagca	gtgaggacag	1560
cctgatgacc	agcttcctgc	caggccctaa	gcctggagct	cccttcctta	atggacacgt	1620
gggtgctgga	ggcagtggcc	tgtccccacc	tccaccgcg	ctctgcgggg	cctctgcctg	1680
tgatgtctcc	gtacgtgtgg	tgggtgggtga	gcccaccgag	gccagggtgg	ttccggggccg	1740
gggcatctgc	ctggacctcg	ccatcctgga	tagtgccctc	ctgctgtccc	aggtggcccc	1800
atccctgttt	atgggctcca	ttgtccagct	cagccagtct	gtcactgcct	atatgggtgc	1860
tgcccgaggg	ctgggtctgg	tcgccattta	ctttgctaca	caggtagtat	ttgacaagag	1920
cgaactggcc	aaatactcag	cgtagaaaac	ttccagcaca	ttgggggtgga	gggcctgcct	1980
cactgggtcc	cagctccccg	ctcctgttag	ccccatgggg	ctgccgggct	ggccgcagct	2040
ttctgttgc	gccaaagtaa	tgtggctctc	tgtgccacc	ctgtgctgct	gaggtgcgta	2100
gctgcacagc	tgggggctgg	ggcgtccctc	tcctctctcc	ccagtctcta	gggctgcccg	2160
actggaggcc	ttccaaaggg	gtttcagctc	ggacttatac	agggaggcca	gaagggtcc	2220
atgcactgga	atgcggggac	tctgcaggtg	gattaccacg	gctcagggtt	aacagctagc	2280
ctcctagtgt	agacacacct	agagaagggg	ttttgggagc	tgaataaact	cagtcacctg	2340
gtttcccatc	tctaagcccc	ttaacctgca	gcttcgttta	atgtagctct	tgcattgggag	2400
tttctaggat	gaaacactcc	tccatgggat	ttgaacatat	gacttatattg	taggggaaga	2460
gtcctgaggg	gcaacacaca	agaaccaggt	ccctcagcc	cacagcactg	tctttttgct	2520
gatccacccc	cctcttacct	tttatcagga	tgtggcctgt	tggctctctc	gttgccatca	2580
cagagacaca	ggcattttaa	tatttaactt	atttatttaa	caaagtagaa	gggaatccat	2640
tgctagcttt	tctgtgttgg	tgtctaatat	ttgggtaggg	tgggggatcc	ccaacaatca	2700
ggtcccttga	gatagctggg	cattgggctg	atcattgccca	gaatcttctt	ctcctggggg	2760
ctggcccccc	aaaatgccta	acccaggacc	ttggaaattc	tactcatccc	aaatgataat	2820
tccaaatgct	gttaccacaag	gttaggggtg	tgaagggaagg	tagagggtgg	ggcttcagggt	2880
ctcaacggct	tccttaacca	ccctcttctc	cttggcccag	cctgggtccc	cccacttcca	2940
ctccctctta	ctctctctag	gactgggctg	atgaaggcac	tgcccaaaat	ttccctacc	3000
cccaactttc	ccctaccccc	aactttcccc	accagctcca	caaccctggt	tggagctact	3060
gcaggaccag	aagcacaag	tgcggtttcc	caagcctttg	tccatctcag	ccccagaggt	3120
atatctgtgc	ttggggaatc	tcacacagaa	actcaggagc	acccccctgcc	tgagctaagg	3180
gaggtcttat	ctctcagggg	gggtttaagt	gccgtttgca	ataatgtcgt	cttattttatt	3240
tagcgggggtg	aatattttat	actgtaagtg	agcaatcaga	gtataatgtt	tatgggtgaca	3300
aaattaaagg	ctttcttata	tgtttaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	3360
aaaaaaaaara	aaaaaaaaaaa	aaaaaaaaaaa	aaaaaaataa	aaaaaaaaaaa		3410

<210> 111

<211> 1289

<212> DNA

<213> Homo sapien

<400> 111

```

agccaggcgt cccctctgcct gccactcag tggcaacacc cgggagctgt tttgtccttt 60
gtggagcctc agcagttccc tctttcagaa ctactgccca agagccctga acaggagcca 120
ccatgcagtg cttcagcttc attagacca tgatgatcct cttcaatttg ctcactcttc 180
tgtgtggtgc agccctgttg gcagtgggca tctgggtgtc aatcgatggg gcaccccttc 240
tgaagatctt cgggccactg tcgtccagtg ccatgcagt tgtcaacgtg ggctacttcc 300
tcacgcgagc cggcggttggt gtctttgtct ttgggttccct gggctgctat ggtgctaaga 360
ctgagagcaa gtgtgccctc gtgacgttct tcttcacccct cctcctcatc ttcattgctg 420
aggttgagc tgctgtggtc gccttggtgt acaccacaat ggctgagcac ttcctgacgt 480
tgctggtagt gcctgccatc aagaaagatt atggttccca ggaagacttc actcaagtgt 540
ggaacaccac catgaaaggg ctcaagtgcct gtggcttcac caactatacg gattttgagg 600
actcaccta cttcaaagag aacagtgcct tccccctatt ctggtgcaat gacaacgtca 660
ccaacacagc caatgaaacc tgcaccaagc aaaaggctca cgacaaaaaa gttagagggtt 720
gcttcaatca gcttttgtat gacatccgaa ctaatgcagt caccgtgggt ggtgtggcag 780
ctggaattgg gggcctcgag ctggctgccca tgattgtgtc catgtatctg tactgcaatc 840
tacaataagt ccacttctgc ctctgccact actgctgccca catgggaact gtgaagaggc 900
accctggcaa gcagcagtga ttgggggagg ggacaggatc taacaatgtc acttgggcca 960
gaatggacct gccctttctg ctccagactt ggggctagat agggaccact ccttttagcg 1020
atgcctgact ttccttccat tgggtgggtgg atgggtgggg ggcattccag agcctctaag 1080
gtagccagtt ctggtgcccc tccccccagt ctattaaacc cttgatatgc cccctaggcc 1140
tagtggatgat cccagtgtct tactggggga tgagagaaaag gcattttata gcctgggcat 1200
aagtgaatc agcagagcct ctgggtggat gtgtagaagg cacttcaaaa tgcataaacc 1260
tggtacaatg ttaaaaaaaa aaaaaaaaaa 1289

```

<210> 112

<211> 315

<212> PRT

<213> Homo sapien

<400> 112

```

Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val Asn Lys Gln
1 5 10 15
Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys Asp Val Phe
20 25 30
Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Tyr Gly Val Ala
35 40 45
Thr Glu Gly Leu Leu Arg Pro Arg Asp Ser Asp Phe Pro Ser Ile Leu
50 55 60
Arg Arg Val Phe Tyr Arg Pro Tyr Leu Gln Ile Phe Gly Gln Ile Pro
65 70 75 80
Gln Glu Asp Met Asp Val Ala Leu Met Glu His Ser Asn Cys Ser Ser
85 90 95
Glu Pro Gly Phe Trp Ala His Pro Pro Gly Ala Gln Ala Gly Thr Cys
100 105 110
Val Ser Gln Tyr Ala Asn Trp Leu Val Val Leu Leu Val Ile Phe
115 120 125
Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu Leu Ile Ala Met Phe
130 135 140
Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu Tyr Trp Lys
145 150 155 160
Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg Pro Ala Leu
165 170 175
Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu Arg Gln
180 185 190
Leu Cys Arg Arg Pro Arg Ser Pro Gln Pro Ser Ser Pro Ala Leu Glu

```

195	200	205
His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys Leu Leu Thr		
210	215	220
Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg Ala Arg Asp		
225	230	235
Lys Arg Glu Ser Asp Ser Glu Arg Leu Lys Arg Thr Ser Gln Lys Val		
245	250	255
Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr Glu Gln Arg		
260	265	270
Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Ser Arg Val Leu Gly		
275	280	285
Trp Val Ala Glu Ala Leu Ser Arg Ser Ala Leu Leu Pro Pro Gly Gly		
290	295	300
Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp		
305	310	315

<210> 113

<211> 553

<212> PRT

<213> Homo sapien

<400> 113

Met Val Gln Arg Leu Trp Val Ser Arg Leu Leu Arg His Arg Lys Ala		
1	5	10
Gln Leu Leu Leu Val Asn Leu Leu Thr Phe Gly Leu Glu Val Cys Leu		
20	25	30
Ala Ala Gly Ile Thr Tyr Val Pro Pro Leu Leu Leu Glu Val Gly Val		
35	40	45
Glu Glu Lys Phe Met Thr Met Val Leu Gly Ile Gly Pro Val Leu Gly		
50	55	60
Leu Val Cys Val Pro Leu Leu Gly Ser Ala Ser Asp His Trp Arg Gly		
65	70	75
Arg Tyr Gly Arg Arg Pro Phe Ile Trp Ala Leu Ser Leu Gly Ile		
85	90	95
Leu Leu Ser Leu Phe Leu Ile Pro Arg Ala Gly Trp Leu Ala Gly Leu		
100	105	110
Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu Ala Leu Leu Ile Leu Gly		
115	120	125
Val Gly Leu Leu Asp Phe Cys Gly Gln Val Cys Phe Thr Pro Leu Glu		
130	135	140
Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg Gln Ala		
145	150	155
Tyr Ser Val Tyr Ala Phe Met Ile Ser Leu Gly Gly Cys Leu Gly Tyr		
165	170	175
Leu Leu Pro Ala Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu		
180	185	190
Gly Thr Gln Glu Glu Cys Leu Phe Gly Leu Leu Thr Leu Ile Phe Leu		
195	200	205
Thr Cys Val Ala Ala Thr Leu Leu Val Ala Glu Glu Ala Ala Leu Gly		
210	215	220
Pro Thr Glu Pro Ala Glu Gly Leu Ser Ala Pro Ser Leu Ser Pro His		
225	230	235
Cys Cys Pro Cys Arg Ala Arg Leu Ala Phe Arg Asn Leu Gly Ala Leu		
245	250	255
Leu Pro Arg Leu His Gln Leu Cys Cys Arg Met Pro Arg Thr Leu Arg		

260 265 270
 Arg Leu Phe Val Ala Glu Leu Cys Ser Trp Met Ala Leu Met Thr Phe
 275 280 285
 Thr Leu Phe Tyr Thr Asp Phe Val Gly Glu Gly Leu Tyr Gln Gly Val
 290 295 300
 Pro Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly
 305 310 315 320
 Val Arg Met Gly Ser Leu Gly Leu Phe Leu Gln Cys Ala Ile Ser Leu
 325 330 335
 Val Phe Ser Leu Val Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg
 340 345 350
 Ala Val Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala
 355 360 365
 Thr Cys Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala Ala Leu
 370 375 380
 Thr Gly Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr Leu Ala
 385 390 395 400
 Ser Leu Tyr His Arg Glu Lys Gln Val Phe Leu Pro Lys Tyr Arg Gly
 405 410 415
 Asp Thr Gly Gly Ala Ser Ser Glu Asp Ser Leu Met Thr Ser Phe Leu
 420 425 430
 Pro Gly Pro Lys Pro Gly Ala Pro Phe Pro Asn Gly His Val Gly Ala
 435 440 445
 Gly Gly Ser Gly Leu Leu Pro Pro Pro Ala Leu Cys Gly Ala Ser
 450 455 460
 Ala Cys Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala
 465 470 475 480
 Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp
 485 490 495
 Ser Ala Phe Leu Leu Ser Gln Val Ala Pro Ser Leu Phe Met Gly Ser
 500 505 510
 Ile Val Gln Leu Ser Gln Ser Val Thr Ala Tyr Met Val Ser Ala Ala
 515 520 525
 Gly Leu Gly Leu Val Ala Ile Tyr Phe Ala Thr Gln Val Val Phe Asp
 530 535 540
 Lys Ser Asp Leu Ala Lys Tyr Ser Ala
 545 550

<210> 114

<211> 241

<212> PRT

<213> Homo sapien

<400> 114

Met Gln Cys Phe Ser Phe Ile Lys Thr Met Met Ile Leu Phe Asn Leu
 1 5 10 15
 Leu Ile Phe Leu Cys Gly Ala Ala Leu Leu Ala Val Gly Ile Trp Val
 20 25 30
 Ser Ile Asp Gly Ala Ser Phe Leu Lys Ile Phe Gly Pro Leu Ser Ser
 35 40 45
 Ser Ala Met Gln Phe Val Asn Val Gly Tyr Phe Leu Ile Ala Ala Gly
 50 55 60
 Val Val Val Phe Ala Leu Gly Phe Leu Gly Cys Tyr Gly Ala Lys Thr
 65 70 75 80
 Glu Ser Lys Cys Ala Leu Val Thr Phe Phe Phe Ile Leu Leu Leu Ile

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(305)

<223> n = A,T,C or G

<400> 117

acacatgtcg cttcactgcc ttcttagatg cttctgggtca acatanagga acagggacca	60
tatttatcct ccctcctgaa acaattgcaa aataanacaa aatatatgaa acaattgcaa	120
aataaggcaa aatatatgaa acaacagggtc tcgagatatt ggaaatcagt caatgaagga	180
tactgatccc tgatcactgt cctaatagcag gatgtgggaa acagatgagg tcacctctgt	240
gactgcccc gcttactgcc tgtagagagt ttctangctg cagttcagac agggagaaat	300
tgggt	305

<210> 118

<211> 71

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(71)

<223> n = A,T,C or G

<400> 118

accaagggtgt ntgaatctct gacgtgggga tctctgattc ccgcacaatc tgagtggaaa	60
aantcctggg t	71

<210> 119

<211> 212

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(212)

<223> n = A,T,C or G

<400> 119

actccggttg gtgtcagcag cacgtggcat tgaacatngc aatgtggagc ccaaaccaca	60
gaaaatgggg tgaaattggc caactttcta tnaacttatg ttggcaantt tgccaccaac	120
agtaagctgg cccttctaataaaaagaaaat tgaaagggtt ctcactaanc ggaattaant	180
aatggantca aganactccc aggcctcagc gt	212

<210> 120

<211> 90

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(90)

<223> n = A,T,C or G

```

<400> 120
actcgttgca natcaggggc cccccagagt caccgttgca ggagtccttc tggctcttgcc 60
ctccgccggc gcagaacatg ctgggggtggt 90

<210> 121
<211> 218
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(218)
<223> n = A,T,C or G

<400> 121
tgtancgtga anacgacaga nagggttgct aaaaatggag aanccttgaa gtcattttga 60
gaataagatt tgctaaaaga tttggggcta aaacatgggtt attgggagac atttctgaag 120
atatncangt aaattangga atgaattcat ggttcttttg ggaattcctt tacgatngcc 180
agcatanact tcatgtgggg atancagcta cccttgta 218

<210> 122
<211> 171
<212> DNA
<213> Homo sapien

<400> 122
taggggtgta tgcaactgta aggacaaaaa ttgagactca actggcttaa ccaataaagg 60
catttgtag ctcatggaac aggaagtcgg atgggtggggc atcttcagtg ctgcatgagt 120
caccaccccg gcggggatcat ctgtgccaca ggtccctggt gacagtgcgg t 171

<210> 123
<211> 76
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(76)
<223> n = A,T,C or G

<400> 123
tgtagcgtga agacnacaga atgggtgtgtg ctgtgctatc caggaacaca tttattatca 60
ttatcaanta ttgtgt 76

<210> 124
<211> 131
<212> DNA
<213> Homo sapien

<400> 124
acctttcccc aaggccaatg tcctgtgtgc taactggccg gctgcaggac agctgcaatt 60
caatgtgctg ggtcatatgg aggggaggag actctaaaat agccaatttt attctcttgg 120
ttaagatttg t 131

```

<210> 125
 <211> 432
 <212> DNA
 <213> Homo sapien

<400> 125
 actttatcta ctggctatga aatagatggg ggaaaattgc gttaccaact ataccactgg 60
 cttgaaaaag aggtgatagc tcttcagagg acttggtgact tttgctcaga tgctgaagaa 120
 ctacagtctg catttggcag aaatgaagat gaatttggat taaatgagga tgctgaagat 180
 ttgcctcacc aaacaaaagt gaaacaactg agagaaaatt ttcaggaaaa aagacagtgg 240
 ctcttgaagt atcagtcact tttgagaatg tttcttagtt actgcatact tcatggatcc 300
 catggtgggg gtcttgcac tgtaagaatg gaattgattt tgcttttgca agaattctcag 360
 caggaaacat cagaaccact attttctagc cctctgtcag agcaaaccct agtgccctctc 420
 ctctttgctt gt 432

<210> 126
 <211> 112
 <212> DNA
 <213> Homo sapien

<400> 126
 acacaacttg aatagtaaaa tagaaactga gctgaaattt ctaattcact ttctaaccat 60
 agtaagaatg atatttcccc ccagggatca ccaaatattt ataaaaattt gt 112

<210> 127
 <211> 54
 <212> DNA
 <213> Homo sapien

<400> 127
 accacgaaac cacaacaaag atggaagcat caatccactt gccaaagcaca gcag 54

<210> 128
 <211> 323
 <212> DNA
 <213> Homo sapien

<400> 128
 acctcattag taattgtttt gttgtttcat ttttttctaa tgtctccctt ctaccagctc 60
 acctgagata acagaatgaa aatggaagga cagccagatt tctcctttgc tctctgtcga 120
 ttctctctga agtctagggt acccattttg gggaccatt ataggcaata aacacagttc 180
 ccaaagcatt tggacagttt ctgtgtgtgt tttagaatgg ttttcctttt tcttagcctt 240
 ttcttgcaaa aggtctcactc agtcccttgc ttgtctcagt gactgggctc cccagggcct 300
 aggctgcctt cttttccatg tcc 323

<210> 129
 <211> 192
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (192)
 <223> n = A,T,C or G

<400> 129

```

acatacatgt gtgtatattt ttaaatatca cttttgtatc actctgactt tttagcatac      60
tgaaaacaca ctaacataat ttntgtgaac catgatcaga tacaacccaa atcattcatc      120
tagcacattc atctgtgata naaagatagg tgagtttcat ttccttcacg ttggccaatg      180
gataaacaat gt                                     192

```

<210> 130

<211> 362

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(362)

<223> n = A,T,C or G

<400> 130

```

ccctttttta tggaatgagt agactgtatg tttgaanatt tanccacaac ctctttgaca      60
tataatgacg caacaaaaag gtgctgttta gtcctatggt tcagtttatg cccctgacaa      120
gtttccattg tgttttgccg atcttctggc taatcgtggt atcctccatg ttattagtaa      180
ttctgtattc cattttgtta acgcctggta gatgtaacct gctangaggc taactttata      240
cttatttaaa agctcttatt ttgtggtcat taaaatggca atttatgtgc agcactttat      300
tgcagcagga agcacgtgtg ggttggttgt aaagctcttt gctaattcta aaaagtaatg      360
gg                                     362

```

<210> 131

<211> 332

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(332)

<223> n = A,T,C or G

<400> 131

```

ctttttgaaa gatcgtgtcc actcctgtgg acatcttgtt ttaatggagt ttcccatgca      60
gtangactgg tatggttgca gctgtccaga taaaaacatt tgaagagctc caaaatgaga      120
gttctcccag gttcgcctg ctgctccaag tctcagcagc agcctctttt aggaggcatc      180
ttctgaacta gattaaggca gcttgtaaat ctgatgtgat ttggtttatt atccaactaa      240
cttccatctg ttatcactgg agaaagccca gactcccan gacnggtacg gattgtgggc      300
atanaaggat tgggtgaagc tggcgttgtg gt                                     332

```

<210> 132

<211> 322

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(322)

<223> n = A,T,C or G

<400> 132

```

acttttgcga tttgttatat ataaacaatc ttgggacatt ctctgaaaa ctaggtgtcc      60

```



```

agtggctaag agaactcgat ttcaagcaat tctgaaagga aaaccagcat gacacagaat    120
ctcaaattcc caaacagggg ctctgtggga aaaatgaggg aggacctttg tatctcgggt    180
tttagcaagt taaaatgaan atgacaggaa aggccttatt atcaacaaag agaagagttg    240
ggatgcttct aaaaaaaact ttggtagaga aaataggaat gctnaatcct agggaagcct    300
gtaacaatct acaattgggt ca                                           322

```

<210> 133

<211> 278

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(278)

<223> n = A,T,C or G

<400> 133

```

acaagccttc acaagtttaa ctaaattggg attaatcttt ctgtanttat ctgcataatt    60
cttgtttttc tttccatctg gctcctgggt tgacaatttg tggaaacaac tctattgcta    120
ctatttaaaa aaaatcacia atctttccct ttaagctatg ttnaattcaa actattcctg    180
ctattcctgt tttgtcaaag aaattatatt tttcaaaata tgtntatttg tttgatgggt    240
cccacgaaac actaataaaa accacagaga ccagcctg                               278

```

<210> 134

<211> 121

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(121)

<223> n = A,T,C or G

<400> 134

```

gtttanaaaa cttgttttagc tccatagagg aaagaatggt aaactttgta ttttaaaaca    60
tgattctctg aggttaaact tggttttcaa atgttatttt tacttgtatt ttgcttttgg    120
t                                           121

```

<210> 135

<211> 350

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(350)

<223> n = A,T,C or G

<400> 135

```

acttanaacc atgcctagca catcagaatc cctcaaagaa catcagtata atcctataacc    60
atancaagtg gtgactgggt aagcgtgcga caaaggctcag ctggcacatt acttgtgtgc    120
aaacttgata cttttgttct aagtaggaac tagtatacag tncctaggan tggtagctcca    180
gggtgcccc caactcctgc agccgctcct ctgtgccagn ccctgnaagg aactttcgct    240
ccacctcaat caagccctgg gccatgctac ctgcaattgg ctgaacaaac gtttgctgag    300
ttcccaagga tgcaaagcct ggtgctcaac tcttggggcg tcaactcagt                350

```

<210> 136
 <211> 399
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(399)
 <223> n = A,T,C or G

<400> 136
 tgtaccgtga agacgacaga agttgcatgg cagggacagg gcagggccga ggccagggtt 60
 gctgtgattg tatccgaata ntcctcgtga gaaaagataa tgagatgacg tgagcagcct 120
 gcagacttgt gtctgccttc aanaagccag acaggaaggc cctgcctgcc ttggctctga 180
 cctggcggcc agccagccag ccacaggtgg gcttcttcct tttgtggtga caacnccaag 240
 aaaactgcag agggccaggg tcaggtgtna gtgggtangt gaccataaaa caccaggtgc 300
 tcccaggaac ccgggcaaag gccatcccca cctacagcca gcatgcccac tggcgtgatg 360
 ggtgcagang gatgaagcag ccagntgttc tgctgtggt 399

<210> 137
 <211> 165
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(165)
 <223> n = A,T,C or G

<400> 137
 actggtgtgg tngggggtga tgctgggtgtg anaagttgan gtgacttcan gatggtgtgt 60
 ggaggaagtg tgtgaacgta gggatgtaga ngttttggcc gtgctaaatg agcttcggga 120
 ttggctggtc ccaactggtg tcactgtcat tgggtgggtt cctgt 165

<210> 138
 <211> 338
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(338)
 <223> n = A,T,C or G

<400> 138
 actcactgga atgccacatt cacaacagaa tcagaggtct gtgaaaacat taatggctcc 60
 ttaacttctc cagtaagaat cagggacttg aaatggaaac gttaacagcc acatgcccaa 120
 tgctgggcag tctcccatgc cttccacagt gaaagggctt gagaaaaatc acatccaatg 180
 tcatgtgttt ccagccacac caaaaggtgc ttgggggtgga gggctggggg catananggt 240
 cangcctcag gaagcctcaa gttccattca gctttggcac tgtacattcc ccatntttaa 300
 aaaaactgat gccttttttt tttttttttg taaaattc 338

<210> 139
 <211> 382

<212> DNA

<213> Homo sapien

<400> 139

```
gggaatcttg gtttttggca tctggtttgc ctatagccga ggccactttg acagaacaaa    60
gaaagggact tcgagtaaga aggtgattta cagccagcct agtgcccgaa gtgaaggaga    120
attcaaacag acctcgatc tcttggtgtg agcctggtcg gctcaccgcc tatcatctgc    180
atttgcctta ctcagggtgt accggactct ggcccctgat gtctgtagtt tcacaggatg    240
ccttatttgt cttctacacc ccacagggcc ccttacttct tcggatgtgt ttttaataat    300
gtcagctatg tgcccatcc tccttcatgc cctccctccc tttcctacca ctgctgagtg    360
gcctggaact tgtttaaagt gt                                     382
```

<210> 140

<211> 200

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(200)

<223> n = A,T,C or G

<400> 140

```
accaaancct ctttctgttg tgttngattt tactataggg gtttngcttn ttctaaanat    60
acttttcatt taacancttt tgttaagtgt caggctgcac tttgctccat anaattattg    120
ttttcacatt tcaacttgta tgtgtttgtc tcttanagca ttggtgaaat cacatatttt    180
atattcagca taaaggagaa                                     200
```

<210> 141

<211> 335

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(335)

<223> n = A,T,C or G

<400> 141

```
actttatttt caaaacactc atatgttgca aaaaacacat agaaaaataa agtttggtgg    60
gggtgctgac taaacttcaa gtcacagact tttatgtgac agattggagc agggtttgtt    120
atgcatgtag agaaccctaa ctaatttatt aaacaggata gaaacaggct gtctgggtga    180
aatggttctg agaaccatcc aattcacctg tcagatgctg atanactagc tcttcagatg    240
ttttctacc agttcagaga tnggttaatg actanttcca atggggaaaa agcaagatgg    300
attcacaac caagtaattt taaacaaaga cactt                                     335
```

<210> 142

<211> 459

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(459)

<223> n = A,T,C or G

<400> 142

accagggttaa	tattgccaca	tatatccttt	ccaattgcgg	gctaaacaga	cgtgtattta	60
gggttggtta	aagacaaccc	agcttaatat	caagagaaat	tgtgaccttt	catggagtat	120
ctgatggaga	aaacactgag	ttttgacaaa	tcttatttta	ttcagatagc	agtctgatca	180
cacatgggtcc	aacaacactc	aaataataaa	tcaaatatna	tcagatgtta	aagattgggtc	240
ttcaaacatc	atagccaatg	atgccccgct	tgcctataat	ctctccgaca	taaaaccaca	300
tcaacacctc	agtggccacc	aaaccattca	gcacagcttc	cttaactgtg	agctgtttga	360
agctaccagt	ctgagcacta	ttgactatnt	ttttcangct	ctgaatagct	ctagggatct	420
cagcangggg	gggaggaacc	agctcaacct	tggcgtant			459

<210> 143

<211> 140

<212> DNA

<213> Homo sapien

<400> 143

acatttcctt	ccaccaagtc	aggactcctg	gcttctgtgg	gagttcttat	cacctgaggg	60
aaatccaaac	agtctctcct	agaaaggaat	agtgtcacca	acccccacca	tctccctgag	120
accatccgac	ttccctgtgt					140

<210> 144

<211> 164

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(164)

<223> n = A,T,C or G

<400> 144

acttcagtaa	caacatacaa	taacaacatt	aagtgtatat	tgccatcttt	gtcattttct	60
atctatacca	ctctcccttc	tgaaaacaan	aatcactanc	caatcactta	tacaaatttg	120
aggcaattaa	tccatatttg	ttttcaataa	ggaaaaaaag	atgt		164

<210> 145

<211> 303

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(303)

<223> n = A,T,C or G

<400> 145

acgtagacca	tccaactttg	tatttgtaat	ggcaaacatc	cagnagcaat	tcctaaacaa	60
actggagggg	atttataccc	aattatccca	ttcattaaca	tgccctcctc	ctcaggctat	120
gcaggacagc	tatcataagt	cggcccaggc	atccagatac	taccatttgt	ataaacttca	180
gtaggggagt	ccatccaagt	gacaggtcta	atcaaaggag	gaaatggaac	ataagccag	240
tagtaaaatn	ttgcttagct	gaaacagcca	caaaagactt	accgccgtgg	tgattaccat	300
caa						303

<210> 146

<211> 327
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(327)
 <223> n = A,T,C or G

<400> 146
 actgcagctc aattagaagt ggtctctgac ttctcatcanc ttctccctgg gctccatgac 60
 actggcctgg agtgactcat tgctctgggt gggtgagaga gctcctttgc caacaggcct 120
 ccaagtcagg gctgggattt gtttcctttc cacattctag caacaatatg ctggccactt 180
 cctgaacagg gaggggtggga ggagccagca tggaacaagc tgccactttc taaagtagcc 240
 agacttgccc ctgggcctgt cacacctact gatgaccttc tgtgcctgca ggatggaatg 300
 taggggtgag ctgtgtgact ctatgggt 327

<210> 147
 <211> 173
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(173)
 <223> n = A,T,C or G

<400> 147
 acattgtttt ttgagataa agcattgana gagctctcct taacgtgaca caatggaagg 60
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120
 atattcaagc acatatgtta tatattattc agttccatgt ttatagccta gtt 173

<210> 148
 <211> 477
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(477)
 <223> n = A,T,C or G

<400> 148
 acaaccactt tatctcatcg aatttttaac ccaaactcac tcactgtgcc tttctatcct 60
 atgggatata ttatttgatg ctccatttca tcacacatat atgaataata cactcactact 120
 gccctactac ctgctgcaat aatcacattc ccttctgtgc ctgacctga agccattggg 180
 gtggctcctag tggccatcag tccangcctg caccttgagc ccttgagctc cattgtctac 240
 nccanccac ctcaccgacc ccattccttt acacagctac ctcttgctc tctaaccacca 300
 tagattatnt ccaaattcag tcaattaagt tactattaac actctaccg acatgtccag 360
 caccactggt aagccttctc cagccaacac acacacacac acacncacac acacacatat 420
 ccaggcacag gctacctcat cttcacaatc acccctttaa ttaccatgct atggtgg 477

<210> 149
 <211> 207
 <212> DNA

<213> Homo sapien

<400> 149

acagttgtat tataatatca agaaataaac ttgcaatgag agcatttaag agggaagaac	60
taacgtatatt tagagagcca aggaagggtt ctgtggggag tgggatgtaa ggtggggcct	120
gatgataaat aagagtcagc caggtaagtg ggtggtgtgg tatgggcaca gtgaagaaca	180
tttcaggcag agggaacagc agtgaaa	207

<210> 150

<211> 111

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(111)

<223> n = A,T,C or G

<400> 150

accttgattt cattgctgct ctgatggaaa cccaactatc taatttagct aaaacatggg	60
cacttaaatg tggtcagtgt ttggacttgt taactantgg catctttggg t	111

<210> 151

<211> 196

<212> DNA

<213> Homo sapien

<400> 151

agcgcgccag gtcattatga acattccaga tacctatcat tactcgatgc tgttgataac	60
agcaagatgg ctttgaactc agggtcacca ccagctattg gaccttacta tgaaaacat	120
ggataccaac cggaaaaccc ctatcccgca cagccactg tggccccac tgtctacgag	180
gtgcatccgg ctgagt	196

<210> 152

<211> 132

<212> DNA

<213> Homo sapien

<400> 152

acagcacttt cacatgtaag aaggagaaaa ttcctaaatg taggagaaag ataacagaac	60
cttccccttt tcatctagtg gtggaaacct gatgctttat gttgacagga atagaaccag	120
gaggagttt gt	132

<210> 153

<211> 285

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(285)

<223> n = A,T,C or G

<400> 153

acaanaccca nganaggcca ctggccgtgg tgtcatggcc tccaaacatg aaagtgtcag	60
---	----

```

cttctgctct tatgtcctca tctgacaact ctttaccatt tttatcctcg ctcagcagga 120
gcacatcaat aaagtccaaa gtcttggaact tggccttggc ttggaggaag tcatcaacac 180
cctggctagt gaggtgctgg cgccgctcct ggatgacggc atctgtgaag tcgtgcacca 240
gtctgcaggc cctgtggaag cgccgtccac acggagtnag gaatt 285

```

<210> 154

<211> 333

<212> DNA

<213> Homo sapien

<400> 154

```

accacagtcc tgttgggcca gggcttcatt accctttctg tgaaaagcca tattatcacc 60
accccaaatt tttccttaaa tatctttaac tgaaggggtc agcctcttga ctgcaaagac 120
cctaagccgg ttacacagct aactcccact ggccctgatt tgtgaaattg ctgctgcctg 180
attggcacag gagtcgaagg tgctcagctc cctcctccg tggaacgaga ctctgatttg 240
agtctcaca attctcgggc cacctcgtca ttgctcctct gaaataaaat ccggagaatg 300
gtcaggcctg tctcatccat atggatcttc cgg 333

```

<210> 155

<211> 308

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (308)

<223> n = A,T,C or G

<400> 155

```

actggaaata ataaaaccca catcacagtg ttgtgtcaaa gatcatcagg gcatggatgg 60
gaaagtgtct tgggaactgt aaagtgccta acacatgac gatgattttt gttataatat 120
ttgaatcacg gtgcatacaa actctcctgc ctgctcctcc tgggccccag cccagcccc 180
atcacagctc actgctctgt tcatccaggc ccagcatgta gtggctgatt cttcttggt 240
gcttttagcc tccanaagtt tctctgaagc caaccaaacc tctangtga aggcagctg 300
gccctggt 308

```

<210> 156

<211> 295

<212> DNA

<213> Homo sapien

<400> 156

```

accttgctcg gtgcttgga catattagga actcaaaata tgagatgata acagtgccta 60
ttattgatta ctgagagaac tgtagacat ttagttgaag atttctaca caggaactga 120
gaataggaga ttatgtttgg cctcatatt ctctcctatc ctcttgctc cattctatgt 180
ctaatatatt ctcaatcaaa taaggtttagc ataactcagga aatcgaccaa ataccaatat 240
aaaaccagat gtctatcctt aagattttca aatagaaaac aaattaacag actat 295

```

<210> 157

<211> 126

<212> DNA

<213> Homo sapien

<400> 157

```

acaagtttaa atagtgtgt cactgtgcat gtgctgaaat gtgaaatcca ccacatttct 60

```

gaagagcaaa acaaattctg tcatgtaatc tctatcttgg gtcgtgggta tatctgtccc 120
cttagt 126

<210> 158

<211> 442

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (442)

<223> n = A,T,C or G

<400> 158

acccactggg cttggaaaca cccatcctta atacgatgat ttttctgtcg tgtgaaaatg 60
aanccagcag gctgccccta gtcagtcctt ccttccagag aaaaagagat ttgagaaagt 120
gcctgggttaa ttcaccatta atttccctccc ccaaactctc tgagtcttcc cttaatatatt 180
ctggtggttc tgaccaaagc aggtcatggt ttgttgagca tttgggatcc cagtgaagta 240
natgtttgta gccttgcata cttagccctt cccacgcaca aacggagtgg cagagtgggtg 300
ccaaccctgt tttcccagtc cacgtagaca gattcacagt gcggaattct ggaagctgga 360
nacagacggg ctctttgcag agccgggact ctgagangga catgagggcc tctgcctctg 420
tgttcattct ctgatgtcct gt 442

<210> 159

<211> 498

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (498)

<223> n = A,T,C or G

<400> 159

acttccagggt aacgttggtt tttccgttga gcctgaactg atgggtgacg ttgtaggttc 60
tccaacaaga actgaggttg cagagcgggt aggggaagagt gctgttccag ttgcacctgg 120
gctgctgtgg actgttggtt attcctcact acggcccaag gttgtggaac tggcanaaag 180
gtgtgttgtt gganttgagc tcgggcggct gtggtaggtt gtgggtctct caacaggggc 240
tgctgtggtg ccgggangtg aangtggtgt gtcacttgag cttggccagc tctggaaagt 300
antanattct tcctgaaggc cagcgcttgt ggagctggca ngggtcantg ttgtgtgtaa 360
cgaaccagtg ctgctgtggg tgggtgtana tcctccacaa agcctgaagt tatggtgtcn 420
tcaggtaana atgtggtttc agtgtccctg ggcngctgtg gaaggttgta nattgtcacc 480
aagggaataa gctgtggt 498

<210> 160

<211> 380

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (380)

<223> n = A,T,C or G

<400> 160


```

acctgcatcc agcttccctg ccaaactcac aaggagacat caacctctag acagggaaac      60
agcttcagga tacttccagg agacagagcc accagcagca aaacaaatat tcccatgcct      120
ggagcatggc atagaggaag ctganaaatg tggggtctga ggaagccatt tgagtctggc      180
cactagacat ctcatcagcc acttgtgtga agagatgccc catgacccca gatgcctctc      240
ccacccttac ctccatctca cacacttgag ctttccactc tgtataattc taacatcctg      300
gagaaaaatg gcagtttgac cgaacctgtt cacaacggta gaggctgatt tctaacgaaa      360
ctttagaat  gaagcctgga                                     380

```

```

<210> 161
<211> 114
<212> DNA
<213> Homo sapien

```

```

<400> 161
actccacatc cctctgagc aggcggttgt cgttcaagggt gtatttggcc ttgcctgtca      60
cactgtccac tggccctta tccacttggt gcttaatccc tcgaaagagc atgt          114

```

```

<210> 162
<211> 177
<212> DNA
<213> Homo sapien

```

```

<400> 162
actttctgaa tcgaatcaaa tgatacttag tgtagtttta atatcctcat atatatcaaa      60
gttttactac tctgataatt ttgtaaacca ggtaaccaga acatccagtc atacagcttt      120
tgggtgatata taacttggca ataaccagct ctggtgatac ataaaactac tcaactgt      177

```

```

<210> 163
<211> 137
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (137)
<223> n = A,T,C or G

```

```

<400> 163
catttataca gacaggcgtg aagacattca cgacaaaaac gcgaaattct atcccgtgac      60
canagaaggc agctacggct actcctacat cctggcgtgg gtggccttcg cctgcacctt      120
catcagcggc atgatgt                                     137

```

```

<210> 164
<211> 469
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (469)
<223> n = A,T,C or G

```

```

<400> 164
cttatcacia tgaatgttct cctgggcagc gttgtgatct ttgccacctt cgtgacttta      60
tgcaatgcat catgctatct catacctaat gagggagttc caggagattc aaccaggaaa      120

```

```

tgcattggatc tcaaaggaaa caaacaccca ataaactcgg agtggcagac tgacaactgt      180
gagacatgca cttgtctacga aacagaaatt tcatgttgca cccttgtttc tacacctgtg      240
ggttatgaca aagacaactg ccaaagaatc ttcaagaagg aggactgcaa gtatatcgtg      300
gtggagaaga aggacccaaa aaagacctgt tctgtcagtg aatggataat ctaatgtgct      360
tctagtaggc acagggctcc caggccaggc ctcattctcc tctggcctct aatagtcaat      420
gattgtgtag ccattgcctat cagtaaaaag atntttgagc aaacacttt      469

```

<210> 165

<211> 195

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(195)

<223> n = A,T,C or G

<400> 165

```

acagtttttt atanatatcg acattgccgg cacttggtgt cagtttcata aagctgggtg      60
atccgctgtc atccactatt ccttggttag agtaaaaatt attcttatag cccatgtccc      120
tgcaggccgc ccgcccgtag ttctcgttcc agtcgtcttg gcacacaggg tgccaggact      180
tcctctgaga tgagt      195

```

<210> 166

<211> 383

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 166

```

acatcttagt agtgtggcac atcagggggc catcagggtc acagtcactc atagcctcgc      60
cgaggtcggg gtccacacca ccggtgtagg tgtgctcaat cttgggcttg gcgcccacct      120
ttggagaagg gatatgctgc acacacatgt ccacaaagcc tgtgaactcg ccaaagaatt      180
tttgagagcc agcctgagca aggggcggat gttcagcttc agtcctcctc tcgtcagggtg      240
gatgccaacc tcgtctangg tccgtgggaa gctgggtgtc acntcaccta caacctgggc      300
gangatctta taaagaggct ccnagataaa ctccacgaaa cttctctggg agctgctagt      360
nggggccttt ttggtgaact ttc      383

```

<210> 167

<211> 247

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(247)

<223> n = A,T,C or G

<400> 167

```

acagagccag accttggcca taaatgaanc agagattaag actaaacccc aagtcganat      60
tggagcagaa actggagcaa gaagtggggc tggggctgaa gtagagacca aggccactgc      120

```

tatanccata cacagagcca actctcaggc caaggcnatg gttggggcag anccagagac 180
tcaatctgan tccaaagtgg tggctggaac actggtcatg acanaggcag tgactctgac 240
tgangtc 247

<210> 168

<211> 273

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(273)

<223> n = A,T,C or G

<400> 168

acttctaagt tttctagaag tggaaggatt gtantcatcc tgaaaatggg tttacttcaa 60
aatccctcan ccttgttctt cactactgtc tatactgana gtgtcatgtt tccacaaagg 120
gctgacacct gagcctgnat tttactcat ccctgagaag ccctttccag taggggtggc 180
aattcccaac ttccttgcca caagcttccc aggctttctc ccctggaaaa ctccagcttg 240
agtcccagat acactcatgg gctgccctgg gca 273

<210> 169

<211> 431

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(431)

<223> n = A,T,C or G

<400> 169

acagccttgg cttccccaaa ctccacagtc tcagtgcaga aagatcatct tccagcagtc 60
agctcagacc aggggtcaaag gatgtgacat caacagtttc tggtttcaga acaggttcta 120
ctactgtcaa atgaccccc atacttcctc aaaggctgtg gtaagttttg cacaggtgag 180
ggcagcagaa aggggggtant tactgatgga caccatcttc tctgtatact ccactgac 240
cttgccatgg gcaaaggccc ctaccacaaa aacaatagga tctgtctgg gcaccagctc 300
acgcacatca ctgacaaccg ggatggaaaa agaantgcc aacttcatac atccaactgg 360
aaagtgatct gatactggat tcttaattac cttcaaaagc ttctgggggc catcagctgc 420
tcgaacactg a 431

<210> 170

<211> 266

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(266)

<223> n = A,T,C or G

<400> 170

acctgtgggc tgggctgtta tgctgtgcc ggctgctgaa agggagtcca gaggtggagc 60
tcaaggagct ctgcaggcat ttgccaanc ctctccanag canagggagc aacctacact 120
ccccgctaga aagacaccag attggagtcc tgggaagggg agttgggggtg ggcatttgat 180

gtatacttgt cacctgaatg aangagccag agaggaanga gacgaanatg anattggcct 240
tcaaagctag gggctctggca ggtgga 266

<210> 171

<211> 1248

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1248)

<223> n = A,T,C or G

<400> 171

ggcagccaaa tcataaacgg cgaggactgc agcccgcact cgcagccctg gcaggcgcca 60
ctgggtcatgg aaaacgaatt gttctgctcg ggcgtcctgg tgcataccga gtgggtgctg 120
tcagccgcac actgtttcca gaagtgaagt cagagctcct acaccatcgg gctgggcctg 180
cacagtcttg aggccgacca agagccaggg agccagatgg tggaggccag cctctccgta 240
cggcaccag agtacaacag acccttgctc gctaacgacc tcatgtcat caagttggac 300
gaatccgtgt ccgagtctga caccatccgg agcatcagca ttgcttcgca gtgccctacc 360
gcggggaact cttgcctcgt ttctggctgg ggtctgctgg cgaacggcag aatgcctacc 420
gtgctgcagt gcgtgaacgt gtcgggtggg tctgaggagg tctgcagtaa gctctatgac 480
ccgctgtacc accccagcat gttctgcgcc ggccgagggc aagaccagaa ggactcctgc 540
aacggtgact ctggggggcc cctgatctgc aacgggtact tgcagggcct tgtgtcttc 600
ggaaaagccc cgtgtggcca agttggcgtg ccaggtgtct acaccaacct ctgcaattc 660
actgagtga tagagaaaac cgtccaggcc agttaactct ggggactggg aacctatgaa 720
attgaccccc aaatacatcc tgcggaagga attcaggaat atctgttccc agcccctcct 780
ccctcaggcc caggagtcca ggccccagc ccctcctccc tcaaaccaag ggtacagatc 840
cccagcccct cctccctcag acccaggagt ccagaccccc cagcccctcc tccctcagac 900
ccaggagtcc agcccctcct ccctcagacc caggagtcca gacccccag cccctcctcc 960
ctcagaccca ggggtccagg cccccaaacc ctccctccctc agactcagag gtccaagccc 1020
ccaaccntc attcccaga cccagaggtc cagggtccag cccctcntcc ctcagaccca 1080
gcggtccaat gccacctaga ctntccctgt acacagtgcc cccttgtggc acgttgaccc 1140
aaccttacca gttggtttt catttttngt ccctttcccc tagatccaga aataaagttt 1200
aagagaagng caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaa 1248

<210> 172

<211> 159

<212> PRT

<213> Homo sapien

<220>

<221> VARIANT

<222> (1)...(159)

<223> Xaa = Any Amino Acid

<400> 172

Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro
1 5 10 15
Leu Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser
20 25 30
Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr
35 40 45
Ala Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly
50 55 60

Arg Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu
 65 70 75 80
 Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe
 85 90 95
 Cys Ala Gly Gly Gly Gln Xaa Gln Xaa Asp Ser Cys Asn Gly Asp Ser
 100 105 110
 Gly Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe
 115 120 125
 Gly Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn
 130 135 140
 Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
 145 150 155

<210> 173

<211> 1265

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1265)

<223> n = A,T,C or G

<400> 173

```

ggcagcccgcc actgcgagcc ctggcaggcg gcaactggtca tggaaaacga attgttctgc      60
tcggggcgctcc tgggtgcatcc gcagtgggtg ctgtcagccg cacactgttt ccagaactcc      120
tacaccatcg ggctgggcct gcacagtctt gaggccgacc aagagccagg gagccagatg      180
gtggaggcca gcctctccgt acggcaccca gactacaaca gacccttgct cgctaacgac      240
ctcatgtctca tcaagtggga cgaatccgtg tccgagtctg acaccatccg gagcatcagc      300
attgcttcgc agtgccctac cgcggggaac tcttgctctg tttctggctg gggctctgctg      360
gcgaacggtg agctcacggg tgtgtgtctg ccctcttcaa ggaggtcctc tgcccagtcg      420
cgggggctga cccagagctc tgcgtcccag gcagaatgcc taccgtgctg cagtgcgtga      480
acgtgtcggg ggtgtctgag gaggtctgca gtaagctcta tgaccgctg taccacccca      540
gcatgttctg cgccggcgga gggcaagacc agaaggactc ctgcaacggg gactctgggg      600
ggcccctgat ctgcaacggg tacttgacagg gccttggtgc tttcggaaaa gcccgtgtg      660
gccaaagtgg cgtgccagggt gtctacacca acctctgcaa attcactgag tggatagaga      720
aaaccgtcca ggccagttaa ctctggggac tgggaaccca tgaaattgac ccccaaatac      780
atcctgcgga aggaattcag gaatatctgt tcccagcccc tcctccctca ggcccaggag      840
tccaggcccc cagcccctcc tccctcaaac caagggtaca gatccccagc ccctcctccc      900
tcagaccagc gagtccagac cccccagccc ctctcctctc agaccagga gtccagcccc      960
tcctccttca gaccagagg tccagacccc ccagcccctc ctccctcaga cccagggggt      1020
gaggccccca acccctcctc ctccagagtc agaggtccaa gcccacaacc cctcgttccc      1080
cagaccaga ggttnnagtc ccagcccctc ttcctcaga cccagnngtc caatgccacc      1140
tagattttcc ctgnacacag tgccccttg tgganngttg acccaacctt accagttgg      1200
ttttcatttt tngtcccttt cccctagatc cagaaataaa gtttaagaga nngcaaaaa      1260
aaaaa                                           1265
  
```

<210> 174

<211> 1459

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1459)

<223> n = A,T,C or G

<400> 174

ggtcagccgc	acactgtttc	cagaagtgcg	tgcagagctc	ctacaccatc	gggctgggccc	60
tgcacagtct	tgaggccgac	caagagccag	ggagccagat	ggaggaggcc	agcctctccg	120
tacggcacc	agagtacaac	agacccttgc	tcgctaacga	cctcatgtct	atcaagttgg	180
acgaatccgt	gtccgagttc	gacaccatcc	ggagcatcag	cattgtcttcg	cagtgcctta	240
ccgcggggaa	ctcttgccct	gtttctgggt	gggtctgtct	ggcgaacggg	gagctcacgg	300
gtgtgtgtct	gccctcttca	aggaggtcct	ctgcccagtc	gcgggggctg	accagagct	360
ctgcgtccca	ggcagaatgc	ctaccgtgct	gcagtgcgtg	aacgtgtcgg	tggtgtctga	420
ngaggtctgc	antaagctct	atgaccgcgt	gtaccacccc	ancatgttct	gcgccggcgg	480
agggcaagac	cagaaggact	cctgcaacgt	gagagagggg	aaaggggagg	gcaggcgact	540
caggggaagg	tggagaagg	ggagacagag	acacacaggg	ccgcatggcg	agatgcagag	600
atggagagac	acacagggag	acagtgacaa	ctagagagag	aaactgagag	aaacagagaa	660
ataaacacag	gaataaagag	aagcaaagga	agagagaaac	agaaacagac	atggggaggc	720
agaaacacac	acacatagaa	atgcagttga	ccttccaaca	gcatggggcc	tgagggcggg	780
gacctccacc	caatagaaaa	tcctcttata	acttttgact	ccccaaaaac	ctgactagaa	840
atagcctact	gttgacgggg	agccttacca	ataacataaa	tagtcgattt	atgcatacgt	900
tttatgcatt	catgatatac	ctttgttgga	attttttgat	atttctaagc	tacacagttc	960
gtctgtgaat	tttttttaaat	tgttgcaact	ctcctaaaa	ttttctgatg	tgtttattga	1020
aaaaatccaa	gtataagtgg	acttgtgcat	tcaaaccagg	gttgttcaag	ggccaactgt	1080
gtaccagag	ggaacacagt	acacagattc	atagaggtga	aacacgaaga	gaaacaggaa	1140
aaatcaagac	tctacaaaga	ggctgggcag	ggtggctcat	gcctgtaatc	ccagcaattt	1200
gggaggcgag	gcaggcgag	cacttgaggt	aaggagttca	agaccagcct	ggccaaaatg	1260
gtgaaatcct	gtctgtacta	aaaatacaaa	agttagctgg	atatgggtggc	aggcgccctg	1320
aatcccagct	acttgggagg	ctgaggcagg	agaattgctt	gaatatggga	ggcagagggt	1380
gaagtgaagt	gagatcacac	cactatactc	cagctggggc	aacagagtaa	gactctgtct	1440
caaaaaaaaa	aaaaaaaaa					1459

<210> 175

<211> 1167

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (1167)

<223> n = A,T,C or G

<400> 175

gcgcagccct	ggcaggcgcc	actgggtcatg	gaaaacgaat	tggtctgctc	gggcgtcctg	60
gtgcatccgc	agtgggtgct	gtcagccgca	cactgtttcc	agaactccta	caccatcggg	120
ctgggcctgc	acagtcttga	ggccgaccaa	gagccaggga	gccagatggt	ggaggccagc	180
ctctccgtac	ggcaccacaga	gtacaacaga	ctcttgctcg	ctaacgacct	catgctcatc	240
aagttaggacg	aatccgtgtc	cgagtctgac	accatccgga	gcatcagcat	tgcttcgcag	300
tgccctaccg	cggggaaactc	ttgcctcgtg	tctggctggg	gtctgctggc	gaacggcaga	360
atgcctaccg	tgctgcactg	cgtgaacgtg	tcgggtggtg	ctgaggangt	ctgcagtaag	420
ctctatgacc	cgctgtacca	ccccagcatg	ttctgcgccg	gcggagggca	agaccagaag	480
gactcctgca	acggtgactc	tggggggccc	ctgatctgca	acgggtactt	gcagggcctt	540
gtgtctttcg	gaaaagcccc	gtgtggccaa	cttggcgtgc	cagggtgtcta	caccaacctc	600
tgcaaattca	ctgagtggat	agagaaaacc	gtccagncca	gttaactctg	gggactggga	660
accatgaaa	tgaccccca	aatacatcct	gcggaangaa	ttcaggaata	tctgttccca	720
gccccctcct	cctcaggccc	aggagtccag	gccccagcc	cctcctccct	caaaccaagg	780
gtacagatcc	ccagccccct	ctccccaga	cccaggagtc	cagaccccc	agccccctct	840
ccntcagacc	caggagtcca	gccccctcct	cntcagacgc	aggagtccag	acccccagc	900

```

ccntcntccg tcagaccag ggggtgcaggc ccccaacccc tcntccntca gagtcagagg 960
tccaagcccc caaccctcg ttcccagac ccagaggtnc aggtcccagc cctcctccc 1020
tcagaccag cggtccaatg ccacctagan tntccctgta cacagtgcc ccttgaggca 1080
ngttgaccca accttaccag ttgggttttc attttttgc cctttccct agatccagaa 1140
ataaagtnta agagaagcgc aaaaaaa 1167

```

<210> 176

<211> 205

<212> PRT

<213> Homo sapien

<220>

<221> VARIANT

<222> (1) ... (205)

<223> Xaa = Any Amino Acid

<400> 176

```

Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
1      5      10      15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
20     25     30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
35     40     45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Leu Leu Leu
50     55     60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
65     70     75     80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
85     90     95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met
100    105    110
Pro Thr Val Leu His Cys Val Asn Val Ser Val Val Ser Glu Xaa Val
115    120    125
Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala
130    135    140
Gly Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly
145    150    155    160
Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys
165    170    175
Ala Pro Cys Gly Gln Leu Gly Val Pro Gly Val Tyr Thr Asn Leu Cys
180    185    190
Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Xaa Ser
195    200    205

```

<210> 177

<211> 1119

<212> DNA

<213> Homo sapien

<400> 177

```

gcgcactcgc agccctggca ggcggcactg gtcattgaaa acgaattgtt ctgctcgggc 60
gtcctgggtgc atccgcagtg ggtgctgtca gccgcacact gtttcagaa ctccacacc 120
atcgggctgg gcctgcacag tcttgaggcc gaccaagagc cagggagcca gatgggtggag 180
gccagcctct ccgtacggca cccagagtac aacagaccct tgctcgctaa cgacctcatg 240
ctcatcaagt tggacgaatc cgtgtccgag tctgacacca tccggagcat cagcattgct 300

```

```

tcgcagtgcc ctaccgcggg gaactcttgc ctcgtttctg gctggggtct gctggcgaac   360
gatgctgtga ttgccatcca gtcccagact gtgggaggct gggagtgtga gaagctttcc   420
caaccctggc agggttgtac catttcggca acttccagtg caaggacgtc ctgctgcatc   480
ctcactgggt gctcactact gctcactgca tcacccggaa cactgtgata aactagccag   540
caccatagtt ctccgaagtc agactatcat gattactgtg ttgactgtgc tgtctattgt   600
actaaccatg ccgatgttta ggtgaaatta gcgtcacttg gcctcaacca tcttggtatc   660
cagttatcct cactgaattg agatttcctg cttcagtgtc agccattccc acataatttc   720
tgacctacag aggtgaggga tcatatagct cttcaaggat gctggtactc ccctcacaaa   780
ttcatttctc ctggtgtagt gaaagggtgc ccctctggag cctcccaggg tgggtgtgca   840
ggtcacaatg atgaatgtat gatcgtgttc ccattaccca aagcctttaa atccctcatg   900
ctcagtacac cagggcaggt ctagcatttc ttcatttagt gtatgctgtc cattcatgca   960
accacctcag gactcctgga ttctctgcct agttgagctc ctgcatgctg cctccttggg  1020
gaggtgaggg agaggcccca tggttcaatg ggatctgtgc agttgtaaca cattaggtgc  1080
ttaataaaca gaagctgtga tgttaaaaaa aaaaaaaaaa  1119

```

<210> 178

<211> 164

<212> PRT

<213> Homo sapien

<220>

<221> VARIANT

<222> (1)...(164)

<223> Xaa = Any Amino Acid

<400> 178

```

Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1           5           10           15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
 20           25           30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
 35           40           45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu
 50           55           60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
 65           70           75           80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
 85           90           95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Asp Ala Val
 100          105          110
Ile Ala Ile Gln Ser Xaa Thr Val Gly Gly Trp Glu Cys Glu Lys Leu
 115          120          125
Ser Gln Pro Trp Gln Gly Cys Thr Ile Ser Ala Thr Ser Ser Ala Arg
 130          135          140
Thr Ser Cys Cys Ile Leu Thr Gly Cys Ser Leu Leu Leu Thr Ala Ser
 145          150          155          160
Pro Gly Thr Leu

```

<210> 179

<211> 250

<212> DNA

<213> Homo sapien

<400> 179


```

ctggagtgcc ttggtgtttc aagcccctgc aggaagcaga atgcaccttc tgaggcacct    60
ccagctgccc ccggccgggg gatgcgaggc tcggagcacc cttgcccggc tgtgattgct    120
gccaggcact gttcatctca gcttttctgt ccctttgctc ccggcaagcg cttctgctga    180
aagttcatat ctggagcctg atgtcttaac gaataaaggt cccatgctcc acccgaaaaa    240
aaaaaaaaaa                                250

```

```

<210> 180
<211> 202
<212> DNA
<213> Homo sapien

```

```

<400> 180
actagtccag tgtggtggaa ttccattgtg ttgggcccac cacaatggct acctttaaca    60
tcaccagagc ccgccccctg ccgctgcccc acgctgctgc taacgacagt atgatgctta    120
ctctgctact cggaaactat ttttatgtaa ttaatgtatg ctttcttggt tataaatgcc    180
tgatttaaaa aaaaaaaaaa aa                                202

```

```

<210> 181
<211> 558
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (558)
<223> n = A,T,C or G

```

```

<400> 181
tccytttght naggtttkkg agacamccck agacctwaan ctgtgtcaca gacttcyngg    60
aatgttttagg cagtgtctagt aatttcytcg taatgattct gttattactt tcctnattct    120
ttattcctct ttcttctgaa gattaatgaa gttgaaaatt gaggtggata aatacaaaaa    180
ggtagtgtga tagtataagt atctaagtgc agatgaaagt gtgttatata tatccattca    240
aaattatgca agttagtaat tactcagggt taactaaatt actttaatat gctgttgaac    300
ctactctgtt ccttggctag aaaaaattat aaacaggact ttgttagttt gggaagccaa    360
attgataata ttctatgttc taaaagttgg gctatacata aattattaag aaatatggaw    420
ttttattccc aggaatatgg kgttcatttt atgaatatta cscrggatag awgtwtgagt    480
aaaaycagtt ttggtwaata ygtwaatatg tcmtaaataa acaakgcttt gacttatttc    540
caaaaaaaaa aaaaaaaaaa                                558

```

```

<210> 182
<211> 479
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (479)
<223> n = A,T,C or G

```

```

<400> 182
acagggwttk grggatgcta agsccccrga rwtygtttga tccaaccctg gcttwttttc    60
agaggggaaa atggggccta gaagttacag mscatytagy tgggtgcgmg gcaccctgg    120
cstcacacag astcccgagt agctgggact acaggcacac agtcactgaa gcaggccctg    180
ttwgcaattc acgttgccac ctccaactta aacattcttc atatgtgatg tccttagtca    240
ctaaggttaa actttcccac ccagaaaagg caacttagat aaaatcttag agtactttca    300

```

tactmttcta	agtcctcttc	cagcctcact	kkgagtcctm	cytggggggtt	gataggaant	360
ntctcttggc	tttctcaata	aartctctat	ycatctcatg	tttaatttgg	tacgcataara	420
awtgstgara	aaattaaaat	gttctgggty	macttttaaaa	araaaaaaaa	aaaaaaaaa	479

<210> 183

<211> 384

<212> DNA

<213> Homo sapien

<400> 183

aggcgggagc	agaagctaaa	gccaaagccc	aagaagagt	gcagtggcag	caactgggtgcc	60
agtaccagta	ccaataacag	tgccagtggc	agtgccagca	ccagtgggtg	cttcagtggc	120
gggtgccagc	tgaccgccac	tctcacattt	gggtctctcg	ctggccttgg	tggagctggg	180
gccagcacca	gtggcagctc	tggtgcctgt	ggtttctcct	acaagtgaga	ttttagatat	240
tgtaaatcct	gccagtcttt	ctcttcaage	caggggtgcat	cctcagaaac	ctactcaaca	300
cagcactcta	ggcagccact	atcaatcaat	tgaagttgac	actctgcatt	aratctattt	360
gccatttcaa	aaaaaaaaaa	aaaa				384

<210> 184

<211> 496

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(496)

<223> n = A,T,C or G

<400> 184

accgaattgg	gaccgctggc	ttataagcga	tcatgtyynt	ccrgtatcac	ctcaacgagc	60
agggagatcg	agtcctatac	ctgaagaaat	ttgaccgat	gggacaacag	acctgctcag	120
cccatcctgc	tcggttctcc	ccagatgaca	aatactctsg	acaccgaatc	accatcaaga	180
aacgcttcaa	gggtgctcatg	acccagcaac	cgcgccctgt	cctctgaggg	tcccttaaac	240
tgatgtcttt	tctgccacct	gttacccttc	ggagactccg	taaccaaaact	cttcggactg	300
tgagccctga	tgcccttttg	ccagccatac	tctttggcat	ccagtctctc	gtggcgattg	360
attatgcttg	tgtgaggcaa	tcatgggtggc	atcaccata	aagggaacac	atttgacttt	420
tttttctcat	attttaaatt	actacmagaw	tattwmagaw	waaatgawtt	gaaaaactst	480
taaaaaaaaa	aaaaaa					496

<210> 185

<211> 384

<212> DNA

<213> Homo sapien

<400> 185

gctggtagcc	tatggcgkgg	cccacggagg	ggctcctgag	gccacggrac	agtgacttcc	60
caagtatcyt	gcgscgctc	ttctaccgtc	cctacctgca	gatcttcggg	cagattcccc	120
aggaggacat	ggacgtggcc	ctcatggagc	acagcaactg	ytgctcgagg	cccggtctct	180
gggcacaccc	tcttggggcc	caggcgggca	cctgcgtctc	ccagtatgcc	aactggctgg	240
tggtgctgct	cctcgctatc	ttctgctcgc	tggccaacat	cctgctggtc	aacttgctca	300
ttgccatggt	cagttacaca	ttcggcaaag	tacagggcaa	cagcgatctc	tactgggaag	360
gcgcagcgtt	accgcctcat	ccgg				384

<210> 186

<211> 577

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (577)

<223> n = A,T,C or G

<400> 186

gagttagctc	ctccacaacc	ttgatgaggt	cgtctgcagt	ggcctctcgc	ttcataccgc	60
tnccatcgtc	atactgtagg	tttgccacca	cytcctggca	tcttggggcg	gcntaatatt	120
ccaggaaact	ctcaatcaag	tcaccgtcga	tgaaacctgt	gggctgggtc	tgtcttccgc	180
tcggtgtgaa	aggatctccc	agaaggagtg	ctcgatcttc	cccacacttt	tgatgacttt	240
attgagtcga	ttctgcatgt	ccagcaggag	gttgtaggag	ctctctgaca	gtgagggtcac	300
cagccctatc	atgccgttga	mcgtgccgaa	garcaccgag	ccttgtgtgg	gggkkgaagt	360
ctcaccacaga	ttctgcatta	ccagagagcc	gtggcaaaaag	acattgacaa	actcgccag	420
gtggaaaaag	amcamctcct	ggargtgctn	gccgctcctc	gtcmgttggt	ggcagcgctw	480
tctttttgac	acacaaaacaa	gttaaaggca	ttttcagccc	ccagaaantt	gtcatcatcc	540
aagatntcgc	acagcactna	tccagttggg	attaaat			577

<210> 187

<211> 534

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (534)

<223> n = A,T,C or G

<400> 187

aacatcttcc	tgtataatgc	tgtgtaatat	cgatccgatn	ttgtctgstg	agaatycatw	60
actkggaaaa	gmaacattaa	agcctggaca	ctggatttaa	aattcacaat	atgcaacact	120
ttaaacagtg	tgtcaatctg	ctcccyynac	tttgtcatca	ccagtctggg	aakaagggtg	180
tgccctattc	acacctgtta	aaagggcgct	aagcattttt	gattcaacat	cttttttttt	240
gacacaagtc	cgaaaaaagc	aaaagtaaac	agttatyaat	ttgttagcca	attcactttc	300
ttcatgggac	agagccatyt	gatttaaaaa	gcaaattgca	taatattgag	cttygggagc	360
tgatatttga	gcggaagagt	agccttttcta	cttcaccaga	cacaactccc	tttcatattg	420
ggatgttnac	naaagtwatg	tctctwacag	atgggatgct	tttgtggcaa	ttctgttctg	480
aggatctccc	agtttattta	ccacttgcac	aagaaggcgt	tttcttcttc	aggc	534

<210> 188

<211> 761

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (761)

<223> n = A,T,C or G

<400> 188

agaaaccagt	atctctnaaa	acaacctctc	ataccttggtg	gacctaattt	tgtgtgcgtg	60
tgtgtgtgcg	cgcataattat	atagacaggc	acatcttttt	tacttttgta	aaagcttatg	120
cctcttttgg	atctatatct	gtgaaagttt	taatgatctg	ccataatgtc	ttggggacct	180

ttgtcttctg	tgtaaagggt	actagagaaa	acacctatnt	tatgagtcaa	tctagttngt	240
tttattcgac	atgaaggaaa	tttccagatn	acaacactna	caaactctcc	ctkgackarg	300
ggggacaaag	aaaagcaaaa	ctgamcataa	raaacaatwa	cctggtgaga	arttgcataa	360
acagaaatwr	ggtagtatat	tgaarnacag	catcattaaa	rmgttwtktt	wttctccctt	420
gcaaaaaaca	tgtacngact	tcccgttgag	taatgccaag	ttgttttttt	tatnataaaa	480
cttgcccttc	attacatggt	tnaaagtggg	gtgggtggcc	aaaatattga	aatgatggaa	540
ctgactgata	aagctgtaca	aataagcagt	gtgcctaaca	agcaacacag	taatgttgac	600
atgcttaatt	cacaaatgct	aatttcatta	taaatgtttg	ctaaaataca	ctttgaacta	660
ttttctgtn	ttccagagc	tgagatntta	gattttatgt	agtatnaagt	gaaaaantac	720
gaaaataata	acattgaaga	aaaananaaa	aaanaaaaaa	a		761

<210> 189

<211> 482

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(482)

<223> n = A,T,C or G

<400> 189

tttttttttt	tttgccgatn	ctactatntt	attgcaggan	gtgggggtgt	atgcaccgca	60
caccgggggt	atnagaagca	agaaggaagg	agggagggca	cagccccttg	ctgagcaaca	120
aagccgcctg	ctgccttctc	tgtctgtctc	ctgggtgcagg	cacatgggga	gaccttcccc	180
aaggcagggg	ccaccagtcc	aggggtggga	atacaggggg	tgggangtgt	gcataagaag	240
tgataggcac	aggccaccgc	gtacagaccc	ctcggctcct	gacaggtnga	tttcgaccag	300
gtcattgtgc	cctgcccagg	cacagcgtn	atctggaaaa	gacagaatgc	tttccttttc	360
aaatttggt	ngtcatngaa	ngggcanttt	tccaanttng	gctnggtcct	ggtacncttg	420
gttcggccca	gtccnccgtc	caaaaantat	tcaccnncct	ccnaattgct	tgcnngnccc	480
cc						482

<210> 190

<211> 471

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(471)

<223> n = A,T,C or G

<400> 190

tttttttttt	ttttaaaaca	gtttttcaca	acaaaattta	ttagaagaat	agtggttttg	60
aaaactctcg	catccagtga	gaactaccat	acaccacatt	acagctngga	atgtntctca	120
aatgtctggg	caaatgatac	aatggaacca	ttcaatctta	cacatgcacg	aaagaacaag	180
cgcttttgac	atacaatgca	caaaaaaaaa	aggggggggg	gaccacatgg	attaaaattt	240
taagtactca	tcacatacat	taagacacag	ttctagtcca	gtcnaaaatc	agaactgcnt	300
tgaaaaattt	catgtatgca	atccaaccaa	agaacttnat	tggtgatcat	gantnctcta	360
ctacatcnac	cttgatcatt	gccaggaacn	aaaagttnaa	ancacncngt	acaaaaanaa	420
tctgtaattn	anttcaacct	ccgtacngaa	aaatnttntt	tataactccc	c	471

<210> 191

<211> 402

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(402)

<223> n = A,T,C or G

<400> 191

gagggattga aggtctgttc tastgtcggm ctgttcagcc accaactcta acaagttgct	60
gtcttccact cactgtctgt aagcttttta acccagacwg tatcttcata aatagaacaa	120
attcttcacc agtcacatct tctaggacct ttttggattc agttagtata agctcttcca	180
cttcctttgt taagacttca tctggtaaag tcttaagttt tgtagaaagg aattyaattg	240
ctcgttctct aacaatgtcc tctccttgaa gtatttggct gaacaacca cctaaagtcc	300
ctttgtgcat ccattttaaa tatacttaat agggcattgk tncactaggt taaattctgc	360
aagagtcacg tgtctgcaaa agttgcgtta gtatatctgc ca	402

<210> 192

<211> 601

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(601)

<223> n = A,T,C or G

<400> 192

gagctcggat ccaataatct ttgtctgagg gcagcacaca tatncagtgc catggnaact	60
ggtctacccc acatgggagc agcatgccgt agntatataa ggtcattccc tgagtcagac	120
atgcytyttt gaytaccgtg tgccaagtgc tggtgattct yaacacacyt ccatcccgt	180
cttttgtgga aaaactggca cttktctgga actagcarga catcacttac aaattcaccc	240
acgagacact tgaaaggtgt aacaaagcga ytcttgcat gctttttgtc cctccggcac	300
cagttgtcaa tactaaccg cttggtttgc tccatcacat ttgtgatctg tagctctgga	360
tacatctcct gacagtactg aagaacttct tcttttgttt caaaagcarg tcttggtgcc	420
tggtggatca ggttcccatt tcccagtcyg aatgttcaca tggcatattt wacttcccac	480
aaaacattgc gatattgagg tcagcaacag caaatcctgt tccggcattg gctgcaagag	540
cctcgatgta gccggccagc gccaaaggcag gcgccgtgag cccaccagc agcagaagca	600
g	601

<210> 193

<211> 608

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(608)

<223> n = A,T,C or G

<400> 193

atacagccca natccacca cgaagatgcg cttgttgact gagaacctga tgcggtcact	60
ggtcccgtg tagccccagc gactctccac ctgctggaag cggttgatgc tgcactcytt	120
cccaacgcag gcagmagcg gscgggtcaa tgaactccay tctgtgcttg gggtkgacgg	180
tkaagtgcag gaagaggctg accacctcgc ggtccaccag gatgcccgac tgtgcgggac	240
ctgcagcgaa actcctcgat ggtcatgagc gggaagcgaa tgaggcccag ggccttgccc	300

```

agaaccttcc gcctgttctc tggcgtcacc tgcagctgct gccgctgaca ctcggcctcg      360
gaccagcgga caaacggcrt tgaacagccg caccctcacgg atgccagtg tgtcgcgctc      420
caggammgsc accagcgtgt ccagggtcaat gtcggtgaag ccctccgagg gtrattggcg      480
ctgcagtggt tttgtcgatg ttctccaggc acaggctggc cagctgcggt tcatcgaaga      540
gtcgcgcctg cgtgagcagc atgaaggcgt tgtcggtcgc cagttcttct tcagggaactc      600
cacgcaat                                         608

```

```

<210> 194
<211> 392
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(392)
<223> n = A,T,C or G

```

```

<400> 194
gaacggctgg accttgccctc gcattgtgct tgctggcagg gaataccttg gcaagcagyt      60
ccagtcgag cagccccaga ccgctgccgc ccgaagctaa gcctgcctct ggccttcccc      120
tccgcctcaa tgcagaacca gtagtgggag cactgtgttt agagttaaga gtgaacactg      180
tttgatttta cttgggaatt tcctctgtta tatagctttt cccaatgcta atttccaaac      240
aacaacaaca aaataacatg tttgcctgtt aagttgtata aaagtaggtg attctgtatt      300
taaagaaaat attactgtta catatactgc ttgcaatttc tgtatttatt gktnctstgg      360
aaataaatat agttattaaa ggttgcant cc                                         392

```

```

<210> 195
<211> 502
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(502)
<223> n = A,T,C or G

```

```

<400> 195
ccsttkgagg ggtkaggkyc cagttyccga gtggaagaaa caggccagga gaagtgcgtg      60
ccgagctgag gcagatgttc ccacagtgc cccagagcc stgggstata gtytctgacc      120
cctcncaagg aaagaccacs ttctggggac atgggctgga gggcaggacc tagaggcacc      180
aagggaaagg cccattccgg ggstgttccc cgaggaggaa gggaaagggc tctgtgtgcc      240
ccccasgagg aagaggccct gagtccctgg atcagacacc ccttcacgtg tatccccaca      300
caaatgcaag ctcaccaagg tccccctcga gtcccccttc stacaccctg amcggccact      360
gscscacacc caccagagc acgccacccg ccatggggar tgtgctcaag gartcgcngg      420
gcarcgtgga catctngtcc cagaaggggg cagaatctcc aatagangga ctgarcmstt      480
gctnanaaaa aaaaanaaaa aa                                         502

```

```

<210> 196
<211> 665
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(665)

```

<223> n = A,T,C or G

<400> 196

```

ggttacttgg tttcattgcc accacttagt ggatgtcatt tagaaccatt ttgtctgctc      60
cctctggaag ccttgcgcag agcggacttt gtaattgttg gagaataact gctgaatddd      120
wagctgtttk gagttgatts gcaccactgc acccacaact tcaatatgaa aacyawttga      180
actwatttat tatcttgtga aaagtataac aatgaaaatt ttgttcatac tgtattkac      240
aagtatgatg aaaagcaawa gatatatatt cttttattat gttaaattat gattgccatt      300
attaatcggc aaaatgtgga gtgtatgttc ttttcacagt aatatatgcc ttttgtaact      360
tcacttggtt attttattgt aaatgarta caaaattcct aatttaagar aatggatgt      420
watatttatt tcattaattd ctttcctkgt ttacgtwaat ttgaaaaga wtgcattgatt      480
tcttgacaga aatcgatcct gatgctgtgg aagtagtttg acccacatcc ctatgagttt      540
ttcttagaat gtataaagggt tgtagcccat cnaacttcaa agaaaaaat gaccacatac      600
tttgcataca ggctgaaatg tggcatgctn ttctaattcc aactttataa actagcaaan      660
aagtg

```

<210> 197

<211> 492

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (492)

<223> n = A,T,C or G

<400> 197

```

ttttnttttt ttttttttgc aggaaggatt ccattttattg tggatgcatt ttcacaatat      60
atgttttattg gagcgatcca ttatcagtga aaagtatcaa gtgtttataa natttttagg      120
aaggcagatt cacagaacat gctngtcngc ttgcagtttt acctcgtana gatnacagag      180
aattatagtc naaccagtaa acnaggaatt tacttttcaa aagattaaat ccaaactgaa      240
caaaattcta ccttgaaact tactccatcc aaatattgga ataanagtca gcagtgtac      300
attctcttct gaactttaga ttttctagaa aaatatgtaa tagtgatcag gaagagctct      360
tgttcaaaag tacaacnaag caatgttccc ttaccatagg ccttaattca aactttgatc      420
catttcactc ccatacggg agtcaatgct acctgggaca cttgtatttt gttcatnctg      480
ancntggctt aa

```

<210> 198

<211> 478

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (478)

<223> n = A,T,C or G

<400> 198

```

ttntttttgn atttcantct gtannaanta ttttcattat gtttattana aaaatatnaa      60
tgtntccacn acaaatcatn ttacntnagt aagaggccan ctacattgta caacatacac      120
tgagtatatt ttgaaaagga caagttdtaa gtanacncat attgccganc atancacatt      180
tatacatggc ttgattgata tttagcacag canaaactga gtgagttacc agaaanaaat      240
natatatgtc aatcngattt aagatacaaa acagatccta tggtagatan catcntgtag      300
gagttgtggc tttatgttta ctgaaagtca atgcagttcc tgtacaaaga gatggccgta      360
agcattctag tacctctact ccatgggtta gaatcgtaca cttatgttta catatgtnc      420

```

gggtaagaat tgtgttaagt naanttatgg agaggtccan gagaaaaatt tgathcaa 478

<210> 199

<211> 482

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(482)

<223> n = A,T,C or G

<400> 199

agtgacttgt cctccaacaa aacccttga tcaagtttgt ggcactgaca atcagaccta	60
tgctagtcc tgctatctat tcgctactaa atgcagactg gaggggacca aaaaggggca	120
tcaactccag ctggattatt ttggagcctg caaatctatt cctacttgta cggactttga	180
agtgattcag tttcctctac ggatgagaga ctggctcaag aatatcctca tgcagcttta	240
tgaagccnac tctgaacacg ctggttatct nagatgagaa ncagagaaat aaagtcnaga	300
aaatttacct ggangaaaag aggccttngg ctggggacca tcccattgaa cttctcttta	360
anggacttta agaanaaact accacatgtn tgnngtatcc tggtgccngg ccgtttantg	420
aacntngacn ncacccttnt ggaatanant cttgaengcn tcctgaactt gtcctctgc	480
ga	482

<210> 200

<211> 270

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(270)

<223> n = A,T,C or G

<400> 200

cgccgcgaag tgcaactcca gctggggccg tgcggacgaa gattctgccca gcagttggtc	60
cgactgagac gacggcgccg gcgacagtcg caggtgcagc gcgggcgcct ggggtcttgc	120
aaggctgagc tgacgccgca gaggtcgtgt caggtccac gacettgacg ccgtcgggga	180
cagccggaac agagcccggt gaangcggga ggcctcgggg agcccctcgg gaagggcgcc	240
ccgagagata cgcaggtgca ggtggccgcc	270

<210> 201

<211> 419

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(419)

<223> n = A,T,C or G

<400> 201

tttttttttt ttttggaaac tactgagagc acagcaggtc agcaacaagt ttattttgca	60
gctagcaagg taacagggtg gggcatggtt acatgttcag gtcaacttcc tttgtcgtgg	120
ttgattggtt tgtctttatg ggggcggggg ggggtagggg aaancgaagc anaantaaca	180
tggagtgggt gcaccctccc tgtagaacct ggttacnaaa gcttggggca gtccacctgg	240

tctgtgaccg	tcattttctt	gacatcaatg	ttattagaag	tcaggatata	ttttagagag	300
tccactgtnt	ctggaggagg	attaggggtt	cttgccaana	tccaancaaa	atccacntga	360
aaaagttgga	tgatncangt	acngaatacc	ganggcatan	ttctcatant	cggtggcca	419

<210> 202
 <211> 509
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(509)
 <223> n = A,T,C or G

<400> 202						
tttntttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
tggcacttaa	tccattttta	tttcaaaatg	tctacaaant	ttnaatncnc	cattatacng	120
gtnattttnc	aaaatctaaa	nnttattcaa	atntnagcca	aantccttac	ncaaatnnaa	180
tacnncnaaa	aatcaaaaat	atacntntct	ttcagcaaac	ttngttacat	aaattaaaaa	240
aatatatacg	gctgggtgtt	tcaaagtaca	attatcttaa	cactgcaaac	atntttnnaa	300
ggaactaaaa	taaaaaaaaa	cactnccgca	aagggtaaag	ggaacaacaa	attcntttta	360
caacancnnc	nattataaaa	atcatatctc	aaatcttagg	ggaatatata	cttcacacng	420
ggatcttaac	ttttactnca	ctttgtttat	ttttttanaa	ccattgtntt	gggccaaca	480
caatggnaat	nccnccnnc	tggtactagt				509

<210> 203
 <211> 583
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(583)
 <223> n = A,T,C or G

<400> 203						
tttttttttt	ttttttttga	ccccctctt	ataaaaaaca	agttaccatt	ttattttact	60
tacacatatt	tattttataa	ttggtattag	atattcaaaa	ggcagctttt	aaaatcaaac	120
taaatggaaa	ctgccttaga	tacataattc	ttaggaatta	gcttaaaatc	tgctaaagt	180
gaaaatcttc	tctagctctt	ttgactgtaa	atttttgact	cttgtaaaac	atccaaattc	240
atttttcttg	tctttaaaat	tatctaattc	ttccattttt	tccctattcc	aagtcaattt	300
gcttctctag	cctcatttcc	tagctcttat	ctactattag	taagtggctt	ttttcctaaa	360
agggaaaaca	ggaagagana	atggcacaca	aaacaaacat	tttatattca	tattttctacc	420
tacgttaata	aaatagcatt	ttgtgaagcc	agctcaaaag	aaggcttaga	tccttttatg	480
tccatttttag	tcactaaacg	atatcnaaag	tgccagaatg	caaaagggtt	gtgaacattt	540
attcaaaagc	taataataga	tatttcacat	actcatcttt	ctg		583

<210> 204
 <211> 589
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(589)

<223> n = A,T,C or G

<400> 204

tttttttnt	ttttttttt	ttttttntc	ttctttttt	ttganaatga	ggatcgagtt	60
tttactctc	tagatagggc	atgaagaaa	ctcatcttc	cagctttaa	ataacaatca	120
aatctctat	gctatatcat	attttaagt	aaactaatga	gtcactggct	tatcttctcc	180
tgaaggaaat	ctgttcattc	ttctcattca	tatagtata	tcaagtacta	ccttgcatat	240
tgagagggtt	ttcttctcta	tttacacata	tatttccatg	tgaatttgta	tcaaaccctt	300
attttcatgc	aaactagaaa	ataatgtnt	cttttgcata	agagaagaga	acaatatnag	360
cattacaaaa	ctgctcaaat	tgtttgtaa	gnttatccat	tataattagt	tnggcaggag	420
ctaatacaaa	tcacatttac	ngacnagcaa	taataaaaact	gaagtaccag	ttaaatatcc	480
aaaataatta	aaggaacatt	tttagcctgg	gtataattag	ctaattcact	ttacaagcat	540
ttattnagaa	tgaattcaca	tgttattatt	ccntagccca	acacaatgg		589

<210> 205

<211> 545

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (545)

<223> n = A,T,C or G

<400> 205

tttttntttt	ttttttcagt	aataatcaga	acaatattta	tttttatatt	taaaattcat	60
agaaaagtgc	cttacattta	ataaaagttt	gtttctcaaa	gtgatcagag	gaattagata	120
tngtcttgaa	caccaatatt	aatttgagga	aaatacacca	aaatacatta	agtaaattat	180
ttaagatcat	agagcttgta	agtgaaaaga	taaaatttga	cctcagaaac	tctgagcatt	240
aaaaatccac	tattagcaaa	taaattacta	tggacttctt	gctttaattt	tgtgatgaat	300
atgggggtgc	actggtaaac	caacacattc	tgaaggatac	attacttagt	gatagattct	360
tatgtacttt	gctanatnac	gtggatatga	gttgacaagt	ttctctttct	tcaatctttt	420
aaggggcnga	ngaaatgagg	aagaaaagaa	aaggattacg	catactgttc	tttctatngg	480
aaggattaga	tatgtttcct	ttgccaatat	taaaaaata	ataatgttta	ctactagtga	540
aacc						545

<210> 206

<211> 487

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (487)

<223> n = A,T,C or G

<400> 206

tttttttttt	tttttttagtc	aagtttctna	tttttattat	aattaaagtc	ttggtcattt	60
catttattag	ctctgcaact	tacatattta	aattaaagaa	acgttnttag	acaactgtna	120
caatttataa	atgtaagggtg	ccattattga	gtanatata	tcctccaaga	gtggatgtgt	180
cccttctccc	accaactaat	gaancagcaa	cattagttta	attttattag	tagatnatac	240
actgctgcaa	acgctaattc	tcttctccat	ccccatgtng	atattgtgta	tatgtgtgag	300
ttggtnagaa	tgcatcanca	atctnacaat	caacagcaag	atgaagctag	gcntgggctt	360
tcggtgaaaa	tagactgtgt	ctgtctgaat	caaatgatct	gacctatcct	cggtggcaag	420
aactcttcga	accgcttcct	caaaggcngc	tgccacattt	gtggcntctn	ttgcacttgt	480

ttcaaaa

487

<210> 207

<211> 332

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(332)

<223> n = A,T,C or G

<400> 207

tgaattggct	aaaagactgc	atttttanaa	ctagcaactc	ttatttcttt	cctttaaaaa	60
tacatagcat	taaatcccaa	atcctattta	aagacctgac	agcttgagaa	ggtcactact	120
gcatttatag	gaccttctgg	tggttctgct	gttacntttg	aantctgaca	atccttgana	180
atctttgcat	gcagaggagg	taaaagggtat	tggattttca	cagaggaana	acacagcgca	240
gaaatgaagg	ggccaggctt	actgagcttg	tccactggag	ggctcatggg	tgggacatgg	300
aaaagaaggc	agcctaggcc	ctggggagcc	ca			332

<210> 208

<211> 524

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(524)

<223> n = A,T,C or G

<400> 208

agggcggtgt	gcggaggggc	ttactgtttt	gtctcagtaa	caataaatac	aaaaagactg	60
gttgtgttcc	ggcccatcc	aaccacgaag	ttgattttct	tttgtgtcag	agtgactgat	120
tttaaaggac	atggagcttg	tcacaatgtc	acaatgtcac	agtggtgaagg	gcacactcac	180
tcccgcgatga	ttcacattta	gcaaccaaca	atagctcatg	agtcataact	tgtaaaatac	240
tttggcagaa	tacttnttga	aacttgcaga	tgataactaa	gatccaagat	atttcccaaa	300
gtaaaatagaa	gtgggtcata	atattaatta	cctgttcaca	tcagcttcca	tttacaagtc	360
atgagccag	acactgacat	caaactaagc	ccacttagac	tcctcaccac	cagtctgtcc	420
tgtcatcaga	caggaggctg	tcaccttgac	caaattctca	ccagtcaatc	atctatccaa	480
aaaccattac	ctgatccact	tccggtaatg	caccaccttg	gtga		524

<210> 209

<211> 159

<212> DNA

<213> Homo sapien

<400> 209

gggtgaggaa	atccagagtt	gccatggaga	aaattccagt	gtcagcattc	ttgctccttg	60
tggccctctc	ctacactctg	gccagagata	ccacagtcaa	acctggagcc	aaaaaggaca	120
caaaggactc	tcgacccaaa	ctgccccaga	ccctctcca			159

<210> 210

<211> 256

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(256)
 <223> n = A,T,C or G

<400> 210
 actccctggc agacaaaggc agaggagaga gctctgttag ttctgtgttg ttgaactgcc 60
 actgaatttc tttccacttg gactattaca tgccanttga gggactaatg gaaaaacgta 120
 tggggagatt ttanccaatt tangtntgtg aatggggaga ctggggcagg cgggagagat 180
 ttgcagggtg naaatgggan ggctggtttg ttanatgaac agggacatag gaggtaggca 240
 ccaggatgct aaatca 256

<210> 211
 <211> 264
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(264)
 <223> n = A,T,C or G

<400> 211
 acattgtttt tttagataa agcattgaga gagctctcct taacgtgaca caatggaagg 60
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120
 atattcaagc acatatgtta tatattattc agttccatgt ttatagccta gttaaggaga 180
 ggggagatac attcngaaag aggactgaaa gaaatactca agtnggaaaa cagaaaaaga 240
 aaaaaaggag caaatgagaa gcct 264

<210> 212
 <211> 328
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(328)
 <223> n = A,T,C or G

<400> 212
 acccaaaaat ccaatgctga atatttggtc tcattattcc canattcttt gattgtcaaa 60
 ggatttaatg ttgtctcagc ttgggcactt cagttaggac ctaaggatgc cagccggcag 120
 gtttatatat gcagcaaca tattcaagcg cgacaacagg ttattgaact tgcccggcag 180
 ttnaatttca ttcccattga cttgggatcc ttatcatcag ccagagagat tgaaaattta 240
 cccctacnac tctttactct ctgganaggg ccagtgggtg tagctataag cttggccaca 300
 tttttttttc ctttattcct ttgtcaga 328

<210> 213
 <211> 250
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature

<222> (1) ... (250)

<223> n = A,T,C or G

<400> 213

acttatgagc	agagcgacat	atccnagtgt	agactgaata	aaactgaatt	ctctccagtt	60
taaagcattg	ctcactgaag	ggatagaagt	gactgccagg	agggaaagta	agccaaggct	120
cattatgccca	aagganatat	acatttcaat	tctccaaact	tcttcctcat	tccaagagtt	180
ttcaatattt	gcatgaacct	gctgataanc	catgttaana	aacaaatc	tctctnacct	240
tctcatcggt						250

<210> 214

<211> 444

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (444)

<223> n = A,T,C or G

<400> 214

accagaatc	caatgctgaa	tatttggctt	cattattccc	agattccttg	attgtcaaag	60
gatttaattg	tgtctcagct	tgggcacttc	agttaggacc	taaggatgcc	agccggcagg	120
tttatatatg	cagcaacaat	attcaagcgc	gacaacaggt	tattgaactt	gcccggcagt	180
tgaatttcat	tcccattgac	ttgggaccc	tatcatcagc	canagagatt	gaaaatttac	240
ccctacgact	ctttactctc	tggagagggc	cagtgggtgt	agctataagc	ttggccacat	300
ttttttttcc	tttattcctt	tgtcagagat	gcgattcatc	catatgctan	aaaccaacag	360
agtgaacttt	acaaaattcc	tataganatt	gtgaataaaa	ccttacctat	agttgccatt	420
actttgctct	ccctaataata	cctc				444

<210> 215

<211> 366

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (366)

<223> n = A,T,C or G

<400> 215

acttatgagc	agagcgacat	atccaagtgt	anactgaata	aaactgaatt	ctctccagtt	60
taaagcattg	ctcactgaag	ggatagaagt	gactgccagg	agggaaagta	agccaaggct	120
cattatgccca	aagganatat	acatttcaat	tctccaaact	tcttcctcat	tccaagagtt	180
ttcaatattt	gcatgaacct	gctgataagc	catgttgaga	aacaaatc	tctctgacct	240
tctcatcggt	aagcagaggc	tgtaggcaac	atggaccata	gcgaanaaaa	aacttagtaa	300
tccaagctgt	tttctacact	gtaaccaggt	ttccaaccaa	ggtggaaatc	tcctatactt	360
ggtgcc						366

<210> 216

<211> 260

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
 <222> (1) ... (260)
 <223> n = A,T,C or G

<400> 216
 ctgtataaac agaactccac tgcangaggg agggccgggc caggagaatc tccgcttgtc 60
 caagacaggg gcctaaggag ggtctccaca ctgctnntaa gggctnttnc atttttttat 120
 taataaaaag tnnaaaaggc ctcttctcaa cttttttccc ttnggctgga aaatttaaaa 180
 atcaaaaatt tctnaagtt ntcaagctat catatatact ntatcctgaa aaagcaacat 240
 aattcttctt tccctccttt 260

<210> 217
 <211> 262
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (262)
 <223> n = A,T,C or G

<400> 217
 acctacgtgg gtaagtttan aaatgttata atttcaggaa naggaacgca tataattgta 60
 tcttgcttat aattttctat tttaataagg aaatagcaaa ttgggggtggg gggaatgtag 120
 ggcattctac agtttgagca aaatgcaatt aaatgtggaa ggacagcact gaaaaatttt 180
 atgaataatc tgtatgatta tatgtctcta gagtagattt ataattagcc acttacccta 240
 atatccttca tgcttgtaaa gt 262

<210> 218
 <211> 205
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (205)
 <223> n = A,T,C or G

<400> 218
 accaaggtgg tgcattaccg gaantggatc aangacacca tcgtggccaa cccctgagca 60
 cccctatcaa ctcccttttg tagtaaaactt ggaaccttgg aaatgaccag gccaaagactc 120
 aggctcccc agttctactg acctttgtcc ttangtntna ngtcagggt tgctaggaaa 180
 anaaatcagc agacacaggt gtaaa 205

<210> 219
 <211> 114
 <212> DNA
 <213> Homo sapien

<400> 219
 tactgttttg tctcagtaac aataaatata aaaagactgg ttgtgttccg gccccatcca 60
 accacgaagt tgatttctct tgtgtgcaga gtgactgatt ttaaaggaca tgga 114

<210> 220
 <211> 93

<212> DNA

<213> Homo sapien

<400> 220

actagccagc	acaaaaggca	gggtagcctg	aattgctttc	tgctctttac	atttctttta	60
aaataagcat	ttagtgctca	gtccctactg	agt			93

<210> 221

<211> 167

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (167)

<223> n = A,T,C or G

<400> 221

actangtgca	ggtgcgcaca	aatatttgct	gatattccct	tcatcttgga	ttccatgagg	60
tcttttgccc	agcctgtggc	tctactgtag	taagtttctg	ctgatgagga	gccagnatgc	120
ccccactac	cttccttgac	gtccccana	aatcacccaa	cctctgt		167

<210> 222

<211> 351

<212> DNA

<213> Homo sapien

<400> 222

agggcgtggt	gcggaggggc	gtactgacct	cattagtagg	aggatgcatt	ctggcacccc	60
gttcttcacc	tgtcccccaa	tccttaaaag	gccatactgc	ataaagtcaa	caacagataa	120
atgtttgctg	aattaaagga	tggatgaaaa	aaattaataa	tgaatttttg	cataatccaa	180
ttttctcttt	tatatttcta	gaagaagttt	ctttgagcct	attagatccc	gggaatcttt	240
taggtgagca	tgattagaga	gctttagggt	tgcttttaca	tatatctggc	atatttgagt	300
ctcgtatcaa	aacaatagat	tggtaaaggt	ggtattattg	tattgataag	t	351

<210> 223

<211> 383

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (383)

<223> n = A,T,C or G

<400> 223

aaaacaaaca	aacaaaaaaa	acaattcttc	attcagaaaa	attatcttag	ggactgatat	60
tggttaattat	ggtcaattta	atwrttrttk	ggggcatttc	cttacattgt	cttgacaaga	120
ttaaaatgtc	tgtgccaaaa	ttttgtattt	tatttgagga	cttcttatca	aaagtaatgc	180
tgccaaagga	agtctaagga	attagtagtg	ttcccmctac	ttgtttggag	tggtctattc	240
taaaagattt	tgatttcctg	gaatgacaat	tatattttta	ctttgggtggg	ggaaanagtt	300
ataggaccac	agtccttact	tctgatactt	gtaaattaat	cttttattgc	acttgttttg	360
accattaagc	tatatgttta	aaa				383

<210> 224

<211> 320
 <212> DNA
 <213> Homo sapien

<400> 224
 ccctgaagg cttcttggtta gaaaatagta cagttacaac caataggaac aacaaaaaga 60
 aaaagtttgt gacattgttag tagggagtggt gtacccctta ctcccatca aaaaaaaaaat 120
 ggatacatgg ttaaaggata raagggaat attttatcat atgttctaaa agagaaggaa 180
 gagaaaatac tactttctcr aaatggaagc ccttaaaggt gctttgatac tgaaggacac 240
 aaatgtggcc gtccatcttc ctttaragtt gcatgacttg gacacggtaa ctgttgacgt 300
 tttaractcm gcattgtgac 320

<210> 225
 <211> 1214
 <212> DNA
 <213> Homo sapien

<400> 225
 gaggactgca gcccgcactc gcagccctgg caggcggcac tggtcattga aaacgaattg 60
 ttctgctcgg gcgtcctggt gcatccgcag tgggtgctgt cagccgcaca ctgtttccag 120
 aactcctaca ccacggggct gggcctgcac agtcttgagg ccgaccaaga gccagggagc 180
 cagatgggtgg agggccagcct ctccgtacgg caccagagt acaacagacc ctgtctcgt 240
 aacgacctca tgctcatcaa gttggacgaa tccgtgtccg agtctgacac catccggagc 300
 atcagcattg cttcgcagtg ccctaccgcg gggaaactct gcctcgtttc tggctgggggt 360
 ctgctggcga acggcagaat gcctaccgtg ctgcagtgcg tgaacgtgtc ggtgggtgtct 420
 gaggaggtct gcagtaagct ctatgaccg ctgtaccacc ccagcatgtt ctgcgccggc 480
 ggagggcaag accagaagga ctctgcaac ggtgactctg gggggcccct gatctgcaac 540
 ggtactctgc agggccttgt gtctttcgga aaagccccgt gtggccaagt tggcgtgcc 600
 ggtgtctaca ccaacctctg caaattcact gagtggatag agaaaaccgt ccaggccagt 660
 taactctggg gactgggaac ccatgaaatt gacccccaaa tacatcctgc ggaagggaatt 720
 caggaatata tgttccagc ccctcctccc tcaggcccag gaggccagc cccagcccc 780
 tcctccctca aaccaagggt acagatcccc agccctcct ccctcagacc caggagtcca 840
 gacccccag cccctcctcc ctccagacca ggagtccagc ccctcctccc tcagaccag 900
 gaggccagac cccccagccc ctccctccctc agaccaggg gtccaggccc ccaaccctc 960
 ctccctcaga ctccagaggtc caagccccca acccctcctt cccagaccc agagggtccag 1020
 gtcccagccc ctccctccctc agaccagcg gtccaatgcc acctagactc tccctgtaca 1080
 cagtgtcccc ttgtggcacg ttgacccaac cttaccagtt ggtttttcat tttttgtccc 1140
 tttcccttag atccagaaat aaagtctaag agaagcgcaa aaaaaaaaaa aaaaaaaaaa 1200
 aaaaaaaaaa aaaa 1214

<210> 226
 <211> 119
 <212> DNA
 <213> Homo sapien

<400> 226
 acccagtatg tgcagggaga cggaacccca tgtgacagcc cactccacca gggttcccaa 60
 agaacctggc ccagtcataa tcattcatcc tgacagtggc aataatcacg ataaccagt 119

<210> 227
 <211> 818
 <212> DNA
 <213> Homo sapien

<400> 227

acaattcata	gggacgacca	atgaggacag	ggaatgaacc	cggctctccc	ccagccctga	60
tttttctac	atatggggtc	ccttttcatt	ctttgcaaaa	acactggggt	ttctgagaac	120
acggacggtt	cttagcacia	tttgtgaaat	ctgtgtaraa	ccgggctttg	caggggagat	180
aattttcctc	ctctggagga	aaggtggtga	ttgacaggca	gggagacagt	gacaaggcta	240
gagaaagcca	cgctcggcct	tctctgaacc	aggatggaac	ggcagacccc	tgaaaacgaa	300
gcttgctccc	ttccaatcag	ccacttctga	gaacccccat	ctaacttctc	actggaaaag	360
agggcctcct	caggagcagt	ccaagagttt	tcaagataaa	cgtgacaact	accatctaga	420
ggaaagggtg	caccctcagc	agagaagccg	agagcttaac	tctggtcggt	tccagagaca	480
acctgctggc	tgtcttggga	tgcgcccagc	ctttgagagg	ccactacccc	atgaacttct	540
gccatccact	ggacatgaag	ctgaggacac	tgggcttcaa	cactgagttg	tcatgagagg	600
gacaggctct	gcctcaagc	cggctgaggg	cagcaaccac	tctcctcccc	tttctcacgc	660
aaagccattc	ccacaaatcc	agaccatacc	atgaagcaac	gagacccaaa	cagtttggtc	720
caagaggata	tgaggactgt	ctcagcctgg	ctttgggctg	acaccatgca	cacacacaag	780
gtccacttct	aggttttcag	cctagatggg	agtcgtgt			818

<210> 228

<211> 744

<212> DNA

<213> Homo sapien

<400> 228

actggagaca	ctgttgaact	tgatcaagac	ccagaccacc	ccaggctctcc	ttcgtgggat	60
gtcatgacgt	ttgacatacc	tttggaaacga	gcctcctcct	tggagatgg	aagaccgtgt	120
tctgtggcga	cctggcctct	cctggcctgt	ttcttaagat	gcggagtcac	atttcaatgg	180
taggaaaagt	ggcttcgtaa	aatagaagag	cagtcactgt	ggaactacca	aatggcgaga	240
tgctcggtag	acattggggg	gctttgggat	aaaagattta	tgagccaact	attctctggc	300
accagattct	aggccagttt	gttccactga	agcttttccc	acagcagtc	acctctgcag	360
gctggcagct	gaatggcctg	ccggtggctc	tgtggcaaga	tcacactgag	atcgatgggt	420
gagaaggcta	ggatgcttgt	ctagtgttct	tagctgtcac	gttggctcct	tccaggttgg	480
ccagacgggtg	ttggccactc	ccttctaaaa	cacaggcgcc	ctcctggtga	cagtgaacccg	540
ccgtgggtatg	ccttggccca	ttccagcagt	cccagttatg	catttcaagt	ttgggggtttg	600
ttcttttctg	taatgttctc	ctgtgttgtc	agctgtcttc	atttctctgg	ctaagcagca	660
ttgggagatg	tggaccagag	atccactcct	taagaaccag	tggcgaaaga	cactttcttt	720
cttcaactctg	aagtagctgg	tggt				744

<210> 229

<211> 300

<212> DNA

<213> Homo sapien

<400> 229

cgagtctggg	ttttgtctat	aaagtttgat	ccctcctttt	ctcatccaaa	tcatgtgaac	60
cattacacat	cgaataaaaa	gaaagggtgg	agacttgccc	aacgccaggc	tgacatgtgc	120
tgcagggttg	ttgtttttta	attattattg	ttagaaacgt	caccacacag	ccctgttaat	180
ttgtatgtga	cagccaactc	tgagaaggtc	ctatttttcc	acctgcagag	gatccagtct	240
cactaggctc	ctccttgccc	tcacactgga	gtctccgcca	gtgtgggtgc	ccactgacat	300

<210> 230

<211> 301

<212> DNA

<213> Homo sapien

<400> 230

cagcagaaca	aatacaaata	tgaagagtgc	aaagatctca	taaaatctat	gctgaggaat	60
gagcgacagt	tcaaggagga	gaagcttgca	gagcagctca	agcaagctga	ggagctcagg	120

caatataaag	tcctgggttca	cactcaggaa	cgagagctga	cccagttaag	ggagaagttg	180
cggaagga	gagatgcctc	cctctcattg	aatgagcatc	tccaggccct	cctcactccg	240
gatgaaccgg	acaagtccca	ggggcaggac	ctccaagaaa	cagacctcgg	ccgcgaccac	300
g						301

<210> 231

<211> 301

<212> DNA

<213> Homo sapien

<400> 231

gcaagcacgc	tggcaaatct	ctgtcaggtc	agctccagag	aagccattag	tcatttttagc	60
caggaactcc	aagtccacat	ccttggcaac	tggggacttg	cgcaggttag	ccttgaggat	120
ggcaacacgg	gactttctcat	caggaagtgg	gatgtagatg	agctgatcaa	gacggccagg	180
tctgaggatg	gcaggatcaa	tgatgtcagg	ccggttggtg	ccgccaatga	tgaacacatt	240
tttttttgtg	gacatgccat	ccattttctgt	caggatctgg	ttgatgactc	ggtcagcagc	300
c						301

<210> 232

<211> 301

<212> DNA

<213> Homo sapien

<400> 232

agtaggtatt	tcgtgagaag	ttcaacacca	aaactggaac	atagttctcc	ttcaagtgtt	60
ggcgacagcg	gggcttcctg	attctggaat	ataactttgt	gtaaattaac	agccacctat	120
agaagagtcc	atctgctgtg	aaggagagac	agagaactct	gggttccgtc	gtcctgtcca	180
cgtgctgtac	caagtgtctg	tgccagcctg	ttacctgttc	tactgaaaa	tctggctaata	240
gctcttgtgt	atcactttctg	attctgacaa	tcaatcaatc	aatggcctag	agcactgact	300
g						301

<210> 233

<211> 301

<212> DNA

<213> Homo sapien

<400> 233

atgactgact	ttccagtaag	gctctctaa	gggtaagtag	gaggatccac	aggatttgag	60
atgctaaggc	cccagagatc	gtttgatcca	accctcttat	tttcagaggg	gaaaatgggg	120
cctagaagtt	acagagcatc	tagctggtgc	gctggcaccc	ctggcctcac	acagactccc	180
gagtagctgg	gactacaggc	acacagtcac	tgaagcaggc	cctgttagca	attctatgcy	240
tacaaattaa	catgagatga	gtagagactt	tattgagaaa	gcaagagaaa	atcctatcaa	300
c						301

<210> 234

<211> 301

<212> DNA

<213> Homo sapien

<400> 234

aggtcctaca	catcgagact	catccatgat	tgatatgaat	ttaaaaatta	caagcaaaga	60
catttttattc	atcatgatgc	tttcttttgt	ttcttctttt	cgttttcttc	tttttctttt	120
tcaatttcag	caacatactt	ctcaatttct	tcaggattta	aaatcttgag	ggattgatct	180
cgcctcatga	cagcaagttc	aatgtttttg	ccacctgact	gaaccacttc	caggagtgcc	240
ttgatcacca	gcttaatggt	cagatcatct	gcttcaatgg	cttcgtcagt	atagttcttc	300

t

301

<210> 235
 <211> 283
 <212> DNA
 <213> Homo sapien

<400> 235

tggggctgtg catcaggcgg gtttgagaaa tattcaattc tcagcagaag ccagaatttg	60
aattccctca tcttttaggg aatcatttac caggtttggg gaggattcag acagctcagg	120
tgctttcact aatgtctctg aacttctgtc cctctttgtt catggatagt ccaataaata	180
atgttatctt tgaactgatg ctcataggag agaataaag aactctgagt gatatcaaca	240
ttagggattc aaagaaatat tagatttaag ctcacactgg tca	283

<210> 236
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 236

aggtcctcca ccaactgcct gaagcacggt taaaattggg aagaagtata gtgcagcata	60
aatactttta aatcgatcag atttccctaa cccacatgca atcttcttca ccagaagagg	120
tcggagcagc atcattaata ccaagcagaa tgcgtaatat ataaatacaa tggatatag	180
tgggtagacg gcttcgatgag tacagtgtac tgtggtatcg taatctggac ttgggttgta	240
aagcatcgtg taccagtcag aaagcatcaa tactcgacat gaacgaatat aaagaacacc	300
a	301

<210> 237
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 237

cagtggtagt ggtgggtggac gtggcggttg tctggtgccc ttttttggtg cccgtcacia	60
actcaatttt tgttcgctcc tttttggcct ttccaattt gtccatctca attttctggg	120
ccttggtctaa tgcctcatag taggagtcct cagaccagcc atggggatca aacatatcct	180
ttgggtagtt ggtgccaagc tgcgtaatgg cacagaatgg atcagcttct cgtaaattcta	240
gggttccgaa attctttctt cctttggata atgtagttca tatccattcc ctccctttatc	300
t	301

<210> 238
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 238

gggcaggttt tttttttttt ttttttgatg gtgcagaccc ttgctttatt tgtctgactt	60
gttcacagtt cagccccctg ctcaaaaaac caacggggcca gctaaggaga ggaggaggca	120
ccttgagact tccggagtcg aggtctctcca gggttcccca gcccatcaat cattttctgc	180
accccctgcc tgggaagcag ctccctgggg ggtgggaatg ggtgactaga agggatttca	240
gtgtgggacc cagggtctgt tcttcacagt aggaggtgga agggatgact aatttcttta	300
t	301

<210> 239
 <211> 239

<212> DNA

<213> Homo sapien

<400> 239

ataagcagct aggggaattct ttatttagta atgtcctaac ataaaagtgc acataactgc	60
ttctgtcaaa ccatgatact gagctttgtg acaaccaga aataactaag agaaggcaaa	120
cataatacct tagagatcaa gaaacattta cacagttcaa ctgtttaaaa atagctcaac	180
attcagccag tgagtagagt gtgaatgcc aacatacacag tatacaggtc cttcaggga	239

<210> 240

<211> 300

<212> DNA

<213> Homo sapien

<400> 240

ggtcctaatag aagcagcagc ttccacattt taacgcaggt ttacgggtgat actgtccttt	60
gggatctgcc ctccagtggg acccttttaag gaagaagtgg gcccaagcta agttccacat	120
gctgggtgag ccagatgact tctgttcctt gggtcactttc ttcaatgggg cgaatggggg	180
ctgccagggt tttaaaatca tgcttcatct tgaagcacac gggtcacttca cctcctcac	240
gctgtgggtg tactttgatg aaaataccca ctttgttggc ctttctgaag ctataatgc	300

<210> 241

<211> 301

<212> DNA

<213> Homo sapien

<400> 241

gaggctctggt gctgaggtct ctgggctagg aagaggagtt ctgtggagct ggaagccaga	60
cctcttttga ggaactcca gcagctatgt tgggtgtctt gagggaaatgc aacaaggctg	120
ctcctccatg tattggaaaa ctgcaactg gactcaactg gaaggaagtg ctgctgccag	180
tgtgaagaac cagcctgagg tgacagaaac ggaagcaaac aggaacagcc agtcttttct	240
tctcctcct gtcatacggg ctctctcaag catcctttgt tgcaggggc ctaaaagga	300
g	301

<210> 242

<211> 301

<212> DNA

<213> Homo sapien

<400> 242

ccgaggtcct gggatgcaac caatcactct gtttcacgtg acttttatca ccatacaatt	60
tgtggcattt cctcattttc tacattgtag aatcaagagt gtaataaat gtatatcgat	120
gtcttcaaga atatatcatt cctttttcac tagaaccat tcaaatata agtcaagaat	180
cttaatatca acaatatat caagcaaact ggaaggcaga ataactacca taatttagta	240
taagtaccca aagttttata aatcaaaagc cctaatagata accattttta gaattcaatc	300
a	301

<210> 243

<211> 301

<212> DNA

<213> Homo sapien

<400> 243

aggtaatgcc cagtttgaag ctcaaaagat ctggatgag cataggctca tcgacgacat	60
ggtggcccaa gctatgaaat cagagggagg cttcatctgg gcctgtaaaa actatgatgg	120

tgacgtgcag tcggactctg tggcccaagg gtatggctct ctccggcatga tgaccagcgt 180
 gctgggttgt ccagatggca agacagtaga agcagaggct gccacggga ctgtaacccg 240
 tcactaccgc atgttccaga aaggacagga gacgtccacc aatcccattg cttccatttt 300
 t 301

<210> 244
 <211> 300
 <212> DNA
 <213> Homo sapien

<400> 244
 gctgggttgc aagaatgaaa tgaatgattc tacagctagg acttaacctt gaaatggaaa 60
 gtcacgcaat cccatttgca ggatctgtct gtgcacatgc ctctgtagag agcagcattc 120
 ccagggacct tggaaacagt tgacactgta aggtgcttgc tcccaagac acatcctaaa 180
 aggtgttgta atggtgaaaa cgtcttcctt ctttattgcc ccttcttatt tatgtgaaca 240
 actgtttgtc ttttgtgtat cttttttaa ctgtaaagtt caattgtgaa aatgaatatc 300

<210> 245
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 245
 gtctgagtat ttaaaatggt attgaaatta tccccaacca atgttagaaa agaaagaggt 60
 tatatactta gataaaaaat gaggtgaatt actatccatt gaaatcatgc tcttagaatt 120
 aaggccagga gatattgtca ttaattgtara cttcaggaca ctagagtata gcagccctat 180
 gttttcaaag agcagagatg caattaaata ttgttttagca tcaaaaaggc cactcaatac 240
 agctaataaa atgaaagacc taatttctaa agcaattctt tataatttac aaagttttaa 300
 g 301

<210> 246
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 246
 ggtctgtcct acaatgcctg cttcttgaaa gaagtcggca ctttctagaa tagctaaata 60
 acctgggctt attttaaaga actatttgta gctcagattg gttttcctat ggctaaaata 120
 agtgcttctt gtgaaaatta aataaaacag ttaattcaaa gccttgatat atgttaccac 180
 taacaatcat actaaatata ttttgaagta caaagtttga catgctctaa agtgacaacc 240
 caaatgtgtc ttacaaaaca cgttcctaac aaggtatgct ttacactacc aatgcagaaa 300
 c 301

<210> 247
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 247
 aggtcctttg gcagggtcga tggatcagag ctcaaactgg agggaaaggc atttcgggta 60
 gcctaagagg gcgactggcg gcagcacaac caaggaaggc aaggttggtt cccacacgct 120
 gtgtcctgtg ttcagggtgcg acacacaatc ctcatgggaa caggatcacc catgcgctgc 180
 ccttgatgat caaggttggg gcttaagtgg attaaggagg gcaagttctg gggtccttgc 240
 cttttcaaac catgaagtca ggctctgtat ccctcctttt cctaactgat attctaacta 300
 a 301

<210> 248
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 248
 aggtccttgg agatgccatt tcagccgaag gactcttctw ttcggaagta caccctcact 60
 attaggaaga ttcttagggg taatttttct gaggaaggag aactagccaa cttaagaatt 120
 acaggaagaa agtggtttgg aagacagcca aagaaataaa agcagattaa attgtatcag 180
 gtacattcca gcctgttggc aactccataa aaacatttca gattttaatc ccgaatttag 240
 ctaatgagac tggatttttg ttttttatgt tgtgtgtcgc agagctaaaa actcagttcc 300
 c 301

<210> 249
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 249
 gtccagagga agcacctggt gctgaactag gcttgccctg ctgtgaactt gcacttggag 60
 ccctgacgct gctgttctcc ccgaaaaacc cgaccgacct ccgcgatctc cgtcccgcgc 120
 ccagggagac acagcagtga ctcagagctg gtcgcacact gtgcctccct cctcaccgcc 180
 catcgtaatg aattattttg aaaattaatt ccaccatcct ttcagattct ggatggaaag 240
 actgaatcct tgactcagaa ttgtttgctg aaaagaatga tgtgactttc ttagtcattt 300
 a 301

<210> 250
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 250
 ggtctgtgac aaggacttgc aggctgtggg aggcaagtga cccttaacac tacactttctc 60
 cttatcttta ttggcttgat aaacataatt atttctaaca ctactttatt tccagttgcc 120
 cataagcaca tcagtacttt tctctggctg gaatagtaaa ctaaagtatg gtacatctac 180
 ctaaaagact actatgtgga ataatacata ctaatgaagt attacatgat ttaaagacta 240
 caataaaacc aaacatgctt ataacattaa gaaaaacaat aaagatacat gattgaaacc 300
 a 301

<210> 251
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 251
 gccgaggtcc tacatttggc ccagtttccc cctgcaccc ctccagggcc cctgcctcat 60
 agacaacctc atagagcata ggagaactgg ttgccctggg ggcaggggga ctgtctggat 120
 ggcaggggtc ctcaaaaatg ccactgtcac tgccaggaaa tgcttctgag cagtacacct 180
 cattgggatc aatgaaaagc ttcaagaaat cttcaggctc actctcttga aggcccgga 240
 cctctggagg ggggcagtgg aatcccagct ccaggacgga tcctgtcgaa aagatatcct 300
 c 301

<210> 252
 <211> 301

<212> DNA

<213> Homo sapien

<400> 252

gcaaccaatc actctgtttc acgtgacttt tatcaccata caatttgtgg catttcctca	60
ttttctacat tgtagaatca agagtgtaaa taaatgtata tcgatgtctt caagaatata	120
tcattccttt ttactagga acccattcaa aatataagtc aagaatctta atatcaacaa	180
atatatcaag caaactggaa ggcagaataa ctaccataat ttagtataag tacccaaagt	240
tttataaatc aaaagcccta atgataacca tttttagaat tcaatcatca ctgtagaatc	300
a	301

<210> 253

<211> 301

<212> DNA

<213> Homo sapien

<400> 253

ttccctaaga agatgttatt ttgttgggtt ttgttccccc tccatctcga ttctcgtacc	60
caactaaaaa aaaaaataa agaaaaaatg tgctgcgttc tgaaaaataa ctccttagct	120
tggtctgatt gttttcagac cttaaaatat aaacttggtt cacaagcttt aatccatgtg	180
gatttttttt cttagagaac cacaaaacat aaaaggagca agtcggactg aatacctgtt	240
tccatagtgc ccacagggtta ttcctcacat tttctccata ggaaaatgct ttttcccaag	300
g	301

<210> 254

<211> 301

<212> DNA

<213> Homo sapien

<400> 254

cgctgcgcct ttcccttggg ggaggggcaa ggccagaggg ggtccaagtg cagcacgagg	60
aacttgacca attcccttga agcgggtggg ttaaaccctg taaatgggaa caaaatcccc	120
ccaaatctct tcattctacc ctggtggact cctgactgta gaattttttg gttgaaacaa	180
gaaaaaataa aagcttttga cttttcaagg ttgcttaaca ggtactgaaa gactggcctc	240
acttaaaactg agccaggaaa agctgcagat ttattaatgg gtgtgttagt gtgcagtgcc	300
t	301

<210> 255

<211> 302

<212> DNA

<213> Homo sapien

<400> 255

agcttttttt tttttttttt tttttttttt ttcattaaaa aatagtgttc tttattataa	60
attactgaaa tgtttctttt ctgaatataa atataaatat gtgcaaagtt tgacttggat	120
tgggattttg ttgagttctt caagcatctc ctaataccct caagggcctg agtagggggg	180
aggaaaaagg actggaggtg gaatctttat aaaaaacaag agtgattgag gcagattgta	240
aacattatta aaaaacaaga aacaaacaaa aaaatagaga aaaaaccac cccaacacac	300
aa	302

<210> 256

<211> 301

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 256
 gttccagaaa acattgaagg tggcttccca aagtctaact agggatcccc cctctagcct 60
 aggaccctcc tccccacacc tcaatccacc aaaccatcca taatgcaccc agataggccc 120
 acccccaaaa gcctggacac cttgagcaca cagttatgac caggacagac tcattctctat 180
 aggcaaatag ctgctggcaa actggcatta cctggtttgt ggggatgggg gggcaagtgt 240
 gtggcctctc ggcttggtta gcaagaacat tcagggtagg cctaagttnan tcgtgttagt 300
 t 301

<210> 257
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 257
 gttgtggagg aactctggct tgctcattaa gtctactga ttttactat cccctgaatt 60
 tccccactta ttttgtctt tcactatcgc aggccttaga agaggtctac ctgcctccag 120
 tcttacctag tccagtctac cccctggagt tagaatggcc atcctgaagt gaaaagtaat 180
 gtcacattac tcccttcagt gatttcttgt agaagtgcc atccctgaat gccaccaaga 240
 tcttaatctt cacatcttta atcttatctc tttgactcct ctttacaccg gagaaggctc 300
 c 301

<210> 258
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 258
 cagcagtagt agatgccgta tgccagcacg cccagcactc ccaggatcag caccagcacc 60
 agggggccag ccaccaggcg cagaagcaag ataaacagta ggctcaagac cagagccacc 120
 cccagggcaa caagaatcca ataccaggac tgggcaaaat cttcaaagat ctttaacactg 180
 atgtctcggg cattgaggct gtcaataana cgctgatccc ctgctgtatg gtggtgtcat 240
 tggatgatccc tgggagcgcc ggtggagtaa cgttgggtcca tggaaagcag cgcccacaac 300
 t 301

<210> 259
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 259


```

tcatatatgc aaacaaatgc agactangcc tcaggcagag actaaaggac atctcttggg      60
gtgtcctgaa gtgatttgga cccctgaggg cagacaccta agtaggaatc ccagtgggaa      120
gcaaagccat aagggaagccc aggattcctt gtgatcagga agtgggccag gaaggtctgt      180
tccagctcac atctcatctg catgcagcac ggaccggatg cggccactgg gtcttggtt      240
ccctcccatc ttctcaagca gtgtccttgt tgagccattt gcatccttgg ctccaggtgg      300
c

```

```

<210> 260
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 260
tttttttctt ccctaaggaa aaagaaggaa caagtctcat aaaaccaaat aagcaatggt      60
aaggtgtctt aacttgaaaa agattaggag tctctgggtt acaagttata attgaatgaa      120
agaactgtaa cagccacagt tggccatttc atgccaatgg cagcaaacia caggattaac      180
tagggcaaaa taaataagtg tgtggaagcc ctgataagtg cttataaac agactgattc      240
actgagacat cagtacctgc ccgggcggcc gctcgagccg aattctgcag atatccatca      300
c

```

```

<210> 261
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 261
aaatattcga gcaaatcctg taactaatgt gtctccataa aaggctttga actcagtgaa      60
tctgcttcca tccacgattc tagcaatgac ctctcggaca tcaaagctcc tcttaagggt      120
agcaccaact attccataca attcatcagc aggaaataaa ggctcttcag aaggttcaat      180
ggtgacatcc aatttcttct gataatttag attcctcaca accttcctag ttaagtgaag      240
ggcatgatga tcatccaaag cccagtggtc acttactcca gactttctgc aatgaagatc      300
a

```

```

<210> 262
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 262
gaggagagcc tgttacagca tttgtaagca cagaatactc caggagtatt tgtaattgtc      60
tgtgagcttc ttgccgcaag tctctcagaa atttaaaaag atgcaaatac ctgagtcacc      120
cctagacttc ctaaaccaga tctctggggg ctggaacctg gcaactctgca tttgtaatga      180
gggctttctg gtgcacacct aattttgtgc atctttgccc taaatcctgg attagtcccc      240
catcattacc cccacattat aatgggatag attcagagca gatactctcc agcaaagaat      300
c

```

```

<210> 263
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (301)
<223> n = A,T,C or G

```

<400> 263

tttagcttgt ggtaaatgac tcacaaaact gattttaaaa tcaagttaat gtgaattttg	60
aaaattacta cttaatccta attcacaata acaatggcat taaggtttga cttgagttgg	120
ttcttagtat tatttatggg aaataggctc ttaccacttg caaataactg gccacatcat	180
taatgactga cttcccagta aggtctctta aggggtaagt angaggatcc acaggatttg	240
agatgctaag gccccagaga tcgtttgatc caacctctt attttcagag gggaaaatgg	300
g	301

<210> 264

<211> 301

<212> DNA

<213> Homo sapien

<400> 264

aaagacgtta aaccactcta ctaccacttg tggaactctc aaagggtaaa tgacaaascc	60
aatgaatgac tctaaaaaca atatttacat ttaatgggtt gtagacaata aaaaaacaag	120
gtggatagat ctagaattgt aacattttta gaaaaccata scatttgaca gatgagaaag	180
ctcaattata gatgcaaagt tataactaaa ctactatagt agtaaagaaa tacatttcac	240
acccttcata taaattcact atcttggtt gaggcactcc ataaaatgta tcacgtgcat	300
a	301

<210> 265

<211> 301

<212> DNA

<213> Homo sapien

<400> 265

tgcccaagtt atgtgtaagt gtatccgcac ccagaggtaa aactacactg tcattcttgt	60
cttcttgtga cgcagtattt cttctctggg gagaagccgg gaagtcttct cctggctcta	120
catattcttg gaagtctcta atcaactttt gttccatttg ttctatttct tcaggagggg	180
ttttcagttt gtcaacatgt tctctaaca cacttgccca ttctgttaa gaatccaaag	240
cagtccaagg ctttgacatg tcaacaacca gcataactag agtatccttc agagatacgg	300
c	301

<210> 266

<211> 301

<212> DNA

<213> Homo sapien

<400> 266

taccgtctgc ctttctctcc atccaggcca tctgcgaatc tacatgggtc ctctatttcg	60
acaccagatc actcttttct ctaccacag gcttgctatg agcaagagac acaacctctt	120
ctcttctgtg ttccagcttc ttttctgtt ctcccaccc ctttaagttct attcctgggg	180
atagagacac caatacccat aacctctctc ctaagcctcc ttataacca ggggtgcacag	240
cacagactcc tgacaactgg taaggccaat gaactgggag ctcacagctg gctgtgctg	300
a	301

<210> 267

<211> 301

<212> DNA

<213> Homo sapien

<400> 267

aaagagcaca ggccagctca gcctgccctg gccatctaga ctcagcctgg ctccatgggg	60
---	----

```

gtttctcagtg ctgagtcctat ccaggaaaag ctcacctaga ccttctgagg ctgaatcttc      120
atcctcacag gcagcttctg agagcctgat attcctagcc ttgatggctt ggagtaaagc      180
ctcattctga ttctctcctt tcttttcttt caagttggct ttcttcacat cctctgttct      240
aattcgcttc agcttgcttg ctttagccct catttcaga agcttcttct ctttggcatc      300
t                                                                                   301

```

```

<210> 268
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 268
aatgtctcac tcaactactt cccagcctac cgtggcctaa ttctgggagt tttcttctta      60
gatcttggga gagctggttc ttctaaggag aaggaggag gacagatgta actttggatc      120
tcgaagagga agtctaattg aagtaattag tcaacggctc ttgtttagac tcttggata      180
tgctgggtgg ctcagtgagc ccttttgagg aaagcaagta ttattcttaa ggagtaacca      240
cttcccattg ttctactttc taccatcatc aattgtatat tatgtattct ttggagaact      300
a                                                                                   301

```

```

<210> 269
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 269
taacaatata cactagctat ctttttaact gtccatcatt agcaccaatg aagattcaat      60
aaaattacct ttattcacac atctcaaaac aattctgcaa attcttagtg aagtttaact      120
atagtcacag accttaaata ttcacattgt tttctatgtc tactgaaaat aagttcacta      180
cttttctgga tattctttac aaaatcttat taaaattcct ggtattatca ccccaatta      240
tacagtagca caaccacctt atgtagtttt tacatgatag ctctgtagaa gtttcacatc      300
t                                                                                   301

```

```

<210> 270
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 270
cattgaagag cttttgcgaa acatcagaac acaagtgtt ataaaattaa ttaagcctta      60
cacaagaata catattcctt ttatttctaa ggagttaaac atagatgtag ctgatgtgga      120
gagcttgctg gtgcagtgca tattggataa cactattcat ggccgaattg atcaagtcaa      180
ccaactcctt gaactggatc atcagaagaa ggggtgtgca cgatatactg cactagataa      240
tggaaccaacc aactaaattc tctcaccagg ctgtatcagt aaactggctt aacagaaaac      300
a                                                                                   301

```

```

<210> 271
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (301)
<223> n = A,T,C or G

```

<400> 271

```

aaaaggttct cataagatta acaatttaa taaatatttg atagaacatt ctttctcatt    60
tttatagctc atcttttagg ttgatattca gttcatgctt cccttgctgt tcttgatcca    120
gaattgcaat cacttcatca gcctgtattc gctccaattc tctataaagt gggccaagg    180
tgaaccacag agccacagca cacctctttc ccttgggtgac tgccttcacc ccatganggt    240
tctctcctcc agatganaac tgatcatgcy cccacatttt gggttttata gaagcagtc    300
c

```

<210> 272

<211> 301

<212> DNA

<213> Homo sapien

<400> 272

```

taaattgcta agccacagat aacaccaatc aaatggaaca aatcactgtc ttcaaagtgc    60
ttatcagaaa accaaatgag cctggaatct tcataatacc taaacatgcc gtatttagga    120
tccaataatt ccctcatgat gagcaagaaa aattctttgc gcacccctcc tgcattcaca    180
gcatcttctc caacaaatat aaccttgagt ggcttcttgt aatctatggt ctttggtttc    240
ctaaggactt ccattgcac tcctacaata ttttctctac gcaccactag aattaagcag    300
g

```

<210> 273

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 273

```

acatgtgtgt atgtgtatct ttgggaaaaa aanaagacat cttgtttayt atttttttgg    60
agagangctg ggacatggat aatcacwtaa tttgctayta tyactttaat ctgactygaa    120
gaaccgtcta aaaataaaat ttaccatgtc dtatattcct tatagtatgc ttatttcacc    180
tlytttctgt ccagagagag tatcagtgc ananatttma ggggtgaamac atgmattggg    240
gggacttnty ttacngagm accctgccc sgcgccctcg makcngantt ccgcsananc    300
t

```

<210> 274

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 274

```

cttatatact ctttctcaga ggcaaaagag gagatgggta atgtagacaa ttctttgagg    60
aacagtaa at gattattaga gagaangaat ggaccaagga gacagaaatt aacttgtaaa    120
tgattctctt tggaatctga atgagatcaa gaggccagct ttagcttggt gaaaagtcca    180
tctaggatg gttgcattct cgtcttctt tctgcagtag ataatgaggt aaccgaaggc    240
aattgtgctt cttttgataa gaagctttct tggatcatatc aggaaattcc aganaaagtc    300

```

c

301

<210> 275

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 275

tcggtgtcag cagcacgtgg cattgaacat tgcaatgtgg agcccaaacc acagaaaatg	60
gggtgaaatt ggccaacttt ctattaactt atgttggcaa ttttgccacc aacagtaagc	120
tggcccttct aataaaagaa aattgaaagg tttctcacta aacggaatta agtagtgag	180
tcaagagact cccaggcctc agcgtacctg cccgggcggc cgctcgaagc cgaattctgc	240
agatatccat cacactggcg gncgctcgan catgcatcta gaaggnccaa ttcgccctat	300
a	301

<210> 276

<211> 301

<212> DNA

<213> Homo sapien

<400> 276

tgtacacata ctcaataaat aaatgactgc atttgtggtat tattactata ctgattatat	60
ttatcatgtg acttctaatt agaaaatgta tccaaaagca aaacagcaga tatacaaaat	120
taaagagaca gaagatagac attaacagat aaggcaactt atacattgag aatccaaatc	180
caatacathtt aaacatttgg gaaatgaggg ggacaaatgg aagccagatc aaatttgtgt	240
aaaactattc agtatgtttc ccttgcttca tgtctgagaa ggctctcctt caatggggat	300
g	301

<210> 277

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 277

tttgttgatg tcagtathtt attacttgcg ttatgagtgc tcacctggga aattctaaag	60
atacagagga cttggaggaa gcagagcaac tgaatttaat ttaaagaag gaaaacattg	120
gaatcatggc actcctgata ctttcccaaa tcaacactct caatgcccc cctcgtcct	180
caccatagtg gggagactaa agtggccacg gatttgcctt angtgtgcag tgcgttctga	240
gttcnctgtc gattacatct gaccagtctc ctttttccga agtcntccg ttcaatcttg	300
c	301

<210> 278

<211> 301

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 278
 taccactaca ctccagcctg ggcaacagag caagacctgt ctcaaagcat aaaatggaat 60
 aacatatcaa atgaaacagg gaaaatgaag ctgacaattt atggaagcca gggcttgtca 120
 cagtctctac tgttattatg cattacctgg gaatttatat aagcccttaa taataatgcc 180
 aatgaacatc tcatgtgtgc tcacaatgtt ctggcactat tataagtgtc tcacaggttt 240
 tatgtgttct tcgtaacttt atggantagg tactcggccg cgaacacgct aagccgaatt 300
 c 301

<210> 279
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 279
 aaagcaggaa tgacaaagct tgcttttctg gtatgttcta ggtgtattgt gacttttact 60
 gttatattaa ttgccaatat aagtaaatat agattatata tgtatagtgt ttcacaaagc 120
 ttagaccttt acctccagc caccacacag tgcttgatat ttcagagtca gtcattgggt 180
 atacatgtgt agttccaaag cacataagct agaanaanaa atatttctag ggagcactac 240
 catctgtttt cacatgaaat gccacacaca tagaactcca acatcaattt cattgcacag 300
 a 301

<210> 280
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 280
 ggtactggag ttttctctcc ctgtgaaaac gtaactactg ttgggagtga attgaggatg 60
 tagaaagggt gtggaaccaa attgtggtca atggaaatag gagaatatgg ttctcactct 120
 tgagaaaaaa acctaaagatt agcccaggta gttgcctgta acttcagttt ttctgcctgg 180
 gtttgatata gtttaggggt ggggttagat taagatctaa attacatcag gacaaagaga 240
 cagactatta actccacagt taattaagga ggtatgttcc atgtttattt gttaaagcag 300
 t 301

<210> 281
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 281
 aggtacaaga aggggaatgg gaaagagctg ctgctgtggc attgttcaac ttggatatcc 60
 gccgagcaat ccaaatcctg aatgaagggg catcttctga aaaaggagat ctgaatctca 120
 atgtggtagc aatggcttta tcgggttata cggatgagaa gaactccctt tggagagaaa 180
 tgtgtagcac actgcgatta cagctaaata acccgatttt gtgtgtcatg ttgcatttc 240

tgacaagtga aacaggatct tacgatggag ttttgtatga aaacaaagtt gcagtacctc 300
g 301

<210> 282
<211> 301
<212> DNA
<213> Homo sapien

<400> 282
caggtactac agaattaaaa tactgacaag caagtagttt cttggcgtgc acgaattgca 60
tccagaaccc aaaaattaag aaattcaaaa agacattttg tgggcacctg ctacacacaga 120
agcgcagaag caaagcccag gcagaacat gctaacctta cagctcagcc tgcacagaag 180
cgcagaagca aagcccaggc agaaccatgc taaccttaca gctcagcctg cacagaagcg 240
cagaagcaaa gcccaggcag aacatgctaa ccttacagct cagcctgcac agaagcacag 300
a 301

<210> 283
<211> 301
<212> DNA
<213> Homo sapien

<400> 283
atctgtatac ggcagacaaa ctttatarag tgtagagagg tgagcgaaag gatgcaaaag 60
cactttgagg gctttataat aatatgctgc ttgaaaaaaa aaatgtgtag ttgatactca 120
gtgcatctcc agacatagta aggggttgct ctgaccaatc aggtgatcat tttttctatc 180
acttcccagg ttttatgcaa aaattttggt aaattctata atggtgatat gcattcttta 240
ggaaacatat acatttttaa aaatctattt tatgtaagaa ctgacagacg aatttgcttt 300
g 301

<210> 284
<211> 301
<212> DNA
<213> Homo sapien

<400> 284
caggtacaaa acgctattaa gtggcttaga attgaacat ttgtggtctt tatttacttt 60
gcttcgtgtg tgggcaaagc aacatcttcc ctaaataat attaccaaga aaagcaagaa 120
gcagattagg tttttgacaa aacaaacagg ccaaaagggg gctgacctgg agcagagcat 180
ggtagaggc aaggcatgag agggcaagtt tgttgtggac agatctgtgc ctactttatt 240
actggagtaa aagaaaacaa agttcattga tgtcgaagga tatatacagt gttagaaatt 300
a 301

<210> 285
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

<400> 285
acatcaccat gatcggtacc cccacccatt atacgttgta tgtttacata aatactcttc 60
aatgatcatt agtgttttaa aaaaaatact gaaaactcct tctgcatccc aatctctaac 120

```

caggaaagca aatgctatatt acagacctgc aagccctccc tcaaacnaaa ctattttctgg 180
attaaatatg tctgacttct tttgaggcca cacgactagg caaatgctat ttacgatctg 240
caaaagctgt ttgaagagtc aaagccccc tgtgaacacg atttctggac cctgtaacag 300
t 301

```

<210> 286

<211> 301

<212> DNA

<213> Homo sapien

<400> 286

```

taccactgca ttccagcctg ggtgacagag tgagactccg tctccaaaaa aaactttgct 60
tgtatattat ttttgcccta cagtggatca ttctagtagg aaaggacagt aagatttttt 120
atcaaaatgt gtcatgccag taagagatgt tatattcttt tctcatttct tccccacca 180
aaaataagct accatatagc ttataagtct caaatttttg ccttttacta aaatgtgatt 240
gtttctgttc attgtgtatg cttcatcacc tatattaggc aaattccatt ttttccttg 300
t 301

```

<210> 287

<211> 301

<212> DNA

<213> Homo sapien

<400> 287

```

tacagatctg ggaactaaat attaaaaatg agtgtggctg gatatatgga gaatgttggg 60
cccagaagga acgtagagat cagatattac aacagctttg ttttgagggt tagaaatatg 120
aaatgatttg gttatgaacg cacagttagg gcagcagggc cagaatcctg accctctgcc 180
ccgtgggtat ctctcccca gcttggtctg ctcagtgtat cacagtattc cattttgttt 240
gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt tttcctctca ttggtaatgc 300
t 301

```

<210> 288

<211> 301

<212> DNA

<213> Homo sapien

<400> 288

```

gtacacctaa ctgcaaggac agctgaggaa tgtaatgggc agccgctttt aaagaagtag 60
agtcaatagg aagacaaatt ccagttccag ctcagtctgg gtatctgcaa agctgcaaaa 120
gatctttaaa gacaatttca agagaatatt tccttaaagt tggcaatttg gagatcatac 180
aaaagcatct gcttttgtga ttttaatttag ctcattctgg cactggaaga atccaaacag 240
tctgccttaa ttttgatga atgcatgatg gaaattcaat aatttagaaa gttaaaaaaa 300
a 301

```

<210> 289

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 289

a

```
<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G
```

a

<400> 291

a

```
<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G
```

a

<210> 293
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 293
 ggtaccaagt gctgggtgcca gcctgttacc tgtttctcact gaaaagtctg gctaagtctc 60
 ttgtgtagtc acttctgatt ctgacaatca atcaatcaat ggcctagagc actgactggt 120
 aacacaaacg tcactagcaa agtagcaaca gctttaagtc taaatacaaa gctgttctgt 180
 gtgagaattt tttaaaaggc tactttgtata ataacccttg tcatttttaa tgtacctcgg 240
 ccgcgaccac gctaagccga attctgcaga tatccatcac actggcggcc gctcgagcat 300
 g 301

<210> 294
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 294
 tgaccataa caatatacac tagctatctt tttactgtc catcattagc accaatgaag 60
 attcaataaa attaccttta tcacacatc tcaaaacaat tctgcaaatt cttagtgaag 120
 tttactata gtcacaganc tttaatattc acattgtttt ctatgtctac tgaaaataag 180
 ttcactactt ttctgggata ttctttacaa aatcttatta aaattcctgg tattatcacc 240
 cccaattata cagtagcaca accaccttat gtagttttta catgatagct ctgtagaggt 300
 t 301

<210> 295
 <211> 305
 <212> DNA
 <213> Homo sapien

<400> 295
 gtactctttc tctcccctcc tctgaattta attctttcaa cttgcaattt gcaaggatta 60
 cacatttcac tgtgatgtat attgtgttgc aaaaaaaaaa gtgtctttgt ttaaaattac 120
 ttgggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccatctctga 180
 actggtagaa aaacrtctga agagctagtc tatcagcatc tgacaggtga attggatggg 240
 tctcagaacc atttcaccca gacagcctgt ttctatcctg ttttaataaat tagtttgggt 300
 tctct 305

<210> 296
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 296
 aggtactatg ggaagctgct aaaataatat ttgatagtaa aagtatgtaa tgtgctatct 60
 cacctagtag taaactaaaa ataaactgaa actttatgga atctgaagtt attttccttg 120
 attaaataga attaataaac caatatgagg aaacatgaaa ccatgcaatc tactatcaac 180
 tttgaaaaag tgattgaacg aaccacttag ctttcagatg atgaacactg ataagtcatt 240

tgtcattact ataaatttta aaatctgtta ataagatggc ctatagggag gaaaaagggg 300
c 301

<210> 297

<211> 300

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(300)

<223> n = A,T,C or G

<400> 297

actgagtttt aactggacgc caagcaggca aggctggaag gttttgctct ctttgtgcta 60
aagggttttga aaaccttgaa ggagaatcat ttgacaaga agtacttaag agtctagaga 120
acaaagangt gaaccagctg aaagctctcg ggggaanctt acatgtgttg ttaggcctgt 180
tccatcattg ggagtgcact ggccatccct caaaatttgt ctgggctggc ctgagtggtc 240
accgcacctc ggccgcgacc acgctaagcc gaattctgca gatatccatc acactggcgg 300

<210> 298

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 298

tatggggttt gtcacccaaa agctgatgct gagaaaggcc tccctggggc ccctcccgcg 60
ggcatctgag agacctggtg ttccagtgtt tctggaaatg ggtcccagtg ccgccggctg 120
tgaagctctc agatcaatca cgggaagggc ctggcggttg tggccacctg gaaccacctt 180
gtcctgtctg ttacatttc actaycaggt tttctctggg cattacnatt tgtccccta 240
caacagtgac ctgtgcattc tgctgtggcc tgctgtgtct gcaggtggct ctcagcgagg 300
t 301

<210> 299

<211> 301

<212> DNA

<213> Homo sapien

<400> 299

gttttgagac ggagttttcac tcttgttgcc cagactggac tgcaatggca gggctctctgc 60
tcactgcacc ctctgcctcc caggttcgag caattctcct gcctcagcct ccaggttagc 120
tgggattgca ggctcacgcc accataccca gctaattttt ttgtattttt agtagagacg 180
gagtttcgcc atgttggcc gctgggtctca aactcctgac ctcaagcgac ctgcctgcct 240
cggcctccca aagtgtctgga attataggca tgagtcaaca cgcccagcct aaagatat 300
t 301

<210> 300

<211> 301

<212> DNA

<213> Homo sapien

<400> 300

```

attcagtttt atttgetgcc ccagtatctg taaccaggag tgccacaaaa tcttgccaga   60
tatgtcccac acccactggg aaaggctccc acctggctac ttctctatc agctgggtca   120
gctgcattcc acaaggttct cagcctaagt agtttcaacta cctgccagtc tcaaaactta   180
gtaaagcaag accatgacat tccccacgg aaatcagagt ttgccccacc gtcttggtac   240
tataaagcct gcctctaaca gtccttgctt cttcacacca atcccagagc catcccccat   300
g                                                                 301

```

<210> 301

<211> 301

<212> DNA

<213> Homo sapien

<400> 301

```

ttaaattttt gagaggataa aaaggacaaa taatctagaa atgtgtcttc ttcagtctgc   60
agaggacccc aggtctccaa gcaaccacat ggtcaagggc atgaataatt aaaagtgtgt   120
gggaactcac aaagaccctc agagctgaga caccacaaac agtgggagct cacaaagacc   180
ctcagagctg agacaccac aacagtggga gctcacaag accctcagag ctgagacacc   240
cacaacagca cctcgttcag ctgccacatg tgtgaataag gatgcaatgt ccagaagtgt   300
t                                                                 301

```

<210> 302

<211> 301

<212> DNA

<213> Homo sapien

<400> 302

```

aggtacacat ttagcttgtg gtaaatgact cacaaaactg attttaaaat caagttaatg   60
tgaattttga aaattactac ttaatcctaa ttcacaataa caatggcatt aaggtttgac   120
ttgagttggt tcttagtatt atttatggta aataggctct taccacttgc aaataactgg   180
ccacatcatt aatgactgac ttcccagtaa ggctctctaa ggggtaagta ggaggatcca   240
caggatttga gatgctaagg ccccagagat cgtttgatcc aaccctctta ttttcagagg   300
g                                                                 301

```

<210> 303

<211> 301

<212> DNA

<213> Homo sapien

<400> 303

```

aggtaccaac tgtggaataa ggtagaggat ctttttttct ttccatatca actaagttgt   60
atattgtttt ttgacagttt aacacatctt cttctgtcag agattctttc acaatagcac   120
tggctaattg aactaccgct tgcattgtaa aaatgggtgt ttgtgaaatg atcataggcc   180
agtaacgggt atgtttttct aactgatctt ttgctcgctc caaagggacc tcaagacttc   240
catcgatttt atatctgggg tctagaaaag gagttaatct gttttccctc ataaattcac   300
c                                                                 301

```

<210> 304

<211> 301

<212> DNA

<213> Homo sapien

<400> 304

```

acatggatgt tattttgcag actgtcaacc tgaatttgta ttgcttgac attgcctaatt   60

```

```

tattagtttc agtttcagct taccactttt ttgtctgcaa catgcaraas agacagtgcc      120
cttttttagtg tatcatatca ggaatcatct cacattgggtt tgtgccatta ctggtgcagt      180
gactttcagc cacttgggta aggtggagtt ggccatatgt ctccactgca aaattactga      240
ttttcctttt gtaattaata agtgtgtgtg tgaagattct ttgagatgag gtatatatct      300
c                                                                           301

```

<210> 305

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 305

```

gangtacagc gtggtcaagg taacaagaag aaaaaaatgt gagtggcatc ctgggatgag      60
cagggggaca gacctggaca gacacgttgt catttgctgc tgtgggtagg aaaatgggcg      120
taaaggagga gaaacagata caaatctcc aactcagtat taaggatttc tcatgcctag      180
aatattggta gaaacaagaa tacattcata tggcaaataa ctaaccatgg tggaacaaaa      240
ttctgggatt taagttggat accaangaaa ttgtattaaa agagctgttc atggaataag      300
a                                                                           301

```

<210> 306

<211> 8

<212> PRT

<213> Homo sapien

<400> 306

```

Val Leu Gly Trp Val Ala Glu Leu
1           5

```

<210> 307

<211> 637

<212> DNA

<213> Homo sapien

<400> 307

```

acagggratg aagggaaagg gagaggatga ggaagccccc ctggggattt ggtttggtcc      60
ttgtgatcag gtggtctatg gggcttatcc ctacaaagaa gaatccagaa ataggggcac      120
attgaggaat gatacttgag cccaaagagc attcaatcat tgttttattt gccttmtttt      180
cacaccattg gtgagggagg gattaccacc ctgggggttat gaagatggtt gaacacccca      240
cacatagcac cggagatatg agatcaacag tttcttagcc atagagattc acagcccaga      300
gcaggaggac gcttgcacac catgcaggat gacatggggg atgcgctcgg gattggtgtg      360
aagaagcaag gactgttaga ggcaggcttt atagtaacaa gacggtgggg caaactctga      420
tttccgtggg ggaatgtcat ggtcttgctt tactaagttt tgagactggc aggtagtga      480
actcattagg ctgagaacct tgtggaatgc acttgaccca sctgatagag gaagtagcca      540
ggtgggagcc tttcccatg ggtgtgggac atatctggca agattttgtg gcactcctgg      600
ttacagatac tggggcagca aataaaactg aatcttg                                     637

```

<210> 308

<211> 647

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(647)
 <223> n = A,T,C or G

<400> 308

acgattttca	ttatcatgta	aatcgggtca	ctcaaggggc	caaccacagc	tgggagccac	60
tgctcagggg	aaggttcata	tgggactttc	tactgcccaa	ggttctatac	aggatataaa	120
ggngcctcac	agtatagatc	tggtagcaaa	gaagaagaaa	caaacactga	tctctttctg	180
ccacccctct	gaccctttgg	aactcctctg	accctttaga	acaagcctac	ctaatatctg	240
ctagagaaaa	gaccaacaac	ggcctcaaag	gatctcttac	catgaaggtc	tcagctaatt	300
cttggtctaag	atgtgggttc	cacattaggt	tctgaatatg	gggggaaggg	tcaatttgct	360
cattttgtgt	gtggataaag	tcaggatgcc	caggggccag	agcagggggc	tgcttgcttt	420
gggaacaatg	gctgagcata	taaccatagg	ttatggggaa	caaaacaaca	tcaaagtcac	480
tgtatcaatt	gccatgaaga	cttgagggac	ctgaatctac	cgattcatct	taaggcagca	540
ggaccagttt	gagtggcaac	aatgcagcag	cagaatcaat	ggaaacaaca	gaatgattgc	600
aatgtccttt	ttttctcct	gcttctgact	tgataaaagg	ggaccgt		647

<210> 309
 <211> 460
 <212> DNA
 <213> Homo sapien

<400> 309

actttatagt	ttaggctgga	cattggaaaa	aaaaaaaaagc	cagaacaaca	tgtgatagat	60
aatatgattg	gctgcacact	tccagactga	tgaatgatga	acgtgatgga	ctattgtatg	120
gagcacatct	tcagcaagag	ggggaaatac	tcatcatttt	tggccagcag	ttgtttgatc	180
accaaacatc	atgccagaat	actcagcaaa	ccttcttagc	tcttgagaag	tcaaagtccg	240
ggggaattta	ttcctggcaa	ttttaattgg	actccttatg	tgagagcagc	ggctaccag	300
ctggggtggt	ggagcgaacc	cgtcactagt	ggacatgcag	tggcagagct	cctggttaacc	360
acctagagga	atacacaggc	acatgtgtga	tgccaagcgt	gacacctgta	gcactcaaat	420
ttgtcttggt	tttgtctttc	ggtgtgtaag	attcttaagt			460

<210> 310
 <211> 539
 <212> DNA
 <213> Homo sapien

<400> 310

acgggactta	tcaaataaag	ataggaaaag	aagaaaactc	aaatattata	ggcagaaatg	60
ctaaaggttt	taaaatatgt	caggattgga	agaaggcatg	gataaagaac	aaagttcagt	120
taggaaagag	aaacacagaa	ggaagagaca	caataaaagt	cattatgtat	tctgtgagaa	180
gtcagacagt	aagatttggt	ggaaatgggt	tggtttgttg	tatgggtatg	attttagcaa	240
taatctttat	ggcagagaaa	gctaaaatcc	tttagcttgc	gtgaatgatc	acttgctgaa	300
ttcctcaagg	taggcatgat	gaaggagggt	ttagaggaga	cacagacaca	atgaactgac	360
ctagatagaa	agccttagta	tactcagcta	ggaatagtga	ttctgagggc	acactgtgac	420
atgattatgt	cattacatgt	atggtagtga	tggggatgat	aggaaggaag	aacttatggc	480
atattttcac	ccccacaaaa	gtcagttaaa	tattggggaca	ctaaccatcc	aggtcaaga	539

<210> 311
 <211> 526
 <212> DNA
 <213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(526)
<223> n = A,T,C or G

<400> 311
caaatttgag ccaatgacat agaattttac aaatcaagaa gcttattctg gggccatttc 60
ttttgacgtt ttctctaaac tactaaagag gcattaatga tccataaatt atattatcta 120
catttacagc atttaaaatg tggtcagcat gaaatattag ctacagggga agctaaataa 180
attaaacatg gaataaagat ttgtccttaa atataatcta caagaagact ttgatatttg 240
tttttcacaa gtgaagcatt cttataaagt gtcataacct ttttggggaa actatgggaa 300
aaaatgggga aactctgaag ggttttaagt atcttacctg aagctacaga ctccataacc 360
tctctttaca gggagctcct gcagccccta cagaaatgag tggctgagat tcttgattgc 420
acagcaagag cttctcatct aaaccctttc cttttttagt atctgtgtat caagtataaa 480
agttctataa actgtagtnt acttatttta atccccaaag cacagt 526

<210> 312
<211> 500
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(500)
<223> n = A,T,C or G

<400> 312
cctctctctc cccaccccct gactctagag aactgggttt tctcccagta ctccagcaat 60
tcatttctga aagcagttga gccactttat tccaaagtac actgcagatg ttcaaactct 120
ccatttctct ttcccttcca cctgccagtt ttgctgactc tcaacttgct atgagtgtaa 180
gcattaagga cattatgctt cttcgattct gaagacaggc cctgctcatg gatgactctg 240
gcttcttagg aaaatatttt tcttccaaaa tcagtaggaa atctaaactt atccccctct 300
tgcagatgct tagcagcttc agacatttgg ttaagaacct atgggaaaaa aaaaaatcct 360
tgctaattgt gtttctcttg taaaccanga ttcttatttg nctggatatg aatatcagct 420
ctgaacgtgt ggtaaagatt tttgtgtttg aatataggag aaatcagttt gctgaaaagt 480
tagtcttaat tatctattgg 500

<210> 313
<211> 718
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(718)
<223> n = A,T,C or G

<400> 313
ggagatttgt gtggtttgca gccgagggag accaggaaga tctgcatggt gggaaggacc 60
tgatgatata gaggtgagaa ataagaaagg ctgctgactt taccatctga ggccacacat 120
ctgctgaaat ggagataatt aacatcacta gaaacagcaa gatgacaata taatgtctaa 180
gtagtacat gtttttgcac atttccagcc ctttttaata tccacacaca caggaagcac 240
aaaagggaagc acagagatcc ctgggagaaa tgcccggccg ccattcttggg tcatcgatga 300
gcctcgccct gtgcctgntc ccgcttgtga gggaaggaca ttagaaaaatg aattgatgtg 360
ttccttaaag gatggcagga aaacagatcc tgttgtggat atttatttga acgggattac 420

agatttgaaa tgaagtcaca aagtgagcat taccaatgag aggaaaacag acgagaaaat	480
cttgatgggt cacaagacat gcaacaaaca aaatggaata ctgtgatgac acgagcagcc	540
aactggggag gagataccac ggggcagagg tcaggattct ggccctgctg cctaactgtg	600
cggtatacca atcatttcta tttctaccct caaacaagct gtngaataac tgacttacgg	660
ttcttntggc ccacatttcc atnatccacc cntcntttt aannttantic caaantgt	718

<210> 314

<211> 358

<212> DNA

<213> Homo sapien

<400> 314

gtttattttac attacagaaa aaacatcaag acaatgtata ctattttcaaa tatatccata	60
cataatcaaa tatagctgta gtacatgttt tcattgggtg agattaccac aaatgcaagg	120
caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg tgtagtccaa	180
gctctcggta gtccagccac tgtgaaacat gtcaccttta gattaacctc gtggacgctc	240
ttgttgattt gctgaactgt agtgcctctg attttgcttc tgtctgtgaa ttctgttgct	300
tctggggcat ttccttgtga tgcagaggac caccacacag atgacagcaa tctgaatt	358

<210> 315

<211> 341

<212> DNA

<213> Homo sapien

<400> 315

taccacctcc ccgctggcac tgatgagccg catcaccatg gtcaccagca ccatgaaggc	60
ataggtgatg atgaggacat ggaatgggccc cccaaggatg gtctgtccaa agaagcgagt	120
gacccccatt ctgaagatgt ctggaacctc taccagcagg atgatgatag ccccaatgac	180
agtcaccagc tccccgacca gccggatatc gtccttaggg gtcattgtagg cttcctgaag	240
tagcttctgc tgtaagaggg tgttgctccc ggggctcgtg cggttattgg tcctgggctt	300
gagggggcgg tagatgcagc acatggtgaa gcagatgatg t	341

<210> 316

<211> 151

<212> DNA

<213> Homo sapien

<400> 316

agactgggca agactcttac gccccacact gcaatttggc cttgttgccg tatccattta	60
tgtgggcctt tctcgagttt ctgattataa acaccactgg agcgatgtgt tgactggact	120
cattcagggg gctctgggtg caatattagt t	151

<210> 317

<211> 151

<212> DNA

<213> Homo sapien

<400> 317

agaactagtg gatcctaag aaatacctga aacatatatt ggcattttatc aatggctcaa	60
atcttcattt atctctggcc ttaaccctgg ctccctgagge tgcggccagc agatcccagg	120
ccagggctct gttcttgcca cacctgcttg a	151

<210> 318

<211> 151

<212> DNA

<213> Homo sapien

<400> 318

```
actggtggga ggcgctgttt agttggctgt tttcagaggg gtctttcgga gggacctcct    60
gctgcaggct ggagtgtctt tattcctggc gggagaccgc acattccact gctgaggctg    120
tgggggcggt ttatcaggca gtgataaaca t                                  151
```

<210> 319

<211> 151

<212> DNA

<213> Homo sapien

<400> 319

```
aactagtggga tccagagcta taggtacagt gtgatctcag ctttgcaaac acattttcta    60
catagatagt actaggtatt aatagatatg taaagaaaga aatcacacca ttaataatgg    120
taagattggg tttatgtgat tttagtgggt a                                  151
```

<210> 320

<211> 150

<212> DNA

<213> Homo sapien

<400> 320

```
aactagtggga tccactagtc cagtgtgggtg gaattccatt gtgttgggggt tctagatcgc    60
gagcggtgc cctttttttt tttttttttg ggggggaatt tttttttttt aatagttatt    120
gagtgttcta cagcttacag taaataccat                                  150
```

<210> 321

<211> 151

<212> DNA

<213> Homo sapien

<400> 321

```
agcaactttg tttttcatcc aggttatattt aggcttagga tttcctctca cactgcagtt    60
taggggtggca ttgtaaccag ctatggcata ggtgttaacc aaaggctgag taaacatggg    120
tgctctgag aaatcaaagt cttcatacac t                                  151
```

<210> 322

<211> 151

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(151)

<223> n = A,T,C or G

<400> 322

```
atccagcatc ttctcctggt tcttgcttc cttttcttc ttcttasatt ctgcttgagg    60
tttgggttg gtcagtttg cacagggctt ggagatgggt acagtcttct ggcattcggc    120
attgtgcagg gctcgttca nacttccagt t                                  151
```

<210> 323

<211> 151

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(151)

<223> n = A,T,C or G

<400> 323

tgaggacttg	tkttcttttt	ctttattttt	aatcctctta	ckttgtaaat	atattgccta	60
nagactcant	tactaccag	tttgtggtt	twtgaggagaa	atgtaactgg	acagttagct	120
gttcaatyaa	aaagacactt	ancccatgtg	g			151

<210> 324

<211> 461

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(461)

<223> n = A,T,C or G

<400> 324

acctgtgtgg	aatttcagct	ttcctcatgc	aaaaggattt	tgtatccccg	gcctacttga	60
agaagtggtc	agctaaagga	atccaggttg	ttggttggac	tgtaataacc	tttgatgaaa	120
agagttacta	cgaatcccat	cttggttcca	gctatatcac	tgacagcatg	gtagaagact	180
gcgaacctca	cttctagact	ttcacggttg	gacgaaacgg	gttcagaaac	tgccaggggc	240
ctcatacagg	gatatcaaaa	taccctttgt	gctaccagg	ccctggggaa	tcaggtgact	300
cacacaaatg	caatagtgtg	tcactgcatt	tttacctgaa	ccaaagctaa	acccggtgtt	360
gccaccatgc	accatggcat	gccagagttc	aacactgttg	ctcttgaaaa	ttgggtctga	420
aaaaacgcac	aagagccctt	gccctgccct	agctgangca	c		461

<210> 325

<211> 400

<212> DNA

<213> Homo sapien

<400> 325

acactgtttc	catgttatgt	ttctacacat	tgctacctca	gtgctcctgg	aaacttagct	60
tttgatgtct	ccaagtagtc	caccttcatt	taactctttg	aaactgtatc	atctttgcca	120
agtaagagtg	gtggcctatt	tcagctgctt	tgacaaaatg	actggctcct	gacttaacgt	180
tctataaatg	aatgtgctga	agcaaagtgc	ccatggtggc	ggcgaagaag	agaaagatgt	240
gttttgtttt	ggactctctg	tggtcccttc	caatgctgtg	ggtttccaac	caggggaagg	300
gtcccttttg	cattgccaag	tgccataacc	atgagcacta	cgctaccatg	gttctgcctc	360
ctggccaagc	aggctggttt	gcaagaatga	aatgaatgat			400

<210> 326

<211> 1215

<212> DNA

<213> Homo sapien

<400> 326

ggaggactgc	agcccgcact	cgcagccctg	gcaggcggca	ctggtcattg	aaaacgaatt	60
gttctgctcg	ggcgtcctgg	tgcatccgca	gtgggtgctg	tcagccgcac	actgtttcca	120
gaactcctac	accatcgggc	tgggcctgca	cagtcttgag	gccgaccaag	agccagggag	180

```

ccagatggtg gaggccagcc tctccgtacg gcacccagag tacaacagac ccttgctcgc 240
taacgacctc atgctcatca agttggacga atccgtgtcc gagtctgaca ccatccggag 300
catcagcatt gcttcgcagt gccctaccgc ggggaactct tgcctcgttt ctggctgggg 360
tctgctggcg aacggcagaa tgcctaccgt gctgcagtgc gtgaacgtgt cggtggtgtc 420
tgaggaggtc tgagtaagc tctatgaccc gctgtaccac cccagcatgt tctgcgccgg 480
cggagggcaa gaccagaagg actcctgcaa cggtgactct ggggggcccc tgatctgcaa 540
cgggtacttg cagggccttg tgtctttcgg aaaagccccg tgtggccaag ttggcgtgcc 600
aggtgtctac accaacctct gcaaattcac tgagtggata gagaaaaccg tccaggccag 660
ttaactctgg ggactgggaa cccatgaaat tgacccccaa atacatcctg cggaaggaat 720
tcaggaatat ctgttcccag cccctcctcc ctgaggccca ggagtccagg cccccagccc 780
ctcctccctc aaaccaaggg tacagatccc cagccccctc tccctcagac ccaggagtc 840
agacccccca gccctcctc cctcagaccc aggagtccag cccctcctcc ctgagacca 900
ggagtccaga cccccagcc cctcctccct cagacccagg ggtccaggcc cccaaccct 960
cctccctcag actcagaggt ccaagcccc aaccctcct tccccagacc cagaggtcca 1020
ggtcccagcc cctcctccct cagacccagc ggtccaatgc cacctagact ctccctgtac 1080
acagtgcccc cttgtggcac gttgacccaa ccttaccagt tggtttttca tttttgtcc 1140
ctttcccta gatccagaaa taaagtctaa gagaagcgca aaaaaaaaaa aaaaaaaaaa 1200
aaaaaaaaa aaaaaa 1215

```

<210> 327

<211> 220

<212> PRT

<213> Homo sapien

<400> 327

```

Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met
1      5      10      15
Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val
20     25     30
Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly
35     40     45
Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu
50     55     60
Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu Ala
65     70     75     80
Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser Asp
85     90     95
Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn
100    105    110
Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met Pro
115    120    125
Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu Val Cys
130    135    140
Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala Gly
145    150    155    160
Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly Pro
165    170    175
Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys Ala
180    185    190
Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu Cys Lys
195    200    205
Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
210    215    220

```

<210> 328

<211> 234
 <212> DNA
 <213> Homo sapien

<400> 328
 cgctcgcttc tggtagctgc agccaaatca taaacggcga ggactgcagc ccgcactcgc 60
 agccctggca ggcggcactg gtcattgaaa acgaattggt ctgctcgggc gtcctgggtgc 120
 atccgcagtg ggtgctgtca gccacacact gtttccagaa ctctacacc atcgggctgg 180
 gcctgcacag tcttgaggcc gaccaagagc cagggagcca gatggtggag gccca 234

<210> 329
 <211> 77
 <212> PRT
 <213> Homo sapien

<400> 329
 Leu Val Ser Gly Ser Cys Ser Gln Ile Ile Asn Gly Glu Asp Cys Ser
 1 5 10 15
 Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met Glu Asn Glu Leu
 20 25 30
 Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val Leu Ser Ala Thr
 35 40 45
 His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly Leu His Ser Leu
 50 55 60
 Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu Ala
 65 70 75

<210> 330
 <211> 70
 <212> DNA
 <213> Homo sapien

<400> 330
 cccaacacaa tggcccgatc ccattccctga ctccgccctc aggatcgctc gtctctggta 60
 gctgcagcca 70

<210> 331
 <211> 22
 <212> PRT
 <213> Homo sapien

<400> 331
 Gln His Asn Gly Pro Ile Pro Ser Leu Thr Pro Pro Ser Gly Ser Leu
 1 5 10 15
 Val Ser Gly Ser Cys Ser
 20

<210> 332
 <211> 2507
 <212> DNA
 <213> Homo sapien

<400> 332
 tgggtccgct gcagccggca gagatgggtg agctcatgtt cccgctgttg ctctccttc 60
 tgccttctct tctgtatatg gctgcgcccc aaatcaggaa aatgctgtcc agtgggggtg 120

gtacatcaac	tggtcagctt	cctgggaaag	tagttgtggt	cacaggagct	aatacaggta	180
tcgggaagga	gacagccaaa	gagctggctc	agagaggagc	tcgagtatat	ttagcttgcc	240
gggatgtgga	aaagggggaa	ttggtggcca	aagagatcca	gaccacgaca	gggaaccagc	300
aggtgttgg	gcggaaactg	gacctgtctg	atactaagtc	tattcgagct	tttgctaagg	360
gcttcttagc	tgaggaaaag	cacctccacg	ttttgatcaa	caatgcagga	gtgatgatgt	420
gtccgtactc	gaagacagca	gatggctttg	agatgcacat	aggagtcaac	cacttggtgc	480
acttctcct	aacctatctg	ctgctagaga	aactaaagga	atcagcccca	tcaaggatag	540
taaatgtgtc	ttccctcgca	catcacctgg	gaaggatcca	cttcataaac	ctgcaggcgc	600
agaaattcta	caatgcaggc	ctggcctact	gtcacagcaa	gctagccaac	atcctcttca	660
cccaggaact	ggcccgga	ctaaaaggct	ctggcggtac	gacgtattct	gtacacctg	720
gcacagtcca	atctgaactg	gttcggcact	catctttcat	gagatggatg	tggtggcttt	780
tctccttttt	catcaagact	cctcagcagg	gagcccagac	cagcctgcac	tgtgccttaa	840
cagaaggctc	tgagattcta	agtgggaatc	atttcagtga	ctgtcatgtg	gcatgggtct	900
ctgccccagc	tcgtaatgag	actatagcaa	ggcggctgtg	ggacgtcagt	tgtgacctgc	960
tgggcctccc	aatagactaa	caggcagtgc	cagttggacc	caagagaaga	ctgcagcaga	1020
ctacacagta	cttcttgtca	aaatgattct	ccttcaaggt	tttcaaaacc	tttagcacaa	1080
agagagcaaa	accttccagc	cttgccctgct	tggtgtccag	ttaaaactca	gtgtactgcc	1140
agattcgtct	aaatgtctgt	catgtccaga	tttactttgc	ttctgttact	gccagagtta	1200
ctagagatat	cataatagga	taagaagacc	ctcatatgac	ctgcacagct	cattttcctt	1260
ctgaaagaaa	ctactaccta	ggagaatcta	agctatagca	gggatgattt	atgcaaattt	1320
gaactagctt	ctttgttcac	aattcagttc	ctcccaacca	accagtcttc	acttcaagag	1380
ggccacactg	caacctcagc	ttaacatgaa	taacaaagac	tggtcagga	gcagggttg	1440
cccaggcatg	gtggatcacc	ggaggtcagt	agttcaagac	cagcctggcc	aacatgggtg	1500
aacccccact	ctactaaaaa	ttgtgtatat	ctttgtgtgt	cttctgtttt	atgtgtgcca	1560
agggagtatt	ttcaciaaag	tcaaaacagc	cacaataatc	agagatggag	caaaccagtg	1620
ccatccagtc	tttatgcaaa	tgaaatgctg	caaagggag	cagattctgt	atatgttggt	1680
aactaccac	caagagcaca	tggttagcag	ggaagaagta	aaaaaagaga	aggagaatac	1740
tggaagataa	tgcacaaaat	gaagggacta	gttaaggatt	aactagccct	ttaaggatta	1800
actagttaag	gattaatagc	aaaagayatt	aaatatgcta	acatagctat	ggagggaattg	1860
agggcaagca	cccaggactg	atgaggtcct	aacaaaaacc	agtgtggcaa	aaaaaaaaaa	1920
aaaaaaaaaa	aaaaatccta	aaaacaaaca	aacaaaaaaa	acaattcttc	attcagaaaa	1980
attatcttag	ggactgatat	tggttaattat	ggtcaattta	ataatatttt	ggggcatttc	2040
cttacattgt	cttgacaaga	ttaaaatgtc	tgtgccaaaa	ttttgtattt	tatttgagga	2100
cttcttatca	aaagtaatgc	tgccaaagga	agtctaagga	attagtagtg	ttcccatcac	2160
ttgtttggag	tgtgctattc	taaaagattt	tgatttcctg	gaatgacaat	tatatattaa	2220
ctttggtggg	ggaaagagtt	ataggaccac	agtcttcact	tctgatactt	gtaaattaat	2280
cttttattgc	acttgttttg	accattaagc	tatatgttta	gaaatgggtc	ttttacggaa	2340
aaattagaaa	aattctgata	atagtgcaga	ataaatgaat	taatgtttta	cttaatttat	2400
attgaactgt	caatgacaaa	taaaaattct	ttttgattat	ttttgtttt	catttaccag	2460
aataaaaacg	taagaattaa	aagtttgatt	acaaaaaaa	aaaaaaa		2507

<210> 333

<211> 3030

<212> DNA

<213> Homo sapien

<400> 333

gcaggcgact	tgcgagctgg	gagcgattta	aaacgctttg	gattcccccg	gcctgggtgg	60
ggagagcgag	ctgggtgccc	cctagattcc	ccgccccgc	acctcatgag	ccgacctcg	120
gtcccatgga	gcccggcaat	tatgccacct	tggtggagc	caaggatata	gaaggcttgc	180
tgggagcggg	agggggggcg	aatctggtcg	cccactcccc	tctgaccagc	caccagcgg	240
cgctacgct	gatgcctgct	gtcaactatg	cccccttgg	tctgccaggc	tcggcggagc	300
cgccaaagca	atgccacca	tgccctgggg	tgccccagg	gacgtcccca	gctcccgctg	360
cttatggtta	ctttggaggc	gggtactact	cctgcgcagt	gtcccgagc	tcgctgaaac	420
cctgtgcca	ggcagccacc	ctggccgcgt	accccgcgga	gactccacag	gccggggaag	480

agtacccag	ycgcccact	gagtttgct	tctatccggg	atatccggga	acctaccagc	540
ctatggccag	ttacctggac	gtgtctgtgg	tgcagactct	gggtgctcct	ggagaaccgc	600
gacatgactc	cctgttgccct	gtggacagtt	accagtcttg	ggctctcgct	ggtaggctgga	660
acagccagat	gtgttgccag	ggagaacaga	accaccagg	tcccttttgg	aaggcagcat	720
ttgcagactc	cagcgggcag	caccctcctg	acgcctgcgc	ctttcgctgc	ggccgcaaga	780
aacgcattcc	gtacagcaag	gggcagttgc	gggagctgga	gcgggagtat	gcggctaaca	840
agttcatcac	caaggacaag	aggcgcaaga	tctcggcagc	caccagcctc	tcggagcgcc	900
agattaccat	ctggtttcag	aaccgcgggg	tcaaagagaa	gaaggttctc	gccaaggtga	960
agaacagcgc	taccctttaa	gagatctcct	tgcttgggtg	ggaggagcga	aagtgggggt	1020
gtcctgggga	gaccaggaac	ctgccaagcc	caggctgggg	ccaaggactc	tgctgagagg	1080
cccctagaga	caacaccctt	cccaggccac	tggctgctgg	actgttcttc	aggagcgcc	1140
tgggtaccca	gtatgtgcag	ggagacggaa	ccccatgtga	cagccactc	caccagggtt	1200
cccaaagaac	ctggcccagt	cataatcatt	cactctgaca	gtggcaataa	tcacgataac	1260
cagtactagc	tgccatgatc	gttagcctca	tattttctat	ctagagctct	gtagagcact	1320
ttagaaaccg	ctttcatgaa	ttgagctaat	tatgaataaa	tttggaaagg	gatccctttg	1380
cagggaaagct	ttctctcaga	cccccttcca	ttacacctct	cacctggta	acagcaggaa	1440
gactgaggag	aggggaacgg	gcagattcgt	tgtgtggctg	tgatgtccgt	ttagcatttt	1500
tctcagctga	cagctgggta	ggtggacaat	tgtagaggct	gtctcttctc	ccctccttgt	1560
ccaccccata	gggtgtaccc	actggtcttg	gaagcaccca	tccttaatac	gatgattttt	1620
ctgtcgtgtg	aaaatgaagc	cagcaggctg	cccctagtea	gtccttctct	ccagagaaaa	1680
agagatttga	gaaagtgcct	gggtaattca	ccattaattt	cctcccccac	actctctgag	1740
tcttccctta	atatttctgg	tggttctgac	caaagcagg	catggtttgt	tgagcatttg	1800
ggatcccagt	gaagtagatg	ttttagacct	tgcatactta	gcccttccca	ggcacaacg	1860
gagtggcaga	gtggtgcca	ccccgttttc	ccagtcacag	tagacagatt	cacagtgcgg	1920
aattctggaa	gctggagaca	gacgggtctc	ttgcagagcc	gggactctga	gagggacatg	1980
agggcctctg	cctctgtgtt	cattctctga	tgtcctgtac	ctgggctcag	tgcccgggtg	2040
gactcatctc	ctggccgcgc	agcaaagcca	gcgggttcgt	gctggtcctt	cctgcacctt	2100
aggctggggg	tggggggcct	gccggcgcat	tctccacgat	tgagcgcaca	ggcctgaagt	2160
ctggacaacc	cgcagaaccg	aagctccgag	cagcgggtcg	gtggcgagta	gtggggctcg	2220
tggcgagcag	ttggtgggtg	gccgcggccg	ccactacctc	gaggacattt	ccctcccggg	2280
gccagctctc	ctagaaaccc	cgcggcgccc	gccgcagcca	agtgtttatg	gcccgcggctc	2340
gggtgggac	ctagccctgt	ctcctctcct	gggaaggagt	gagggtggga	cgtgacttag	2400
acacctacaa	atctattttac	caaagaggag	cccgggactg	agggaaaagg	ccaaagagtg	2460
tgagtgcag	cggactgggg	gttcagggga	agaggacag	gaggaggaag	atgaggtcga	2520
tttcttgatt	taaaaaatcg	tccaagcccc	gtggtccagc	ttaaggctct	cggttacatg	2580
cgccgctcag	agcaggtcac	tttctgcctt	ccacgtctct	cttcaaggaa	gccccatgtg	2640
ggtagctttc	aatatcgag	gttcttactc	ctctgcctct	ataagctcaa	accaccaaac	2700
gatcgggcaa	gtaaaccccc	tccctcgccg	acttcggaac	tggcgagagt	tcagcgcaga	2760
tgggcctgtg	gggagggggc	aagatagatg	agggggagcg	gcatggtgcg	gggtgacccc	2820
ttggagagag	gaaaaaggcc	acaagagggg	ctgccaccgc	cactaacgga	gatggccctg	2880
gtagagacct	ttgggggtct	ggaacctctg	gactccccat	gctctaactc	ccacactctg	2940
ctatcagaaa	cttaaacctg	aggattttct	ctgtttttca	ctcgcaataa	aytcagagca	3000
aacaaaaaaa	aaaaaaaaaa	aaaactcgag				3030

<210> 334

<211> 2417

<212> DNA

<213> Homo sapien

<400> 334

ggcggccgct	ctagagctag	tgggatcccc	cgggctgcac	gaattcggca	cgagtgaagt	60
ggagttttac	ctgtattgtt	ttaatttcaa	caagcctgag	gactagccac	aaatgtaccc	120
agtttacaaa	tgaggaaaca	ggtgcaaaaa	ggttggtacc	tgtcaaagg	cgtatgtggc	180
agagccaaga	tttgagccca	gttatgtctg	atgaacttag	cctatgtctt	ttaaacttct	240
gaatgctgac	cattgaggat	atctaaactt	agatcaattg	cattttccct	ccaagactat	300

ttactttatca	atacaataat	accaccttta	ccaatctatt	gttttgatac	gagactcaaa	360
tatgccagat	atatgtaaaa	gcaacctaca	agctctctaa	tcattgctcac	ctaaaagatt	420
cccgggatct	aatagggtca	aagaaacttc	ttctagaaat	ataaaaagaga	aaattggatt	480
atgcaaaaat	tcattattaa	tttttttcat	ccatccttta	attcagcaaa	catttatctg	540
ttgttgactt	tatgcagtat	ggccttttaa	ggattggggg	acaggtgaag	aacgggggtgc	600
cagaatgcat	cctcctacta	atgaggctag	tacacatttg	cattttaaaa	tgccctgtcc	660
agctgggcat	ggtggatcat	gcctgtaatc	tcaacatttg	aaggccaagg	caggaggatt	720
gcttcagccc	aggagttcaa	gaccagcctg	ggcaacatag	aaagacccca	tctctcaatc	780
aatcaatcaa	tgccctgtct	ttgaaaataa	aactctttaa	gaaaggttta	atgggcaggg	840
tgtggtagct	catgcctata	atacagcact	ttgggaggct	gaggcaggag	gatcacttta	900
gcccagaagt	tcaagaccag	cctgggcaac	aagtgcacac	tcattctcaat	tttttaataa	960
aatgaataca	tacataagga	aagataaaaa	gaaaagttaa	atgaaagaat	acagtataaa	1020
acaaatctct	tggacctaaa	agtatttttg	ttcaagccaa	atattgtgaa	tcacctctct	1080
gtgttgagga	tacagaatat	ctaagcccag	gaaactgagc	agaaagtcca	tgtactaact	1140
aatcaacccg	aggcaaggca	aaaatgagac	taactaatca	atccgaggca	aggggcaaat	1200
tagacggaac	ctgactctgg	tctattaagc	gacaactttc	cctctgttgt	atttttcttt	1260
tattcaatgt	aaaaggataa	aaactctcta	aaactaaaaa	caatgtttgt	caggagttac	1320
aaaccatgac	caactaatta	tggggaatca	taaaatatga	ctgtatgaga	tcttgatggt	1380
ttacaaaagt	taccactgtt	taatcacttt	aaacattaat	gaacttaaaa	atgaatttac	1440
ggagattgga	atgtttcttt	cctgttgtat	tagttggctc	aggctgccat	aacaaaatac	1500
cacagactgg	gaggcttaag	taacagaaat	tcatttctca	cagttctggg	ggctggaagt	1560
ccacgatcaa	ggtgcaggaa	aggcaggctt	cattctgagg	ccctctctct	ggctcacatg	1620
tggccaccct	cccactgcgt	gctcacatga	cctctttgtg	ctcctggaaa	gaggggtgtg	1680
gggacagagg	gaaagagaag	gagagggaac	tctctggtgt	ctcgtctttc	aaggacccta	1740
acctgggcca	ctttggccca	ggcactgtgg	ggtggggggg	tgtggctgct	ctgctctgag	1800
tggccaagat	aaagcaacag	aaaaatgtcc	aaagctgtgc	agcaaagaca	agccaccgaa	1860
cagggatctg	ctcatcagtg	tggggacctc	caagtcggcc	accctggagg	caagccccc	1920
cagagcccat	gcaagggtgg	agcagcagaa	gaagggaatt	gtccctgtcc	ttggcacatt	1980
cctcacccag	ctgggtgatgc	tggacactgc	gatgaatggt	aatgtggatg	agaatatgat	2040
ggactcccag	aaaaggagac	ccagctgtct	aggtggctgc	aaatcattac	agccttcac	2100
ctggggagga	actggggggc	tgggtctggg	tcagagagca	gcccagtgag	ggtgagagct	2160
acagcctgtc	ctggcagctg	gatccccagt	cccggccaac	cagtaatcaa	ggctgagcag	2220
atcaggcttc	ccggagctgg	tcttgggaag	ccagccctgg	ggtgagttgg	ctcctgctgt	2280
ggtactgaga	caatattgtc	ataaattcaa	tgcgcccttg	tatccctttt	tcttttttat	2340
ctgtctacat	ctataatcac	tatgcatact	agtctttgtt	agtgtttcta	ttcmacttaa	2400
tagagatatg	ttatact					2417

<210> 335

<211> 2984

<212> DNA

<213> Homo sapien

<400> 335

atccccctctt	ccccactctc	ctttccagaa	ggcacttggtg	gtcttatctg	ttggactctg	60
aaaacacttc	aggcgccctt	ccaaggcttc	cccaaacc	taagcagccg	cagaagcgct	120
cccagactgc	cttctccac	actcaggtga	tcgagttgga	gaggaagttc	agccatcaga	180
agtacctgtc	ggccccgaa	cgggcccacc	tggccaagaa	cctcaagctc	acggagaccc	240
aagtgaagat	atggttccag	aacagacgct	ataagactaa	gcgaaagcag	ctctcctcgg	300
agctgggaga	cttggagaag	cactcctctt	tgcgggccct	gaaagaggag	gccttctccc	360
gggcctccct	ggtctccgtg	tataacagct	atccttacta	cccatacctg	tactgcgtgg	420
gcagctggag	cccagctttt	tggtaatgcc	agctcaggtg	acaaccatta	tgatcaaaaa	480
ctgccttccc	cagggtgtct	ctatgaaaag	cacaaggggc	caaggtcagg	gagcaagagg	540
tgtgcacacc	aaagctattg	gagatttgcg	tggaaatctc	asattcttca	ctggtgagac	600
aatgaaacaa	cagagacagt	gaaagtttta	atacctaagt	cattccccca	gtgcatactg	660
taggtcattt	tttttgcttc	tggctacctg	tttgaagggg	agagagggaa	aatcaagtgg	720

```

tattttccag cactttgtat gattttggat gagctgtaca cccaaggatt ctgttctgca      780
actccatcct cctgtgtcac tgaatatcaa ctctgaaaga gcaaacctaa caggagaaaag      840
gacaaccagg atgaggatgt caccaactga attaaactta agtccagaag cctcctgttg      900
gccttggaat atggccaagg ctctctctgt ccctgtaaaa gagaggggca aatagagagt      960
ctccaagaga acgccctcat gctcagcaca tatttgcatt ggagggggag atgggtggga     1020
ggagatgaaa atatcagctt ttcttattcc tttttattcc ttttaaaatg gtatgccaac     1080
ttaagtattt acaggggtggc ccaaatagaa caagatgcac tcgctgtgat ttaagacaa     1140
gctgtataaa cagaactcca ctgcaagagg gggggccggg ccaggagaat ctccgcttgt     1200
ccaagacagg ggcctaagga ggggtctccac actgtgcta ggggctgttg cattttttta     1260
ttagtagaaa gtggaaggc ctcttctcaa ctttttccc ttgggctgga gaatttagaa     1320
tcagaagttt cctggagttt tcaggctatc atataactg tatcctgaaa ggcaacataa     1380
ttcttccttc cctcctttta aaattttgtg ttcttttttg cagcaattac tactaaagg     1440
gcttcatttt agtccagatt tttagtctgg ctgcacctaa cttatgcctc gcttatttag     1500
cccagatctt ggtctttttt tttttttttt tttttccgtc tccccaaagc tttatctgtc     1560
ttgacttttt aaaaaagttt gggggcagat tctgaattgg ctaaaagaca tgcattttta     1620
aaactagcaa ctcttatttc ttctctttaa aaatacatag cattaaatcc caaatcctat     1680
ttaaagacct gacagcttga gaaggtcact actgcattta taggaccttc tgggtggtct     1740
gctgttacgt ttgaagtctg acaatccttg agaactcttg catgcagagg aggtaagagg     1800
tattggattt tcacagagga agaacacagc gcagaatgaa gggccaggct tactgagctg     1860
tccagtggag ggctcatggg tgggacatgg aaaagaaggc agcctaggcc ctggggagcc     1920
cagtcacttg agcaagcaag ggactgagtg agccttttgc aggaaaaggc taagaaaaag     1980
gaaaaccatt ctaaaacaca acaagaaact gtccaaatgc tttgggaact gtgtttattg     2040
cctataatgg gtcccaaaaa tgggtaacct agacttcaga gagaatgagc agagagcaaa     2100
ggagaaatct ggctgtcctt ccattttcat tctgttatct cagggtgagct ggtagagggg     2160
agacattaga aaaaaatgaa acaacaaaac aattactaat gaggtacgct gaggcctggg     2220
agtctcttga ctccactact taattccggt tagtgagaaa cctttcaatt tctttttatt     2280
agaagggcca gcttactgtt ggtggcaaaa ttgccaacat aagttaatag aaagttggcc     2340
aatttcaccc catcttctgt ggtttgggct ccacattgca atgttcaatg ccacgtgctg     2400
ctgacaccga ccggagtact agccagcaca aaaggcaggg tagcctgaat tgcctttctg     2460
tctttacatt tcttttaaaa taagcattta gtgctcagtc cctactgagt actctttctc     2520
tcccctcttc tgaatttaat tctttcaact tgcaatttgc aaggattaca catttctactg     2580
tgatgtatat tgtgttgcaa aaaaaaaaaa aagtgtcttt gtttaaaatt acttggtttg     2640
tgaatccatc ttgctttttc ccatttgaa ctagtcatc acccatctct gaactggtag     2700
aaaaacatct gaagagctag tctatcagca tctgacaggt gaattggatg gttctcagaa     2760
ccatttcacc cagacagcct gtttctatcc tgtttaataa attagtttgg gttctctaca     2820
tgcataacaa accctgctcc aatctgtcac ataaaagtct gtgactrgaa gtttagtcag     2880
cacccccacc aaactttatt tttctatgtg ttttttgcaa catatgagtg ttttgaatat     2940
aaagtaccca tgtctttatt agaaaaaaaa aaaaaaaaaa aaaa                        2984

```

<210> 336

<211> 147

<212> PRT

<213> Homo sapien

<400> 336

```

Pro Ser Phe Pro Thr Leu Leu Ser Arg Arg His Leu Gly Ser Tyr Leu
 1              5              10              15
Leu Asp Ser Glu Asn Thr Ser Gly Ala Leu Pro Arg Leu Pro Gln Thr
      20              25              30
Pro Lys Gln Pro Gln Lys Arg Ser Arg Ala Ala Phe Ser His Thr Gln
      35              40              45
Val Ile Glu Leu Glu Arg Lys Phe Ser His Gln Lys Tyr Leu Ser Ala
      50              55              60
Pro Glu Arg Ala His Leu Ala Lys Asn Leu Lys Leu Thr Glu Thr Gln
65              70              75              80

```


115

Val Lys Ile Trp Phe Gln Asn Arg Arg Tyr Lys Thr Lys Arg Lys Gln
 85 90 95
 Leu Ser Ser Glu Leu Gly Asp Leu Glu Lys His Ser Ser Leu Pro Ala
 100 105 110
 Leu Lys Glu Glu Ala Phe Ser Arg Ala Ser Leu Val Ser Val Tyr Asn
 115 120 125
 Ser Tyr Pro Tyr Tyr Pro Tyr Leu Tyr Cys Val Gly Ser Trp Ser Pro
 130 135 140
 Ala Phe Trp
 145

<210> 337
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 337
 Ala Leu Thr Gly Phe Thr Phe Ser Ala
 1 5

<210> 338
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 338
 Leu Leu Ala Asn Asp Leu Met Leu Ile
 1 5

<210> 339
 <211> 318
 <212> PRT
 <213> Homo sapien

<400> 339
 Met Val Glu Leu Met Phe Pro Leu Leu Leu Leu Leu Pro Phe Leu
 1 5 10 15
 Leu Tyr Met Ala Ala Pro Gln Ile Arg Lys Met Leu Ser Ser Gly Val
 20 25 30
 Cys Thr Ser Thr Val Gln Leu Pro Gly Lys Val Val Val Val Thr Gly
 35 40 45
 Ala Asn Thr Gly Ile Gly Lys Glu Thr Ala Lys Glu Leu Ala Gln Arg
 50 55 60
 Gly Ala Arg Val Tyr Leu Ala Cys Arg Asp Val Glu Lys Gly Glu Leu
 65 70 75 80
 Val Ala Lys Glu Ile Gln Thr Thr Thr Gly Asn Gln Gln Val Leu Val
 85 90 95
 Arg Lys Leu Asp Leu Ser Asp Thr Lys Ser Ile Arg Ala Phe Ala Lys
 100 105 110
 Gly Phe Leu Ala Glu Glu Lys His Leu His Val Leu Ile Asn Asn Ala
 115 120 125
 Gly Val Met Met Cys Pro Tyr Ser Lys Thr Ala Asp Gly Phe Glu Met
 130 135 140
 His Ile Gly Val Asn His Leu Gly His Phe Leu Leu Thr His Leu Leu

145 150 155 160
 Leu Glu Lys Leu Lys Glu Ser Ala Pro Ser Arg Ile Val Asn Val Ser
 165 170 175
 Ser Leu Ala His His Leu Gly Arg Ile His Phe His Asn Leu Gln Gly
 180 185 190
 Glu Lys Phe Tyr Asn Ala Gly Leu Ala Tyr Cys His Ser Lys Leu Ala
 195 200 205
 Asn Ile Leu Phe Thr Gln Glu Leu Ala Arg Arg Leu Lys Gly Ser Gly
 210 215 220
 Val Thr Thr Tyr Ser Val His Pro Gly Thr Val Gln Ser Glu Leu Val
 225 230 235 240
 Arg His Ser Ser Phe Met Arg Trp Met Trp Trp Leu Phe Ser Phe Phe
 245 250 255
 Ile Lys Thr Pro Gln Gln Gly Ala Gln Thr Ser Leu His Cys Ala Leu
 260 265 270
 Thr Glu Gly Leu Glu Ile Leu Ser Gly Asn His Phe Ser Asp Cys His
 275 280 285
 Val Ala Trp Val Ser Ala Gln Ala Arg Asn Glu Thr Ile Ala Arg Arg
 290 295 300
 Leu Trp Asp Val Ser Cys Asp Leu Leu Gly Leu Pro Ile Asp
 305 310 315

<210> 340

<211> 483

<212> DNA

<213> Homo sapien

<400> 340

gccgaggctc gccttcacac ggaggacacg agactgcttc ctcaagggct cctgctgcc 60
 tggacactgg tgggaggcgc tgtttagtgt gctgttttca gaggggtctt tcggagggac 120
 ctctgctgc aggttgaggt gtctttattc ctggcgggag accgcacatt ccactgctga 180
 gggtgtgggg gcggtttatc aggcagtgat aaacataaga tgtcatttcc ttgactccgg 240
 ccttcaattt tctctttggc tgacgacgga gtccgtggtg tcccgatgta actgaccct 300
 gctccaaacg tgacatcact gatgctcttc tcgggggtgc tgatggcccg cttggtcacg 360
 tgctcaatct cgccattcga ctcttgctcc aaactgtatg aagacacctg actgcacgtt 420
 ttttctgggc ttccagaatt taaagtgaag ggcagcactc ctaagctccg actccgatgc 480
 ctg 483

<210> 341

<211> 344

<212> DNA

<213> Homo sapien

<400> 341

ctgctgctga gtcacagatt tcattataaa tagcctccct aaggaaaata cactgaatgc 60
 tatttttact aaccattcta tttttataga aatagctgag agtttctaaa ccaactctct 120
 gctgccttac aagtattaaa tattttactt ctttccataa agagtagctc aaaatatgca 180
 attaatttaa taatttctga tgatggtttt atctgcagta atatgtatat catctattag 240
 aattttactta atgaaaaact gaagagaaca aaatttgtaa ccactagcac ttaagtactc 300
 ctgattctta acattgtctt taatgaccac aagacaacca acag 344

<210> 342

<211> 592

<212> DNA

<213> Homo sapien

<400> 342

acagcaaaaa	agaaactgag	aagcccaaty	tgctttcttg	ttaacatcca	cttatccaac	60
caatgtggaa	acttcttata	cttgggtcca	ttatgaagtt	ggacaattgc	tgctatcaca	120
cctggcaggt	aaaccaatgc	caagagagtg	atggaaacca	ttggcaagac	tttgttgatg	180
accaggattg	gaattttata	aaaatatgtg	tgatgggaag	ttgctaaagg	gtgaattact	240
tccctcagaa	gagtgtaaag	aaaagtcaga	gatgctataa	tagcagctat	tttaattggc	300
aagtgccact	gtggaaagag	ttcctgtgtg	tgctgaagtt	ctgaagggca	gtcaaattca	360
tcagcatggg	ctgtttgggtg	caaatgcaaa	agcacaggtc	tttttagcat	gctggtctct	420
cccgtgtcct	tatgcaaata	atcgtcttct	tctaaatttc	tcctaggcct	cattttccaa	480
agttcttctt	ggtttgtgat	gtcttttctg	ctttccatta	attctataaa	atagtatggc	540
ttcagccacc	cactcttcgc	cttagcttga	ccgtgagtc	cggctgccgc	tg	592

<210> 343

<211> 382

<212> DNA

<213> Homo sapien

<400> 343

ttcttgacct	cctctcctt	caagctcaaa	caccacctcc	cttattcagg	accggcactt	60
cttaatgttt	gtggctttct	ctccagcctc	tcttaggagg	ggtaatggtg	gagttggcat	120
cttgtaactc	tcctttctcc	tttcttcccc	ttctctgccc	cgctttcccc	atcctgctgt	180
agacttcttg	attgtcagtc	tgtgtcacat	ccagtgattg	ctttgggttc	tgttcccttt	240
ctgactgccc	aaggggctca	gaaccccagc	aatcccttcc	tttcaactacc	ttcttttttg	300
ggggtagttg	gaagggactg	aaattgtggg	gggaaggtag	gaggcacatc	aataaagagg	360
aaaccaccaa	gctgaaaaaa	aa				382

<210> 344

<211> 536

<212> DNA

<213> Homo sapien

<400> 344

ctgggcctga	agctgtaggg	taaatcagag	gcaggcttct	gagtgatgag	agtcctgaga	60
caataggcca	cataaacttg	gctggatgga	acctcacaat	aagggtggtca	cctcttgttt	120
gttttagggg	atgccaaagga	taaggccagc	tcagttatat	gaagagaagc	agaacaaaca	180
agtctttcag	agaaatggat	gcaatcagag	tgggatcccc	gtcacatcaa	ggtcacactc	240
caccttcattg	tgcttgaatg	gttgccaggt	cagaaaaatc	caccccttac	gagtgcggct	300
tcgaccctat	atcccccgcc	cgcgtccctt	tctccataaa	attcttctta	gtagtatta	360
ccttcttatt	atttgatcta	gaaattgccc	tccttttacc	cctaccatga	gccctacaaa	420
caactaacct	gccactaata	gttatgtcat	ccctcttatt	aatcatcatc	ctagccctaa	480
gtctggccta	tgagtgacta	caaaaaggat	tagactgagc	cgaataacaa	aaaaaa	536

<210> 345

<211> 251

<212> DNA

<213> Homo sapien

<400> 345

accttttgag	gtctctctca	ccacctccac	agccaccgtc	accgtgggat	gtgctggatg	60
tgaatgaagc	ccccatcttt	gtgcctcctg	aaaagagagt	ggaagtgtcc	gaggactttg	120
gcgtggggcca	ggaaatcaca	tcctacactg	cccaggagcc	agacacattt	atggaacaga	180
aaataacata	tcggattttg	agagacactg	ccaactggct	ggagattaat	ccggacactg	240
gtgccatttc	c					251

<210> 346
 <211> 282
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(282)
 <223> n = A,T,C or G

<400> 346
 cgcgtctctg acactgtgat catgacaggg gttcaaacag aaagtgcctg ggccctcctt 60
 ctaagtcttg ttaccaaaaa aaggaaaaag aaaagatctt ctcagttaca aattctggga 120
 agggagacta tacctggctc ttgccctaag tgagaggtct tccctccgc accaaaaat 180
 agaaaggctt tctatttcac tggcccagg agggggaagg agagtaactt tgagtctgtg 240
 ggtctcatth cccaagggtgc cttcaatgct catnaaaacc aa 282

<210> 347
 <211> 201
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(201)
 <223> n = A,T,C or G

<400> 347
 acacacataa tattataaaa tgccatctaa ttggaaggag ctttctatca ttgcaagtca 60
 taaatataac ttttaaaana ntactancag cttttaccta ngctcctaaa tgcttgtaaa 120
 tctgagactg actggaccca cccagaccca gggcaaagat acatgttacc atatcatctt 180
 tataaagaat ttttttttgt c 201

<210> 348
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 348
 ctgttaatca caacatttgt gcatcacttg tgccaagtga gaaaatgttc taaaatcaca 60
 agagagaaca gtgccagaat gaaactgacc ctaagtccca ggtgccctg ggcaggcaga 120
 aggagacact cccagcatgg aggagggttt atcttttcat cctaggctcag gtctacaatg 180
 ggggaagggtt ttattataga actcccaaca gcccacctca ctctgcccac ccaccgatg 240
 gccctgcctc c 251

<210> 349
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 349
 taaaaatcaa gccatttaat tgtatctttg aaggtaaaca atatatggga gctggatcac 60
 aacccttgag gatgccagag ctatgggtcc agaacatggt gtggtattat caacagagtt 120
 cagaagggtc tgaactctac gtgttaccag agaacataat gcaattcatg cattccactt 180
 agcaattttg taaaatacca gaaacagacc ccaagagtct ttcaagatga ggaaaattca 240

actcctgggt t

251

<210> 350

<211> 908

<212> DNA

<213> Homo sapien

<400> 350

ctggacactt tgcgagggct tttgctggct gctgctgctg cccgtcatgc tactcatcgt	60
agcccccccg gtgaagctcg ctgctttccc tacctcctta agtgactgcc aaacgccac	120
cggctggaat tgctctgggt atgatgacag agaaaatgat ctcttcctct gtgacaccaa	180
cacctgtaaa tttgatgggg aatgtttaag aattggagac actgtgactt gcgtctgtca	240
gttcaagtgc aacaatgact atgtgcctgt gtgtggctcc aatggggaga gctaccagaa	300
tgagtgttac ctgcgacagg ctgcatgcaa acagcagagt gagatacttg tgggtgcaga	360
aggatcatgt gccacagtcc atgaaggctc tggagaaact agtcaaaagg agacatccac	420
ctgtgatatt tgccagtttg gtgcagaatg tgacgaagat gccgaggatg tctggtgtgt	480
gtgtaatatt gactgttctc aaaccaactt caatcccctc tgcgttctg atgggaaatc	540
ttatgataat gcatgccaaa tcaaagaagc atcgtgtcag aaacaggaga aaattgaagt	600
catgtctttg ggtcgatgtc aagataaacac aactacaact actaagtctg aagatgggca	660
ttatgcaaga acagattatg cagagaatgc taacaaatta gaagaaagtg ccagagaaca	720
ccacatacct tgtccggaac attacaatgg ctctgcatg catgggaagt gtgagcattc	780
tatcaatatg caggagccat cttgcagggt tgatgctggg tatactggac aacactgtga	840
aaaaaaggac tacagtgttc tatacgttgt tcccggctct gtacgatttc agtatgtctt	900
aatcgacag	908

<210> 351

<211> 472

<212> DNA

<213> Homo sapien

<400> 351

ccagttattt gcaagtggta agagcctatt taccataaat aatactaaga accaactcaa	60
gtcaaacctt aatgccattg ttattgtgaa ttaggattaa gtagtaattt tcaaaattca	120
cattaacttg attttaaaat cagwtttgyg agtcatttac cacaagctaa atgtgtacac	180
tatgataaaa acaaccattg tatctctgtt tttctaaaca gtcctaattt ctaacactgt	240
atatatcctt cgacatcaat gaactttgtt ttcttttact ccagtaataa agtaggcaca	300
gatctgtcca caacaaactt gccctctcat gccttgctc tcaccatget ctgctccagg	360
tcagccccct tttggcctgt ttgttttgc aaaaacctaa tctgcttctt gcttttcttg	420
gtaatatata tttagggaag atgttgcttt gccacacac gaagcaaagt aa	472

<210> 352

<211> 251

<212> DNA

<213> Homo sapien

<400> 352

ctcaaagcta atctctcggg aatcaaacca gaaaagggca aggatcttag gcatgggtgga	60
tgtggataag gccagggtcaa tggctgcaag catgcagaga aagagggtaca tcggagcgtg	120
caggctgcgt tccgtcctta cgatgaagac cacgatgcag ttcccaaaca ttgccactac	180
atacatggaa aggaggggga agccaaccca gaaatgggct ttctctaate ctgggatacc	240
aataagcaca a	251

<210> 353

<211> 436

<212> DNA

<213> Homo sapien

<400> 353

tttttttttt tttttttttt ttttttacia caatgcagtc atttatttat tgagtatgtg	60
cacattatgg tattattact atactgatta tttttatcat gtgacttcta attaraaaat	120
gtatccaaaa gcaaaacagc agatatacaa aattaaagag acagaagata gacattaaca	180
gataaggcaa cttatacatt gacaatccaa atccaataca tttaaacatt tgggaaatga	240
gggggacaaa tggaagccar atcaaatttg tgtaaaacta ttcagtatgt ttcccttgct	300
tcatgtctga raaggctctc ccttcaatgg ggatgacaaa ctccaaatgc cacacaaatg	360
ttaacagaat actagattca cactggaacg ggggtaaaga agaaattatt ttctataaaa	420
gggctcctaa tgtagt	436

<210> 354

<211> 854

<212> DNA

<213> Homo sapien

<400> 354

ccttttctag ttcaccagtt ttctgcaagg atgctgggta gggagtgtct gcaggaggag	60
caagtctgaa accaaatcta ggaaacatag gaaacgagcc aggcacaggg ctgggaggcc	120
atcaggagacc accctttggg ttgatatttt gcttaatctg catcttttga gtaagatcat	180
ctggcagtag aagctgttct ccaggtagat ttctctagct catgtacaaa aacatcctga	240
aggactttgt caggtgcctt gctaaaagcc agatgcgttc ggcaattcct tgggtctgagg	300
ttaattgcac acctacaggg actgggctca tgcttcaag tttttgtcc tcaactttagg	360
gtgagtgaag gatccccatt ataggagcac ttgggagaga tcatataaaa gctgactctt	420
gagtacatgc agtaatgggg tagatgtgtg tgggtgtgtct tcattcctgc aagggtgctt	480
gttagggagt gtttccagga ggaacaagtc tgaaaccaat catgaaataa atggtaggtg	540
tgaactggaa aactaattca aaagagagat cgtgatatca gtgtgggtga tacaccttg	600
caatatggaa ggctctaatt tgcccatatt tgaaataata attcagcttt ttgtaataca	660
aaataacaaa ggattgagaa tcatgggtgtc taatgtataa aagaccaggg aaacataaat	720
atatcaactg cataaatgta aaatgcatgt gacccaagaa ggcccaaaag tggcagacaa	780
cattgtaccc attttccctt ccaaaatgtg agcggcgggc ctgctgcttt caaggctgtc	840
acacgggatg tcag	854

<210> 355

<211> 676

<212> DNA

<213> Homo sapien

<400> 355

gaaattaagt atgagctaaa ttccctgtta aaacctctag gggtagacaga tctcttcaac	60
cagggtcaaag ctgatctttc tggaatgtca ccaaccaagg gcctatattt atcaaaagcc	120
atccacaagt catacctgga tgtcagcgaa gagggcacgg aggcagcagc agccactggg	180
gacagcatcg ctgtaaaaag cctaccaatg agagctcagt tcaaggcgaa ccaccccttc	240
ctgttcttta taaggcacac tcataccaac acgatccat tctgtggcaa gcttgcctct	300
ccctaatacag atgggggtga gtaaggctca gagttgcaga tgagggtgcag agacaatcct	360
gtgactttcc cacggccaaa aagctgttca cacctcacgc acctctgtgc ctgagtttgc	420
tcattctgaa aatagggtcta ggatttcttc caaccatttc atgagttgtg aagctaaggc	480
tttgtaatc atggaaaaag gttagacttat gcagaaagcc tttctggctt tcttatctgt	540
ggtgtctcat ttgagtgtc tccagtgaac tgatcaagtc aatgagtaaa attttaaggg	600
attagatttt cttgacttgt atgtatctgt gagatcttga ataagtgacc tgacatctct	660
gcttaaagaa aaccag	676

<210> 356

<211> 574

<212> DNA

<213> Homo sapien

<400> 356

tttttttttt ttttttcagga aaacattctc ttactttatt tgcattctcag caaagggttct	60
catgtggcac ctgactggca tcaaaccaaa gtctgtaggc caacaaagat gggccactca	120
caagcttccc atttgtagat ctgagtgcct atgagtatct gacacctgtt cctctcttca	180
gtctcttagg gaggttataa tctgtctcag gtgtgctaag agtgccagcc caaggkggtc	240
aaaagtccac aaaactgcag tctttgctgg gatagtaagc caagcagtgc ctggacagca	300
gagttctttt cttgggcaac agataaccag acaggactct aatcgtgctc ttattcaaca	360
ttcttctgtc tctgcctaga ctggaataaa aagccaatct ctctcgtggc acagggaagg	420
agatacaagc tcgtttacat gtgatagatc taacaaaggc atctaccgaa gtctggtctg	480
gatagacggc acaggggagct cttaggtcag cgctgctggg tggaggacat tcctgagtc	540
agctttgcag cctttgtgca acagtacttt ccca	574

<210> 357

<211> 393

<212> DNA

<213> Homo sapien

<400> 357

tttttttttt tttttttttt tttttttttt tacagaatat aratgcttta tcaactgkact	60
taatatggkg kcttggtcac tatacttaaa atgcaccac tcataaatat ttaattcagc	120
aagccacaac caaracttga ttttatcaac aaaaaccctt aaatataaac ggsaaaaaag	180
atagatataa ttattccagt ttttttaaaa cttaaaarat attccattgc cgaattaara	240
araarataag tggtatatgg aaagaagggc attcaagcac actaaaraaa cctgaggkaa	300
gcataatctg taaaaatta aactgtcctt tttggcattt taacaaattt gcaacgktct	360
tttttttctt tttctgtttt tttttttttt tac	393

<210> 358

<211> 630

<212> DNA

<213> Homo sapien

<400> 358

acagggtaaa caggaggatc cttgctctca cggagcttac attctagcag gaggacaata	60
ttaatgttta taggaaaatg atgagtttat gacaaaggaa gtagatagtg ttttacaaga	120
gcatagagta gggaagctaa tccagcacag ggaggtcaca gagacatccc taaggaagtg	180
gagtttaaac tgagagaagc aagtgtctaa actgaaggat gtgttgaaaga agaagggaga	240
gtagaacaat ttgggcagag ggaaccttat agaccctaag gtgggaagggt tcaaagaact	300
gaaagagagc tagaacagct ggagccgttc tccggtgtaa agaggagtca aagagataag	360
attaaagatg tgaagattaa gatcttggtg gcattcaggg attggcactt ctacaagaaa	420
tcaactgaagg gagtaatgtg acattacttt tcacttcagg atggccattc taactccagg	480
gggtagactg gactaggtaa gactggaggc aggtagacct cttctaaggc ctgcatagt	540
gaaagacaaa aataagtggg gaaattcagg ggatagtga aatcagtagg acttaatgag	600
caagccagag gttcctccac aacaaccagt	630

<210> 359

<211> 620

<212> DNA

<213> Homo sapien

<400> 359

acagcattcc aaaatatata tctagagact aarrgtaaat gctctatagt gaagaagtaa	60
taattaaaaa atgctactaa tatagaaaat ttataatcag aaaaataaat attcagggag	120

```

ctcaccagaa gaataaagtg ctctgccagt tattaaagga ttactgctgg tgaattaaat 180
atggcattcc ccaagggaaa tagagagatt cttctggatt atgttcaata tttatttcac 240
aggattaact gttttaggaa cagatataaa gcttcgccac ggaagagatg gacaaagcac 300
aaagacaaca tgatacctta ggaagcaaca ctacccttcc aggcataaaa tttggagaaa 360
tgcaacatta tgcttcatga ataatatgta gaaagaaggt ctgatgaaaa tgacatcctt 420
aatgtaagat aactttataa gaattctggg tcaaataaaa ttctttgaag aaaacatcca 480
aatgtcattg acttatcaaa tactatcttg gcatataacc tatgaaggca aaactaaaca 540
aacaaaaagc tcacacccaa caaaaccatc aacttatttt gtattctata acatacgaga 600
ctgtaaagat gtgacagtgt 620

```

<210> 360

<211> 431

<212> DNA

<213> Homo sapien

<400> 360

```

aaaaaaaaaa agccagaaca acatgtgata gataatatga ttggctgcac acttccagac 60
tgatgaatga tgaacgtgat ggactattgt atggagcaca tcttcagcaa gagggggaaa 120
tactcatcat ttttggccag cagttgtttg atcaccaaac atcatgccag aatactcagc 180
aaaccttctt agctcttgag aagtcaaaagt ccgggggaat ttattcctgg caattttaat 240
tggactcctt atgtgagagc agcggctacc cagctggggg ggtggagcga acccgctcact 300
agtggacatg cagtggcaga gctcctggta accacctaga ggaatacaca ggcacatgtg 360
tgatgccaag cgtgacacct gtagcactca aatttgtctt gttttgtctt ttcgggtgtg 420
agattcttag t 431

```

<210> 361

<211> 351

<212> DNA

<213> Homo sapien

<400> 361

```

acactgattt ccgatcaaaa gaatcatcat ctttaccttg acttttcagg gaattactga 60
actttcttct cagaagatag ggcacagcca ttgccttggc ctcaactgaa gggctctgcat 120
ttgggtcctc tggctctctg ccaagtctcc cagccactcg agggagaaat atcgggaggt 180
ttgacttctc ccggggcttt ccgagggctc tcaccgtgag ccctgcggcc ctcaagggtg 240
caatcctgga ttcaatgtct gaaacctcgc tctctgcctg ctggacttct gaggcctgca 300
ctgccactct gtcctccagc tctgacagct cctcatctgt ggtcctgttg t 351

```

<210> 362

<211> 463

<212> DNA

<213> Homo sapien

<400> 362

```

acttcatcag gccataatgg gtgcctcccg tgagaatcca agcacctttg gactgcgcga 60
ttagatgag ccggctgaag atcttgcgca tgcgcggctt cagggcgaag ttcttggcgc 120
ccccggctac agaaatgacc aggttgggtg ttttcagggt ccagtgtctg gtcagcagct 180
cgtaaaggat ttccgcgtcc gtgtgcagc acagacgtat ataactccct ttcttccca 240
gtgtctcaaa ctgaatatcc ccaaaggcgt cggtaggaaa ttccttgggt tggttcttgt 300
agttccattt ctcaactttg ttgatctggg tgccttccat gtgctggctc tgggcatagc 360
cacacttgca cacattctcc ctgataagca cgatgggtgt gacaggaagg aaggatttca 420
ttgagcctgc ttatggaaac tggatttgtt agcttaaata gac 463

```

<210> 363

<211> 653

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(653)

<223> n = A,T,C or G

<400> 363

```

acccccgagt ncctgnctgg catactgnga acgaccaacg acacacccaa gctcggcctc      60
ctcttgnga ttctgggtga catcttcatg aatggcaacc gtgccagwga ggctgtcctc      120
tgaggagcac tacgcaagat gggactgcgt cctgggggtga gacatcctct ccttggagat      180
ctaacgaaac ttctcaccta tgagttgtaa agcagaaata cctgnactac agacgagtgc      240
ccaacagcaa cccccgggaa gtatgagttc ctctrgggcc tccgttccta ccatgagasc      300
tagcaagatg naagtgttga gantcattgc agaggttcag aaaagagacc cntcgtgact      360
ggtctgcaca gttcatggag gctgcagatg aggccttggg tgcctctggat gctgctgcag      420
ctgaggccga agcccgggct gaagcaagaa cccgcattgg aattggagat gaggctgtgt      480
ntgggcccctg gagctgggat gacattgagt ttgagctgct gacctgggat gaggaaggag      540
attttgagaa tccntgggtc agaattccat ttaccttctg ggccagatac caccagaatg      600
cccgtccag attccctcag acctttgccg gtcccattat tggctstggt ggt          653

```

<210> 364

<211> 401

<212> DNA

<213> Homo sapien

<400> 364

```

actagaggaa agacgttaaa ccactctact accacttgtg gaactctcaa agggtaaatg      60
acaaagccaa tgaatgactc taaaaacaat atttacattt aatggtttgt agacaataaa      120
aaaacaaggt ggatagatct agaattgtaa cattttaaga aaaccatagc atttgacaga      180
tgagaaagct caattataga tgcaaagtta taactaaact actatagtag taaagaaata      240
catttcacac ccttcatata aattcactat cttggcttga ggcactccat aaaatgtatc      300
acgtgcatag taaatcttta tatttgctat ggcgttgcac tagaggactt ggactgcaac      360
aagtggatgc gcggaaaatg aaatcttctt caatagccca g          401

```

<210> 365

<211> 356

<212> DNA

<213> Homo sapien

<400> 365

```

ccagtgtcat atttgggctt aaaatttcaa gaagggcact tcaaattggct ttgcatttgc      60
atgtttcagt gctagagcgt aggaatagac cctggcgctc actgtgagat gttcttcagc      120
taccagagca tcaagtctct gcagcaggctc attcttgggt aaagaaatga cttccacaaa      180
ctctccatcc cctggctttg gcttcggcctc tgcgttttcg gcatcatctc cgttaatggt      240
gactgtcacg atgtgtatag tacagtttga caagcctggg tccatacaga ccgctggaga      300
acattcggca atgtcccctt tgtagccagt ttcttcttcg agctcccgga gagcag       356

```

<210> 366

<211> 1851

<212> DNA

<213> Homo sapien

<400> 366

```

tcatacccat tgccagcagc ggcaccgtta gtcagggttt ctgggaatcc cacatgagta      60

```

cttccgtggt	cttcattctt	cttcaatagc	cataaatctt	ctagctctgg	ctggctggtt	120
tcacttcctt	taagcctttg	tgactcttcc	tctgatgtca	gctttaagtc	ttgttctgga	180
ttgctgtttt	cagaagagat	ttttaacatc	tggttttctt	tgtagtcaga	aagtaactgg	240
caaattacat	gatgatgact	agaaacagca	tactctctgg	ccgtctttcc	agatcttgag	300
aagatacatc	aacattttgc	tcaagtagag	ggctgactat	acttgctgat	ccacaacata	360
cagcaagtat	gagagcagtt	cttccatata	tatccagcgc	atttaaattc	gcttttttct	420
tgattaaaaa	tttcaccact	tgctgttttt	gctcatgtat	accaagtagc	agtgggtgta	480
ggccatgctt	gttttttgat	tcgatatacag	caccgtataa	gagcagtgct	ttggccatta	540
atttatcttc	attgtagaca	gcatagtgtg	gagtgggtatt	tccataactca	tctggaatat	600
ttggatcagt	gccatgttcc	agcaacatta	acgcacattc	atcttctctg	cattgtacgg	660
cctttgtcag	agctgtcctc	ttttgttgtt	caaggacatt	aagttgacat	cgtctgtcca	720
gcacgagttt	tactacttct	gaattcccat	tggcagaggc	cagatgtaga	gcagtcctct	780
tttgcctgtc	cctcttggtc	acatccgtgt	ccctgagcat	gacgatgaga	tcctttctgg	840
ggactttacc	ccaccaggca	gctctgtgga	gcttgtccag	atcttctcca	tggacgtggt	900
acctgggata	catgaaggcg	ctgtcatcgt	agtctcccca	agcgaccacg	ttgctcttgc	960
cgctcccctg	cagcagggga	agcagtgcca	gcaccacttg	cacctcttgc	tcccaagcgt	1020
cttcacagag	gagtcgttgt	ggctctccaga	agtgccacg	ttgctcttgc	cgctcccctt	1080
gtccatccag	ggaggaagaa	atgcaggaaa	tgaagatgc	atgcacgatg	gtatactcct	1140
cagccatcaa	acttctggac	agcaggtcac	ttccagcaag	gtggagaaag	ctgtccaccc	1200
acagaggatg	agatccagaa	accacaatat	ccattcacaa	acaaacactt	ttcagccaga	1260
cacaggtact	gaaatcatgt	catctgcggc	aacatgggtg	aacctaccca	atcacacatc	1320
aagagatgaa	gacactgcag	tatatctgca	caacgtaata	ctcttcatcc	ataacaaaat	1380
aatataatth	tcctctggag	ccatatggat	gaactatgaa	ggaagaactc	cccgaagaag	1440
ccagtcgcag	agaagccaca	ctgaagctct	gtcctcagcc	atcagcgcca	cggacaggar	1500
tgtgtttctt	ccccagtgat	gcagcctcaa	gttatcccga	agctgcgcga	gcacacgggtg	1560
gctcctgaga	aacaccccag	ctcttccggg	ctaacacagg	caagtcaata	aatgtgataa	1620
tcacataaac	agaattaaaa	gcaaagtcac	ataagcatct	caacagacac	agaaaaggca	1680
tttgacaaaa	tccagcatcc	ttgtatttat	tggtgcagtt	ctcagaggaa	atgcttctaa	1740
cttttcccca	tttagtatta	tggtggctgt	gggcttgtca	taggtgggtt	ttattacttt	1800
aaggatgtgc	ccttctatgc	ctgttttgct	gagggtttta	attctcgtgc	c	1851

<210> 367

<211> 668

<212> DNA

<213> Homo sapien

<400> 367

cttgagcttc	caaataygga	agactggccc	ttacacasgt	caatgttaaa	atgaatgcat	60
ttcagtattt	tgaagataaa	attrgtagat	ctataccttg	ttttttgatt	cgatatacag	120
accrtataag	agcagtgctt	tggccattaa	tttatcttcc	attrtagaca	gertagtgya	180
gagtgggtatt	tccataactca	tctggaatat	ttggatcagt	gccatgttcc	agcaacatta	240
acgcacattc	atcttctctg	cattgtacgg	cctgtcagta	ttagacccaa	aaacaaatta	300
catatcttag	gaattcaaaa	taacattcca	cagctttcac	caactagtta	tatttaaagg	360
agaaaactca	tttttatgcc	atgtattgaa	atcaaaccga	cctcatgctg	atatagttgg	420
ctactgcata	cctttatcag	agctgtcctc	ttttgttgtt	caaggacatt	aagttgacat	480
cgtctgtcca	gcaggagttt	tactacttct	gaattcccat	tggcagaggc	cagatgtaga	540
gcagtcctat	gagagtgaga	agacttttta	ggaaattgta	gtgcactagc	tacagccata	600
gcaatgattc	atgtaactgc	aaacactgaa	tagcctgcta	ttactctgcc	ttcaaaaaaa	660
aaaaaaaa						668

<210> 368

<211> 1512

<212> DNA

<213> Homo sapien

<400> 368

gggtcgccca	ggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggtcgggc	trgaatcccc	tgctgggggt	ggcaggtttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagttggt	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgtaaaaagc	agatgggtgt	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtgaagaag	ccatttggtc	tcaggagcaa	gatgggcaag	300
tgggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagt	600
gccttcatgg	agcccaggtg	ccacgtccgt	ggagaagatc	tggacaagct	ccacagagct	660
gcctgggtggg	gtaaagtccc	cagaaaggat	ctcatcgta	tgctcaggga	cactgacgtg	720
aacaagaagg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcgtt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	aggtatagat	ctactaattt	tatcttcaaa	atactgaaat	gcattcattt	1080
taacattgac	gtgtgtaagg	gccagtcttc	cgtatttggg	agctcaagca	taacttgaat	1140
gaaaatattt	tgaaatgacc	taattatctm	agactttatt	ttaaatattg	ttattttcaa	1200
agaagcatta	gagggtagag	tttttttttt	ttaaatgcac	ttctggtaaa	tactttcggt	1260
gaaaacactg	aatttgtaaa	aggtaatact	tactattttt	caatttttcc	ctcctaggat	1320
ttttttcccc	taatgaatgt	aagatggcaa	aatttgccct	gaaatagggt	ttacatgaaa	1380
actccaagaa	aagttaaaca	tgtttcagtg	aatagagatc	ctgctccttt	ggcaagttcc	1440
taaaaaacag	taatagatac	gaggtgatgc	gcctgtcagt	ggcaagggtt	aagatatttc	1500
tgatctcgtg	cc					1512

<210> 369

<211> 1853

<212> DNA

<213> Homo sapien

<400> 369

gggtcgccca	ggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggtcgggc	trgaatcccc	tgctgggggt	ggcaggtttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagttggt	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgtaaaaagc	agatgggtgt	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtgaagaag	ccatttggtc	tcaggagcaa	gatgggcaag	300
tgggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagy	600
gccttcatgg	akcccaggtg	ccacgtccrt	ggagaagatc	tggacaagct	ccacagagct	660
gcctgggtggg	gtaaagtccc	cagaaaggat	ctcatcgta	tgctcaggga	cackgaygtg	720
aacaagargg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcgtt	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	agcatggcct	cacaccactg	ytacttggtt	tacatgagca	aaaacagcaa	1080
gtsgtgaaat	ttttaatyaa	gaaaaaagcg	aatttaaaat	gcrctggata	gatatggaag	1140
ractgctctc	atacttgctg	tatgttggtg	atcagcaagt	atagtcagcc	ytctacttga	1200
gcaaaatrrt	gatgtatctt	ctcaagatct	ggaagacgg	ccagagagta	tgctgtttct	1260

agtcacatc	atgtaatttg	ccagttactt	tctgactaca	aagaaaaaca	gatgttaaaa	1320
atctcttctg	aaaacagcaa	tccagaacaa	gacttaaagc	tgacatcaga	ggaagagtca	1380
caaaggctta	aaggaagtga	aaacagccag	ccagaggcat	ggaaactttt	aaattttaa	1440
ttttggttta	atgttttttt	tttttgctt	aataatatta	gatagtccca	aatgaaatwa	1500
cctatgagac	taggctttga	gaatcaatag	attctttttt	taagaatctt	ttggctagga	1560
gcggtgtctc	acgcctgtaa	ttccagcacc	ttgagaggct	gaggtgggca	gatcacgaga	1620
tcaggagatc	gagaccatcc	tggctaacac	ggtgaaaccc	catctctact	aaaaatacaa	1680
aaacttagct	gggtgtggtg	gcgggtgcct	gtagtccag	ctactcagga	rgctgaggca	1740
ggagaatggc	atgaacccgg	gaggtggagg	ttgcagttag	ccgagatccg	ccactacact	1800
ccagcctggg	tgacagagca	agactctgtc	tcaaaaaaaa	aaaaaaaaaa	aaa	1853

<210> 370

<211> 2184

<212> DNA

<213> Homo sapien

<400> 370

ggcacgagaa	ttaaaacct	cagcaaaaaca	ggcatagaag	ggacatacct	taaagtaata	60
aaaaccacct	atgacaagcc	cacagccaac	ataatactaa	atggggaaaa	gttagaagca	120
tttctctga	gaactgcaac	aataaataca	aggatgctgg	attttgtcaa	atgccttttc	180
tgtgtctgtt	gagatgctta	tgtgactttg	cttttaattc	tgtttatgtg	attatcacat	240
ttattgactt	gcctgtgtta	gaccggaaga	gctggggtgt	ttctcaggag	ccaccgtgtg	300
ctgcggcagc	ttcgggataa	cttgaggctg	catcactggg	gaagaaacac	aytcctgtcc	360
gtggcgctga	tggctgagga	cagagcttca	gtgtggcttc	tctggactg	gcttcttcgg	420
ggagtctctc	cttcatagtt	catccatag	gctccagagg	aaaattatat	tattttgtta	480
tggatgaaga	gtattacgtt	gtgcagatat	actgcagtgt	cttcactctt	tgatgtgtga	540
ttgggtaggt	tccaccatgt	tgccgcagat	gacatgattt	cagtacctgt	gtctggctga	600
aaagtgtttc	tttgtgaatg	gatattgtgg	tttctggatc	tcactcctctg	tgggtggaca	660
gctttctcca	ccttgcctga	agtgcctgc	tgtccagaag	tttgatggct	gaggagtata	720
ccatcgtgca	tgcacttttc	atttcttgca	tttcttctc	cctggatgga	cagggggagc	780
ggcaagagca	acgtgggcac	ttctggagac	cacaacgact	cctctgtgaa	gacgcttggg	840
agcaagaggt	gcaagtgggtg	ctgccactgc	ttcccctgct	gcaggggagc	ggcaagagca	900
acgtggctgc	ttggggagac	tacgatgaca	gcgccttcat	ggatcccagg	taccacgtcc	960
atggagaaga	tctggacaag	ctccacagag	ctgcctgggtg	gggtaaagtc	cccagaaagg	1020
atctcatcgt	catgctcagg	gacacggatg	tgaacaagag	ggacaagcaa	aagaggactg	1080
ctctacatct	ggcctctgcc	aatgggaatt	cagaagtagt	aaaactcgtg	ctggacagac	1140
gatgtcaact	taatgtcctt	gacaacaaaa	agaggacagc	tctgacaaag	gccgtacaat	1200
gccaggaaga	tgaatgtgcg	ttaatgttgc	tggaaacatgg	cactgatcca	aatattccag	1260
atgagtatgg	aaataccact	ctacactatg	ctgtctacaa	tgaagataaa	ttaatggcca	1320
aagcactgct	cttatacggg	gctgatatcg	aatcaaaaaa	caagcatggc	ctcacaccac	1380
tgctacttgg	tatacatgag	caaaaacagc	aagtggtgaa	atttttaatc	aagaaaaaag	1440
cgaattttaa	tgcgctggat	agatatggaa	gaactgctct	catacttgtc	gtatgttgtg	1500
gatcagcaag	tatagtcagc	cctctacttg	agcaaaatgt	tgatgtatct	tctcaagatc	1560
tggaaagacg	gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	1620
ttctgactac	aaagaaaaac	agatgtttaa	aatctcttct	gaaaaacagca	atccagaaca	1680
agacttaaag	ctgacatcag	aggaagagtc	acaaaaggctt	aaaggaaagt	aaaacagcca	1740
gccagaggca	tggaaacttt	taaaatttaa	cttttggttt	aatgtttttt	tttttgcct	1800
taataatatt	agatagtccc	aaatgaaatw	acctatgaga	ctaggctttg	agaatcaata	1860
gattcttttt	ttaagaatct	tttggctagg	agcgggtgtc	cacgcctgta	attccagcac	1920
cttgagaggc	tgaggtgggc	agatcacgag	atcaggagat	cgagaccatc	ctggctaaca	1980
cggtgaaacc	ccatctctac	taaaaataca	aaaacttagc	tgggtgtggc	ggcgggtgcc	2040
tgtagtccca	gctactcagg	argctgaggc	aggagaatgg	catgaacccg	ggaggtggag	2100
gttgagtgga	gccgagatcc	gccactacac	tccagcctgg	gtgacagagc	aagactctgt	2160
ctcaaaaaaa	aaaaaaaaaa	aaaa				2184

<210> 371
 <211> 1855
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(1855)
 <223> n = A,T,C or G

<400> 371

tgcacgcatc	ggccagtgct	tgtgccacgt	acactgacgc	cccctgagat	gtgcacgccg	60
cacgcgcacg	ttgcacgcgc	ggcagcggct	tggctggctt	gtaacggctt	gcacgcgcac	120
gccgcccccg	cataaccgtc	agactggcct	gtaacggctt	gcaggcgcac	gccgcacgcg	180
cgtaacggct	tggctgccct	gtaacggctt	gcacgtgcat	gctgcacgcg	cgttaacggc	240
ttggctggca	tgtagccgct	tggcttggtt	ttgcattytt	tgctkggctk	ggcgttgkty	300
tcttggattg	acgcttcctc	cttggatkga	cgtttcctcc	ttggatkgac	gtttcytyty	360
tcgcgttcct	ttgctggact	tgacctttty	tctgctgggt	ttggcattcc	tttgggggtg	420
gctgggtggt	ttctccgggg	gggktgcccc	ttcctggggg	gggcgtgggk	cgccccagg	480
gggcgtgggc	tttccccggg	tgggtgtggg	ttttcctggg	gtgggggtgg	ctgtgctggg	540
atccccctgc	tgggggtggc	agggattgac	ttttttcttc	aaacagattg	gaaacccgga	600
gtaacntgct	agttggtgaa	actggttggg	agacgcgac	tgctgggtact	actgtttctc	660
ctggctgtta	aaagcagatg	gtggctgagg	ttgattcaat	gccggctgct	tcttctgtga	720
agaagccatt	tggctctcagg	agcaagatgg	gcaagtgggt	cgccactgct	tcccctgctg	780
cagggggagc	ggcaagagca	acgtggggc	ttctggagac	cacaacgact	cctctgtgaa	840
gacgcttggg	agcaagaggt	gcaagtgggt	ctgcccactg	cttccccctgc	tgcaggggag	900
cggcaagagc	aacgtggkcg	cttggggaga	ctacgatgac	agcgcccttca	tggakcccg	960
gtaccacgtc	crtggagaag	atctggacaa	gctccacaga	gctgcctggg	ggggtaaagt	1020
ccccagaaag	gatctcatcg	tcatgctcag	ggacactgay	gtgaacaaga	rggacaagca	1080
aaagaggact	gctctacatc	tggcctctgc	caatgggaat	tcagaagtag	taaaactcgt	1140
gctggacaga	cgatgtcaac	ttaatgtcct	tgacaacaaa	aagaggacag	ctctgacaaa	1200
ggccgtacaa	tgccaggaag	atgaatgtgc	gttaatgttg	ctggaacatg	gcactgatcc	1260
aaatatccca	gatgagtatg	gaaataccac	tctacactat	gctgtctaca	atgaagataa	1320
attaatggcc	aaagcactgc	tcttatacgg	tgctgatatc	gaatcaaaaa	acaaggtata	1380
gatctactaa	ttttatcttc	aaaatactga	aatgcattca	ttttaacatt	gacgtgtgta	1440
agggccagtc	ttccgtatatt	ggaagctcaa	gcataacttg	aatgaaaata	ttttgaaatg	1500
acctaattat	ctaagacttt	attttaaata	ttgttatatt	caaagaagca	ttagagggtg	1560
cagttttttt	tttttaaatt	cactttctgt	aaatactttt	gttgaaaaca	ctgaatttgt	1620
aaaaggtaat	acttactatt	tttcaatttt	tccctcctag	gatttttttc	ccctaattgaa	1680
tgtaagatgg	caaaatttgc	cctgaaatag	gtttttacatg	aaaactccaa	gaaaagttaa	1740
acatgtttca	gtgaatagag	atcctgctcc	tttggcaagt	tcctaaaaaa	cagtaataga	1800
tacgagggtga	tgcgctgtgc	agtgggcaagg	tttaagatat	ttctgatctc	gtgcc	1855

<210> 372
 <211> 1059
 <212> DNA
 <213> Homo sapien

<400> 372

gcaacgtggg	cactttctgga	gaccacaacg	actcctctgt	gaagacgctt	gggagcaaga	60
ggtgcaagtg	gtgctgcccc	ctgcttcccc	tgctgcaggg	gagcggcaag	agcaacgtgg	120
gcgcttgrgg	agactmcgat	gacagygcct	tcatggagcc	caggtaccac	gtccgtggag	180
aagatctgga	caagctccac	agagctgccc	tgggtggggt	aagtccccag	aaaggatctc	240
atcgctcatgc	tcagggacac	tgaygtgaac	aagarggaca	agcaaaagag	gactgctcta	300
catctggcct	ctgccaatgg	gaattcagaa	gtagtaaaac	tctgtctgga	cagacgatgt	360

caacttaatg	tccttgacaa	caaaaagagg	acagctctga	yaaaggccgt	acaatgccag	420
gaagatgaat	gtgcgttaat	gttgcctggaa	catggcactg	atccaaatat	tccagatgag	480
tatggaaata	ccactctrca	ctaygctrct	tayaatgaag	ataaattaat	ggccaaagca	540
ctgctcttat	ayggtgctga	tatcgaatca	aaaaacaagg	tatagatcta	ctaattttat	600
cttcaaaata	ctgaaatgca	ttcattttta	cattgacgtg	tgtaaaggcc	agtcttccgt	660
at ttggaagc	tcaagcataa	cttgaatgaa	aatattttga	aatgacctaa	ttatctaaga	720
ctttatttta	aatattgtta	ttttcaaaga	agcattagag	ggtacagttt	ttttttttta	780
aatgcacttc	tggtaaatac	ttttgttgaa	aacactgaat	ttgtaaaagg	taatacttac	840
tatttttcaa	tttttccctc	ctaggatttt	tttcccctaa	tgaatgtaag	atggcaaaat	900
ttgccctgaa	ataggtttta	catgaaaact	ccaagaaaag	ttaaacaatgt	ttcagtgaat	960
agagatcctg	ctcctttggc	aagttcctaa	aaaacagtaa	tagatacgag	gtgatgcgcc	1020
tgtcagtggc	aaggtttaag	atattttctga	tctcgtgcc			1059

<210> 373

<211> 1155

<212> DNA

<213> Homo sapien

<400> 373

atgggtggtg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atttgggtctc	60
aggagcaaga	tgggcaagt	gtgctgccgt	tgcttcccc	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcagg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	ggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccaggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtgggg	aaagtcacca	gaaaggatct	catcgtcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgttaa	tggtgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatacgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtgta	840
catgagcaaa	aacagcaagt	cgtgaaattt	ttaatcaaga	aaaaagcgaa	tttaaagtca	900
ctggatagat	atggaaggac	tgctctcata	cttgcgtgat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaaa	tgtctcaaga	1140
accagaaata	aataa					1155

<210> 374

<211> 2000

<212> DNA

<213> Homo sapien

<400> 374

atgggtggtg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atttgggtctc	60
aggagcaaga	tgggcaagt	gtgctgccgt	tgcttcccc	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcagg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	ggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccaggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctggtgggg	aaagtcacca	gaaaggatct	catcgtcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540

tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgtaa	tggtgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtga	840
catgagcaaa	aacagcaagt	cgtgaaattt	ttaatcaaga	aaaaagcgaa	tttaaatagca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaaag	1140
ctgacatcag	aggaagagtc	acaaagggtc	aaaggcagtg	aaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtgt	cactgctggc	1320
aatggtgata	atggattaat	tcctcaaagg	aagagcagaa	cacctgaaaa	tcagcaattt	1380
cctgacaacg	aaagtgaaga	gtatcacaga	atttgcgaa	tagtttctga	ctacaaagaa	1440
aaacagatgc	caaaatactc	ttctgaaaac	agcaaccag	aacaagactt	aaagctgaca	1500
tcagaggaag	tcgcacaaag	gcttgagggc	agtgaataatg	gccagccaga	gctagaaaat	1560
tttatggcta	tggaagaaat	gaagaagcac	ggaagtactc	atgtcggatt	cccagaaaac	1620
ctgactaatg	gtgccactgc	tggcaatggt	gatgatggat	taattcctcc	aaggaagagc	1680
agaacacctg	aaagccagca	atttcctgac	actgagaatg	aagagtatca	cagtgcagaa	1740
caaaatgata	ctcagaagca	attttgtgaa	gaacagaaca	ctggaatatt	acacgatgag	1800
attctgattc	atgaagaaaa	gcagatagaa	gtgggtgaaa	aaatgaattc	tgagctttct	1860
cttagttgta	agaaagaaaa	agacatcttg	catgaaaata	gtacgttgcg	ggaagaaatt	1920
gccatgctaa	gactggagct	agacacaatg	aaacatcaga	gccagctaaa	aaaaaaaaaa	1980
aaaaaaaaaa	aaaaaaaaaa					2000

<210> 375

<211> 2040

<212> DNA

<213> Homo sapien

<400> 375

atgggtgggtg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atttgggtctc	60
aggagcaaga	tgggcaagtg	gtgctgccgt	tgcttccctt	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcatttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcaggg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaaggt	gggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccagggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctgggtgggt	aaagtcccca	gaaaggatct	catcgtcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgtaa	tggtgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtga	840
catgagcaaa	aacagcaagt	cgtgaaattt	ttaatcaaga	aaaaagcgaa	tttaaatagca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaaag	1140
ctgacatcag	aggaagagtc	acaaagggtc	aaaggcagtg	aaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtgt	cactgctggc	1320
aatgggtgata	atggattaat	tcctcaaagg	aagagcagaa	cacctgaaaa	tcagcaattt	1380

```

cctgacaacg aaagtgaaga gtatcacaga atttgcgaat tagtttctga ctacaaagaa 1440
aaacagatgc caaaatactc ttctgaaaac agcaaccag aacaagactt aaagctgaca 1500
tcagaggaag agtcacaaag gcttgagggc agtgaaaatg gccagccaga gaaaagatct 1560
caagaaccag aaataaataa ggatgggtgat agagagctag aaaattttat ggctatcgaa 1620
gaaatgaaga agcacggaag tactcatgtc ggattcccag aaaacctgac taatggtgcc 1680
actgctggca atgggtgatga tggattaatt cctccaagga agagcagaac acctgaaagc 1740
cagcaatttc ctgacactga gaatgaagag tatcacagtg acgaacaaaa tgatactcag 1800
aagcaatttt gtgaagaaca gaacactgga atattacacg atgagattct gattcatgaa 1860
gaaaagcaga tagaagtggg tgaaaaaatg aattctgagc tttctcttag ttgtaagaaa 1920
gaaaaagaca tcttgcatga aaatagtacg ttgcgggaag aaattgccat gctaagactg 1980
gagctagaca caatgaaaca tcagagccag ctaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040

```

<210> 376

<211> 329

<212> PRT

<213> Homo sapien

<400> 376

```

Met Asp Ile Val Val Ser Gly Ser His Pro Leu Trp Val Asp Ser Phe
 1             5             10             15
Leu His Leu Ala Gly Ser Asp Leu Leu Ser Arg Ser Leu Met Ala Glu
 20             25             30
Glu Tyr Thr Ile Val His Ala Ser Phe Ile Ser Cys Ile Ser Ser Ser
 35             40             45
Leu Asp Gly Gln Gly Glu Arg Gln Glu Gln Arg Gly His Phe Trp Arg
 50             55             60
Pro Gln Arg Leu Leu Cys Glu Asp Ala Trp Glu Gln Glu Val Gln Val
 65             70             75             80
Val Leu Pro Leu Leu Pro Leu Leu Gln Gly Ser Gly Lys Ser Asn Val
 85             90             95
Val Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr
100             105             110
His Val His Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp
115             120             125
Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp
130             135             140
Val Asn Lys Arg Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser
145             150             155             160
Ala Asn Gly Asn Ser Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys
165             170             175
Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala
180             185             190
Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly
195             200             205
Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr
210             215             220
Ala Val Tyr Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr
225             230             235             240
Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu
245             250             255
Leu Gly Ile His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys
260             265             270
Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu
275             280             285
Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu

```


290 295 300
 Glu Gln Asn Val Asp Val Ser Ser Gln Asp Leu Glu Arg Arg Pro Glu
 305 310 315 320
 Ser Met Leu Phe Leu Val Ile Ile Met
 325

<210> 377
 <211> 148
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1)...(148)
 <223> Xaa = Any Amino Acid

<400> 377
 Met Thr Xaa Pro Ser Trp Ser Pro Gly Thr Thr Ser Val Glu Lys Ile
 1 5 10 15
 Trp Thr Ser Ser Thr Glu Leu Pro Trp Trp Gly Lys Val Pro Arg Lys
 20 25 30
 Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Xaa Asp Lys
 35 40 45
 Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu
 50 55 60
 Val Val Lys Leu Xaa Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp
 65 70 75 80
 Asn Lys Lys Arg Thr Ala Leu Xaa Lys Ala Val Gln Cys Gln Glu Asp
 85 90 95
 Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro
 100 105 110
 Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Xaa Tyr Asn Glu Asp
 115 120 125
 Lys Leu Met Ala Lys Ala Leu Leu Tyr Gly Ala Asp Ile Glu Ser
 130 135 140
 Lys Asn Lys Val
 145

<210> 378
 <211> 1719
 <212> PRT
 <213> Homo sapien

<400> 378
 Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn

[illegible]

Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp
 530 535 540
 Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln
 545 550 555 560
 Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val
 565 570 575
 Val Lys Leu Leu Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn
 580 585 590
 Lys Lys Arg Thr Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu
 595 600 605
 Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp
 610 615 620
 Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys
 625 630 635 640
 Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys
 645 650 655
 Asn Lys His Gly Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys
 660 665 670
 Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala
 675 680 685
 Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly
 690 695 700
 Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser
 705 710 715 720
 Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser
 725 730 735
 His His His Val Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln
 740 745 750
 Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys
 755 760 765
 Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser
 770 775 780
 Gln Pro Glu Lys Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp
 785 790 795 800
 Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly
 805 810 815
 Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn
 820 825 830
 Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe
 835 840 845
 Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser
 850 855 860
 Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn
 865 870 875 880
 Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu
 885 890 895
 Glu Gly Ser Glu Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile
 900 905 910
 Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn
 915 920 925
 Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro
 930 935 940
 Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu
 945 950 955 960
 Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe

965															970					975				
Cys	Glu	Glu	Gln	Asn	Thr	Gly	Ile	Leu	His	Asp	Glu	Ile	Leu	Ile	His									
980															985					990				
Glu	Glu	Lys	Gln	Ile	Glu	Val	Val	Glu	Lys	Met	Asn	Ser	Glu	Leu	Ser									
995															1000					1005				
Leu	Ser	Cys	Lys	Lys	Glu	Lys	Asp	Ile	Leu	His	Glu	Asn	Ser	Thr	Leu									
1010															1015					1020				
Arg	Glu	Glu	Ile	Ala	Met	Leu	Arg	Leu	Glu	Leu	Asp	Thr	Met	Lys	His									
1025															1030					1035				
Gln	Ser	Gln	Leu	Pro	Arg	Thr	His	Met	Val	Val	Glu	Val	Asp	Ser	Met									
1045															1050					1055				
Pro	Ala	Ala	Ser	Ser	Val	Lys	Lys	Pro	Phe	Gly	Leu	Arg	Ser	Lys	Met									
1060															1065					1070				
Gly	Lys	Trp	Cys	Cys	Arg	Cys	Phe	Pro	Cys	Cys	Arg	Glu	Ser	Gly	Lys									
1075															1080					1085				
Ser	Asn	Val	Gly	Thr	Ser	Gly	Asp	His	Asp	Asp	Ser	Ala	Met	Lys	Thr									
1090															1095					1100				
Leu	Arg	Ser	Lys	Met	Gly	Lys	Trp	Cys	Arg	His	Cys	Phe	Pro	Cys	Cys									
1105															1110					1115				
Arg	Gly	Ser	Gly	Lys	Ser	Asn	Val	Gly	Ala	Ser	Gly	Asp	His	Asp	Asp									
1125															1130					1135				
Ser	Ala	Met	Lys	Thr	Leu	Arg	Asn	Lys	Met	Gly	Lys	Trp	Cys	Cys	His									
1140															1145					1150				
Cys	Phe	Pro	Cys	Cys	Arg	Gly	Ser	Gly	Lys	Ser	Lys	Val	Gly	Ala	Trp									
1155															1160					1165				
Gly	Asp	Tyr	Asp	Asp	Ser	Ala	Phe	Met	Glu	Pro	Arg	Tyr	His	Val	Arg									
1170															1175					1180				
Gly	Glu	Asp	Leu	Asp	Lys	Leu	His	Arg	Ala	Ala	Trp	Trp	Gly	Lys	Val									
1185															1190					1195				
Pro	Arg	Lys	Asp	Leu	Ile	Val	Met	Leu	Arg	Asp	Thr	Asp	Val	Asn	Lys									
1205															1210					1215				
Lys	Asp	Lys	Gln	Lys	Arg	Thr	Ala	Leu	His	Leu	Ala	Ser	Ala	Asn	Gly									
1220															1225					1230				
Asn	Ser	Glu	Val	Val	Lys	Leu	Leu	Leu	Asp	Arg	Arg	Cys	Gln	Leu	Asn									
1235															1240					1245				
Val	Leu	Asp	Asn	Lys	Lys	Arg	Thr	Ala	Leu	Ile	Lys	Ala	Val	Gln	Cys									
1250															1255					1260				
Gln	Glu	Asp	Glu	Cys	Ala	Leu	Met	Leu	Leu	Glu	His	Gly	Thr	Asp	Pro									
1265															1270					1275				
Asn	Ile	Pro	Asp	Glu	Tyr	Gly	Asn	Thr	Thr	Leu	His	Tyr	Ala	Ile	Tyr									
1285															1290					1295				
Asn	Glu	Asp	Lys	Leu	Met	Ala	Lys	Ala	Leu	Leu	Leu	Tyr	Gly	Ala	Asp									
1300															1305					1310				
Ile	Glu	Ser	Lys	Asn	Lys	His	Gly	Leu	Thr	Pro	Leu	Leu	Leu	Gly	Val									
1315															1320					1325				
His	Glu	Gln	Lys	Gln	Gln	Val	Val	Lys	Phe	Leu	Ile</													

Lys Glu Lys Gln Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu
 1410 1415 1420
 Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly
 1425 1430 1435 144
 Ser Glu Asn Ser Gln Pro Glu Lys Met Ser Gln Glu Pro Glu Ile Asn
 1445 1450 1455
 Lys Asp Gly Asp Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser
 1460 1465 1470
 Asn Asn Val Gly Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly
 1475 1480 1485
 Asn Gly Asp Asn Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu
 1490 1495 1500
 Asn Gln Gln Phe Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys
 1505 1510 1515 152
 Glu Leu Val Ser Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser
 1525 1530 1535
 Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu
 1540 1545 1550
 Ser Gln Arg Leu Glu Gly Ser Glu Asn Gly Gln Pro Glu Lys Arg Ser
 1555 1560 1565
 Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Leu Glu Asn Phe
 1570 1575 1580
 Met Ala Ile Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe
 1585 1590 1595 160
 Pro Glu Asn Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly
 1605 1610 1615
 Leu Ile Pro Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro
 1620 1625 1630
 Asp Thr Glu Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln
 1635 1640 1645
 Lys Gln Phe Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile
 1650 1655 1660
 Leu Ile His Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser
 1665 1670 1675 168
 Glu Leu Ser Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn
 1685 1690 1695
 Ser Thr Leu Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr
 1700 1705 1710
 Met Lys His Gln Ser Gln Leu
 1715

<210> 379

<211> 656

<212> PRT

<213> Homo sapien

<400> 379

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60

Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
 165 170 175
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
 180 185 190
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195 200 205
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210 215 220
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
 225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His Val
 340 345 350
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
 355 360 365
 Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
 370 375 380
 Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
 385 390 395 400
 Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
 405 410 415
 Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
 420 425 430
 Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
 435 440 445
 Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu
 450 455 460
 Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu
 465 470 475 480
 Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp
 485 490 495
 Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu

500 505 510
 Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile Glu Glu Met Lys
 515 520 525
 Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly
 530 535 540
 Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser
 545 550 555 560
 Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr
 565 570 575
 His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln
 580 585 590
 Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln
 595 600 605
 Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys
 610 615 620
 Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile
 625 630 635 640
 Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu
 645 650 655

<210> 380

<211> 671

<212> PRT

<213> Homo sapien

<400> 380

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60
 Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
 165 170 175
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
 180 185 190
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195 200 205
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210 215 220
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn

225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val
 340 345 350
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
 355 360 365
 Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
 370 375 380
 Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
 385 390 395 400
 Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
 405 410 415
 Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
 420 425 430
 Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
 435 440 445
 Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu
 450 455 460
 Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu
 465 470 475 480
 Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp
 485 490 495
 Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu
 500 505 510
 Asn Gly Gln Pro Glu Lys Arg Ser Gln Glu Pro Glu Ile Asn Lys Asp
 515 520 525
 Gly Asp Arg Glu Leu Glu Asn Phe Met Ala Ile Glu Glu Met Lys Lys
 530 535 540
 His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly Ala
 545 550 555 560
 Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser Arg
 565 570 575
 Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr His
 580 585 590
 Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln Asn
 595 600 605
 Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln Ile
 610 615 620
 Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys Lys
 625 630 635 640
 Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile Ala
 645 650 655
 Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu
 660 665 670

<210> 381
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 381
 ggagaagcgt ctgctggggc aggaaggggt ttccctgccc tctcacctgt ccctcaccaa 60
 ggtaacatgc ttcccctaag ggtatcccaa cccaggggcc tcaccatgac ctctgagggg 120
 ccaatatccc aggagaagca ttggggaggt gggggcaggt gaaggaccca ggactcacac 180
 atcctggggc tccaaggcag aggagagggg cctcaagaag gtcaggagga aaatccgtaa 240
 caagcagtca g 251

<210> 382
 <211> 3279
 <212> DNA
 <213> Homo sapiens

<400> 382
 cttcctgcag ccccatgct ggtgaggggc acgggcagga acagtggacc caacatggaa 60
 atgctggagg gtgtcaggaa gtgatcgggc tctggggcag ggaggagggg tggggagtg 120
 cactgggagg ggacatcctg cagaaggtag gagtgcagaa acaccgctg caggggaggg 180
 gagagccctg cggcacctgg gggagcagag ggagcagcac ctgcccaggc ctgggaggag 240
 gggcctggag ggcgtgagga ggagcagggg ggctgcatgg ctggagtggg ggatcagggg 300
 cagggcgcca gatggcctca cacagggaa agagggcccc tctgcaggg cctcacctgg 360
 gccacaggag gacactgctt ttctctgag gagtgcagg ctgtggatgg tgctggacag 420
 aagaaggaca gggcctggct caggtgtcca gaggctgtcg ctggcttccc ttgggatca 480
 gactgcaggg agggagggcg gcagggtgt ggggggagtg acgatgagga tgacctgggg 540
 gtggctccag gccttgcccc tgcctgggcc ctccccagc ctccctcaaa gtctcctggc 600
 cctcagctc tccccccac tccatcctcc atctggcctc agtgggtcat tctgactact 660
 gaactgacca taccagccc tgcccacggc cctccatggc tccccaatgc cctggagagg 720
 ggacatctag tcagagagta gtctgaaga ggtggcctct gcgatgtgcc tggggggca 780
 gcacctgca gatggtccc ggcctcatcc tgctgacctg tctgcaggga ctgtcctcct 840
 ggaccttgcc ccttgtgcag gagctggacc ctcccatag gccaaagatg 900
 gagccttgtt cctctgttg gactccctgc ccataattct gtgggagtg gttctggaga 960
 catttctgtc tgttctgag agctgggaat tgctctcagt catctgcctg cgcggttctg 1020
 agagatggag ttgcctaggc agttattggg gccaatctt ctactgtgt ctctcctcct 1080
 ttacccttag ggtgattctg ggggtccact tgtctgtaat ggtgtgcttc aaggtatcac 1140
 atcatggggc cctgagccat gtgccctgcc tgaaaagcct gctgtgtaca ccaaggtgg 1200
 gcattaccgg aagtggatca aggacacat cgagccaac ccctgagtg ccctgtccca 1260
 cccctacctc tagtaaat aagtccacct cacgttctgg catcacttg ccttctgga 1320
 tgctggacac ctgaagcttg gaactcacct ggccgaagct cgagcctcct gagtccact 1380
 gacctgtgct ttctggtgtg gagtccagg ctgctaggaa aaggaatggg cagacacagg 1440
 tgtatgcaa tgttctgaa atgggtataa ttctgctcct tccttcggaa cactggctgt 1500
 ctctgaagac ttctgctca gtttcagtga ggacacacac aaagacgtgg gtgacctgt 1560
 tgtttgtggg gtgcagagat gggaggggtg gggccacccc tggagagtg gacagtga 1620
 caaggtggac actctctaca gatcactgag gataagctgg agccacaatg catgaggcac 1680
 acacacagca aggttgacgc tgtaaacata gccacgctg tcctgggggc actgggagac 1740
 ctagataagg ccgtgagcag aaagaagggg aggatcctcc tatgttggtg aaggagggac 1800
 tagggggaga aactgaaagc tgattaatta caggaggtt gttcaggtcc cccaaaccac 1860
 cgtcagattt gatgatttcc tagcaggact tacagaaata aagagctatc atgctgtgg 1920
 ttattatggg ttgttacatt gataggatac atactgaaat cagcaaaca aacagatgta 1980
 tagattagag tgtggagaaa acagaggaaa acttgcagtt acgaagactg gcaacttggc 2040
 ttactaagt ttctcagact gcaggaagtc aaacctatta ggctgaggac cttgtggagt 2100
 gtagctgac cagctgatg aggaactagc caggtggggg cctttccctt tggatggggg 2160

```

gcatatccga cagttattct ctccaagtgg agacttacgg acagcatata attctccctg 2220
caaggatgta tgataatatg tacaaaagtaa ttccaactga ggaagctcac ctgatcccta 2280
gtgtccaggg tttttactgg gggctctgtag gacgagtatg gagtacttga ataattgacc 2340
tgaagtcctc agacctgagg ttccctagag ttcaaacaga tacagcatgg tccagagtcc 2400
cagatgtaca aaaacaggga ttcatcaca atcccatctt tagcatgaag ggtctggcat 2460
ggcccaaggc cccaagtata tcaaggcact tgggcagaac atgccaagga atcaaatgtc 2520
atctcccagg agttattcaa gggtagagccc tttacttggg atgtacaggc tttgagcagt 2580
gcagggctgc tgagtcaacc ttttattgta caggggatga gggaaaggga gaggatgagg 2640
aagccccctt ggggatttgg tttggtcttg tgatcaggtg gtctatgggg ctatccctac 2700
aaagaagaat ccagaaatag gggcacattg aggaatgata ctgagcccaa agagcattca 2760
atcattgttt tatttgctt cttttcacac cattggtgag ggagggatta ccaccctggg 2820
gttatgaaga tgggtgaaca cccacacat agcaccggag atatgagatc aacagtttct 2880
tagccataga gattcacagc ccagagcagg aggacgctgc acaccatgca ggatgacatg 2940
ggggatgcgc tcgggattgg tgtgaagaag caaggactgt tagaggcagg ctttatagta 3000
acaagacggt ggggcaaact ctgatttccg tgggggaatg tcatggtctt gctttactaa 3060
gttttgagac tggcaggtag tgaaactcat taggetgaga accttggtga atgcagctga 3120
cccagctgat agaggaagta gccaggtggg agcctttccc agtgggtgtg ggacatatct 3180
ggcaagattt tgtggcactc ctggttacag atactggggc agcaaataaa actgaatctt 3240
gttttcagac cttaaaaaaa aaaaaaaaaa aaaagtttt 3279

```

<210> 383

<211> 155

<212> PRT

<213> Homo sapiens

<400> 383

```

Met Ala Gly Val Arg Asp Gln Gly Gln Gly Ala Arg Trp Pro His Thr
          5                      10                      15

```

```

Gly Lys Arg Gly Pro Leu Leu Gln Gly Leu Thr Trp Ala Thr Gly Gly
          20                      25                      30

```

```

His Cys Phe Ser Ser Glu Glu Ser Gly Ala Val Asp Gly Ala Gly Gln
          35                      40                      45

```

```

Lys Lys Asp Arg Ala Trp Leu Arg Cys Pro Glu Ala Val Ala Gly Phe
          50                      55                      60

```

```

Pro Leu Gly Ser Asp Cys Arg Glu Gly Gly Arg Gln Gly Cys Gly Gly
          65                      70                      75                      80

```

```

Ser Asp Asp Glu Asp Asp Leu Gly Val Ala Pro Gly Leu Ala Pro Ala
          85                      90                      95

```

```

Trp Ala Leu Thr Gln Pro Pro Ser Gln Ser Pro Gly Pro Gln Ser Leu
          100                     105                     110

```

```

Pro Ser Thr Pro Ser Ser Ile Trp Pro Gln Trp Val Ile Leu Ile Thr
          115                     120                     125

```

```

Glu Leu Thr Ile Pro Ser Pro Ala His Gly Pro Pro Trp Leu Pro Asn
          130                     135                     140

```

```

Ala Leu Glu Arg Gly His Leu Val Arg Glu
          145                     150

```

<210> 384
<211> 557
<212> DNA
<213> Homo sapiens

<400> 384
ggatcctcta gagcgccgc ctactactac taaattcgcg gccgcgtcga cgaagaagag 60
aaagatgtgt tttgttttg actctctgtg gtcccttcca atgctgtggg tttccaacca 120
ggggaagggt ccccttttgca ttgccaagtg ccataacat gagcactact ctaccatggg 180
tctgcctcct ggccaagcag gctggtttgc aagaatgaaa tgaatgattc tacagctagg 240
acttaacctt gaaatggaaa gtcttgcaat cccatttgca ggatccgtct gtgcacatgc 300
ctctgtagag agcagcattc ccaggacact tggaaacagt tggcactgta aggtgcttgc 360
tccccaagac acatcctaaa aggtgttgta atggtgaaaa cgtcttcctt ctttattgcc 420
ccttcttatt tatgtgaaca actggttgtc tttttttgta tcttttttaa actgtaaaagt 480
tcaattgtga aaatgaatat catgcaaata aattatgcga ttttttttcc aaagtaaaaa 540
aaaaaaaaa aaaaaaa 557

<210> 385
<211> 337
<212> DNA
<213> Homo sapiens

<400> 385
ttcccagggt atgtgcgagg gaagacacat ttactatcct tgatggggct gatcccttta 60
gtttctctag cagcagatgg gttaggagga agtgacccaa gtggttgact cctatgtgca 120
tctcaaagcc atctgctgtc ttcgagtacg gacacatcat cactcctgca ttgttgatca 180
aaacgtggag gtgcttttcc tcagctaaga agcccttagc aaaagctcga atagacttag 240
tatcagacag gtccagtttc cgcaccaaca cctgctgggt ccctgtcgtg gtctggatct 300
ctttggccac caattccccc tttccacat cccggca 337

<210> 386
<211> 300
<212> DNA
<213> Homo sapiens

<400> 386
gggcccgtca ccggcccagg cccgcctcgc cgagtcctcc tcccgggtg cctgcccga 60
gcccgtcgcg ccagagggt gggcgcgggg ctgcctctac cggctggcgg ctgtaactca 120
gcgaccttgg ccgaaggct ctagcaagga cccaccgacc ccagccgcgg cggcggcggc 180
gcggactttg cccggtgtgt ggggcggagc ggactgcgtg tccgcggacg ggcagcgaag 240
atgttagcct tcgctgccag gaccgtggac cgatcccagg gctgtggtgt aacctcagcc 300

<210> 387
<211> 537
<212> DNA
<213> Homo sapiens

<400> 387
gggcccagtc gggcaccaag ggactctttg caggcttccct tcctcggatc atcaaggctg 60
ccccctctg tgccatcatg atcagacct atgagttcgg caaaagcttc ttccagaggc 120
tgaaccagga ccggtctctg ggcggtgaa aggggcaagg aggcaaggac cccgtctctc 180
ccacggatgg ggagagggca ggaggagacc cagccaagtg ccttttcctc agcactgagg 240
gagggggcct gtttcccttc cctcccggcg acaagctcca gggcagggct gtccctctgg 300

```

gcggcccagc acttcctcag acacaacttc ttctgctgc tccagtcgtg gggatcatca 360
cttaccacc cccaagttc aagaccaa atccagctg ccccttcgt gttccctgt 420
gtttgctgta gctgggcatg tctccaggaa ccaagaagcc ctgagcctgg ttagtctcc 480
ctgacccttg ttaattcctt aagtctaaag atgatgaact tcaaaaaaaa aaaaaa 537

```

<210> 388

<211> 520

<212> DNA

<213> Homo sapiens

<400> 388

```

aggataat ttaaaccaat caaatgaaaa aaacaaacaa acaaaaaagg aaatgtcatg 60
tgagggtaaa ccagtttgca ttccctaata gtggaaaaag taaggaggact actcagcact 120
gtttgaagat tgctcttct acagcttctg agaattgtgt tatttcactt gccaaagtga 180
ggacccccct cccaacatgc ccagccccac ccctaagcat ggtcccttgt caccaggcaa 240
ccaggaaact gctacttggt gacctacca gagaccagga gggtttggt agctcacagg 300
acttccccca cccagaaga ttagcatccc atactagact cataactcaac tcaactaggc 360
tcataactcaa ttgatgggtta ttagacaatt ccatttcttt ctggttatta taaacagaaa 420
atctttcctc ttctcattac cagtaaaggc tcttggtatc tttctgttg aatgatttct 480
atgaacttgt ctatttttaa tgggtgggtt ttttctggt 520

```

<210> 389

<211> 365

<212> DNA

<213> Homo sapiens

<400> 389

```

cgttgcccca gtttgacaga aggaaaggcg gagcttattc aaagtctaga gggagtggag 60
gagttaaggc tggatttcag atctgcctgg ttccagccgc agtggtgccct ctgctcccc 120
aacgactttc caataatct caccagcgcc ttccagctca ggcgtcctag aagcgtcttg 180
aagcctatgg ccagctgtct ttgtgttccc tctacccgc ctgtccctac agctgagact 240
cccaggaaac cttcagacta ctttctctg ctttcagcaa ggggcgttg ccacattctc 300
tgagggtcag tggaagaacc tagactccca ttgctagagg tagaaagggg aagggtgctg 360
gggag 365

```

<210> 390

<211> 221

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(221)

<223> n = A,T,C or G

<400> 390

```

tgctctcca tcttgcccc gacttctctg tcaggaaagt ggggatggac cccatctgca 60
tacacggnnt ctcattgggtg tggaacatct ctgcttgagg tttcaggaag gcctctggct 120
gctctangag tctgancnga ntcgttgccc cantntgaca naaggaaagg cggagcttat 180
tcaaagtcta gagggagtgg aggagttaag gctggatttc a 221

```

<210> 391

<211> 325

<212> DNA

<213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(325)
 <223> n = A,T,C or G

<400> 391
 tggagcaggt cccgaggcct ccctagagcc tggggccgac tctgtgncga tgcangcttt 60
 ctctcgcgcc cagcctggag ctgctcctgg catctaccaa caatcagncg aggcgagcag 120
 tagccagggc actgctgcca acagccagtc cnnataccat catgtnaccc ggtgngctct 180
 naantngat ntccanagcc ctacccatcn tagttctgct ctcccacccg ntaccagccc 240
 cactgcccag gaatcctaca gccagtaccc tgtcccagcg tctctaccta ccagtaacgat 300
 gagacctocg gctactacta tgacc 325

<210> 392
 <211> 277
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(277)
 <223> n = A,T,C or G

<400> 392
 atattgttta actccttctt ttatatcttt taacattttc atggngaaaag gttcacatct 60
 agtctcactt nggcnagnn ctctacttg agtctcttcc cgggctggn ccagtngnaa 120
 antaccanga accgncatgn cttanaaen nctgggttn tgggttnntc aatgactgca 180
 tgcagtgcac caccctgtcc actacgtgat gctgtaggat taaagtctca cagtgggcgg 240
 ctgaggatac agcgccgcgt cctgtgttgc tggggaa 277

<210> 393
 <211> 566
 <212> DNA
 <213> Homo sapiens

<400> 393
 actagtccag tgtggtggaa ttcgcgcccg cgtcgacgga caggtcagct gtctggctca 60
 gtgatctaca ttctgaagtt gtctgaaaat gtcttcatga ttaaattcag cctaaacgtt 120
 ttgcccggaa cactgcagag acaatgctgt gagtttccaa ccttagccca tctgcgggca 180
 gagaaggctct agtttgcca tcagcattat catgatatca ggactgggta cttgggttaag 240
 gaggggtcta ggagatctgt cccttttaga gacaccttac ttataatgaa gtatttgga 300
 ggggtggttt caaaagtaga aatgtcctgt attccgatga tcatcctgta aacattttat 360
 cattatttaa tcatccctgc ctgtgtctat tattatattc atatctctac gctggaaact 420
 ttctgcctca atgtttactg tgcctttgtt tttgctagtt tgtgttggtg aaaaaaaaaa 480
 cattctctgc ctgagtttta atttttgtcc aaagttattt taatctatac aattaaaagc 540
 ttttgcctat caaaaaaaaa aaaaaa 566

<210> 394
 <211> 384
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature

<222> (1)...(384)

<223> n = A,T,C or G

<400> 394

```

gaacatacat gtcccggcac ctgagctgca gtctgacatc atcgccatca cgggcctcgc 60
tgcaaattng gaccggggcca aggctggact gctggagcgt gtgaaggagc tacaggccna 120
gcaggaggac cgggctttta ggagttttta gctgagtgtc actgtagacc ccaaatacca 180
tcccaagatt atcgggagaa agggggcagt aattacccaa atccggttgg agcatgacgt 240
gaacatccag tttcctgata aggacgatgg gaaccagccc caggaccaa ttaccatcac 300
aggggtacgaa aagaacacag aagctgccag ggatgctata ctgagaattg tgggtgaact 360
tgagcagatg gtttctgagg acgt                                     384

```

<210> 395

<211> 399

<212> DNA

<213> Homo sapiens

<400> 395

```

ggcaaaactg tgtgacctca ataagacctc gcagatccaa ggtcaagtat cagaagtgc 60
tctgaccttg gactccaaga cctacatcaa cagcctggct atattagatg atgagccagt 120
tatcagaggt ttcattcatt cggaattgt ggagtctaag gaaatcatgg cctctgaagt 180
attcacgtct tccagtagc ctgagttctc tatagattg cctaacacag gcagaattgg 240
ccagctactt gtctgcaatt gtatcttcaa gaataccctg gccatccctt tgactgacgt 300
caagttctct ttggaaagcc tgggcatctc ctactacag acctctgacc atgggacggt 360
gcagcctggt gagaccatcc aatcccaa ataatgcac                                     399

```

<210> 396

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(403)

<223> n = A,T,C or G

<400> 396

```

tggagtntc agtgcaaaca agccataaag cttcagtagc aaattactgt ctcacagaaa 60
gacattttca acttctgctc cagctgctga taaaacaaat catgtgttta gcttgactcc 120
agacaaggac aacctgttcc ttcataactc tctagagaaa aaaaggagtt gttagtagat 180
actaaaaaaaa gtggatgaat aatctggata ttttctctaa aaagattcct tgaaacacat 240
taggaaaaatg gagggcctta tgatcagaat gctagaatta gtccattgtg ctgaagcagg 300
gttttagggga gggagtgagg gataaaagaa ggaaaaaag aagagtgaga aaacctatct 360
atcaaagcag gtgctatcac tcaatgttag gccctgctct ttt                                     403

```

<210> 397

<211> 100

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(100)

<223> n = A,T,C or G

<400> 397

actagtnacag tgtggtggaa ttccgcccgcg cgtcgaccta naanccatct ctatagcaaa 60
tccatccccg ctctctggtg gtnacagaat gactgacaaa 100

<210> 398

<211> 278

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(278)

<223> n = A,T,C or G

<400> 398

gcggccgcgt cgacagcagt tccgccagcg ctcccccctg ggtggggatg tgctgcacgc 60
ccacctggac atctggaagt cagcggcctg gatgaaagag cggacttcac ctggggcgat 120
tactactgt gcctcgacca gtgaggagag ctggaccgac agcgaggtgg actcatcatg 180
ctccgggcag cccatccacc tgtggcagtt cctcaaggag ttgctactca agccccacag 240
ctatggccgc ttcattangt ggctcaacaa ggagaagg 278

<210> 399

<211> 298

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(298)

<223> n = A,T,C or G

<400> 399

acggaggtgg aggaagcgnc cctgggatcg anaggatggg tcctgncatt gaccncctcn 60
ggggtgccng catggagcgc atgggcgcgg gcctgggcca cggcatggat cgcgtgggct 120
ccgagatcga gcgcattggc ctggtcatgg accgcatggg ctccgtggag cgcattgggct 180
ccggcattga gcgcattggc ccgctgggccc tcgaccacat ggccctccanc attgancgca 240
tgggccagac catggagcgc attggctctg gcgtggagcn catgggtgcc ggcatggg 298

<210> 400

<211> 548

<212> DNA

<213> Homo sapiens

<400> 400

acatcaacta cttcctcatt ttaaggatag gcagttccct tcatccctt ttctgcctt 60
gtacatgtac atgtatgaaa ttctcttctc ttaccgaact ctctccacac atcacaaggt 120
caaagaacca cacgcttaga agggtaagag ggaccctat gaaatgaaat ggtgatttct 180
tgagtctctt ttttccacgt ttaaggggccc atggcaggac ttagagttgc gagttaagac 240
tgcagagggc tagagaatta tttcatacag gctttgaggc caccatgtc acttatcccg 300
tataccctct caccatcccc ttgtctactc tgatgcccc aagatgcaac tgggcagcta 360
gttggcccca taattctggg cctttgttgt ttgttttaat tacttgggca tcccaggaag 420
ctttccagtg atctctacc atgggcccc ctctgggat caagccctc ccaggccctg 480
tccccagccc ctctgcccc agcccccccg cttgccttgg tgctcagccc tcccattggg 540
agcaggtt 548

<210> 401
<211> 355
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(355)
<223> n = A,T,C or G

<400> 401
actgtttcca tggtatgttt ctacacattg ctacctcagt gtccttgga acttagcttt 60
tgatgtctcc aagtagtcca ctttcattta actctttgaa actgtatcat ctttgccaag 120
taagagtggg ggctatttc agctgctttg acaaaatgac tggctcctga cttaacgttc 180
tataaatgaa tgtgctgaag caaagtgcc atggtggcgg cgaagaagan aaagatgtgt 240
tttgttttg actctctgtg gtcccttcca atgctgnggg tttccaacca ggggaagggt 300
cccttttgca ttgccaagtg ccataacat gagcactact ctaccatggn tctgc 355

<210> 402
<211> 407
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(407)
<223> n = A,T,C or G

<400> 402
atggggcaag ctggataaag aaccaagacc cactggagta tgctgtcttc aagaaaccca 60
tctcacatgc ggtggcatat ataggctcaa aataaaggaa tggagaaaaa tatttcaagc 120
aaatggaaaa cagaaaaaag caggtgttgc actcctactt tctgacaaaa cagactatgc 180
gaataaagat aaaaaagaga aggacattac aaaggtgggc ctgacctttg ataaatctca 240
ttgcttgata ccaacctggg ctgttttaat tgcccâaacc aaaaggataa tttgctgagg 300
ttgtggagct tctccctgc agagagtcct tgatctccca aaatttggtt gagatgtaag 360
gntgattttg ctgacaactc cttttctgaa gttttactca tttccaa 407

<210> 403
<211> 303
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(303)
<223> n = A,T,C or G

<400> 403
cagtatttat agccnaactg aaaagctagt agcaggcaag tctcaaatcc aggcacccaa 60
tcctaagcaa gagccatggc atggtgaaaa tgcaaaagga gagtctggcc aatctacaaa 120
tagagaacaa gacctactca gtcatgaaca aaaaggcaga caccaacatg gatctcatgg 180
gggattggat attgtaatta tagagcagga agatgacagt gatcgtcatt tggcacaaca 240
tcttaacaac gaccgaaacc cattattttac ataaacctcc attcggtaac catgttgaaa 300
gga 303

<210> 404
<211> 225
<212> DNA
<213> Homo sapiens

<400> 404
aagtgttaact tttaaaaatt tagtggattt tgaaaattct tagaggaaag taaaggaaaa 60
attgttaatg cactcattta cctttacatg gtgaaagttc tctcttgatc ctacaaacag 120
acattttcca ctctgttttc catagtgttt aagtgtatca gatgtgttgg gcatgtgaat 180
ctccaagtgc ctgtgtaata aataaagtat ctttatttca ttcatt 225

<210> 405
<211> 334
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(334)
<223> n = A,T,C or G

<400> 405
gagctgttat actgtgagtt ctactaggaa atcatcaaatt ctgaggggtg tctggaggac 60
ttcaatacac ctccccccat agtgaatcag cttccagggg gtccagtcct tctccttact 120
tcatcccat cccatgccaa aggaagaccc tccctccttg gctcacagcc ttctctaggc 180
ttccagtgct ctccaggaca gagtgggtta tgttttcagc tccatccttg ctgtgagtgt 240
ctggtgcggt tgtgcctcca gcttctgctc agtgcttcat ggacagtgtc cagcccatgt 300
cactctccac tctctcanng tggatcccac ccct 334

<210> 406
<211> 216
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(216)
<223> n = A,T,C or G

<400> 406
tttcatacct aatgagggag ttganatnac atnnaaccag gaaatgcatg gatctcaang 60
gaaacaaaca cccaataaac tcggagtggc agactgacaa ctgtgagaca tgcacttgct 120
acnaaacaca aattttnatgt tgcacccttg tttctacacc tgtgggttat gacaaagaca 180
actgccaaag aatnttcaag aaggaggact gccant 216

<210> 407
<211> 413
<212> DNA
<213> Homo sapiens

<400> 407
gttgacttgc tagtatcatc tgcattcatt gaagcacaag aacttcatgc cttgactcat 60
gtaaatgcaa taggattaaa aaataaattt gatatcacat ggaaacagac aaaaaatatt 120
gtacaacatt gcacccagtg tcagattcta cacctggcca ctccaggaagc aagagttaat 180
cccagaggtc tatgtcctaa tgtgttatgg caaatggatg tcatgcacgt accttcattt 240

ggaaaattgt catttgtcca tgtgacagtt gatacttatt cacatttcat atgggcaacc 300
tgccagacag gagaaagtct tcccatgtta aaagacattt attatcttgt tttcctgtca 360
tgggagttcc agaaaaagt aaacacagaca atgggccagg ttctgtagta aag 413

<210> 408
<211> 183
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(183)
<223> n = A,T,C or G

<400> 408
ggagctngcc ctcaattcct ccatncttat gttancatat ttaatgtctt ttgnnattaa 60
tncttaacta gttaatcctt aaagggctan ntaatcctta actagtccct ccattgtgag 120
cattatcctt ccagtattcn ccttctnttt tatttactcc ttcttggtta cccatgtact 180
ntt 183

<210> 409
<211> 250
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(250)
<223> n = A,T,C or G

<400> 409
cccacgcattg ataagctctt tatttctgta agtcttgcta ggaaatcatc aaatctgacg 60
gtggtttggg ggacctgaac aaacctcctg taattaatca gctttcagtt tctcccccta 120
gtccctcctt caacaacata ggaggatcct ccccttcttt ctgctcacgg ccttatctag 180
gcttcccagt gccccagga cagcgtgggc tatgtttaca gcgntcctt gctggggggg 240
ggcctatgc 250

<210> 410
<211> 306
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(306)
<223> n = A,T,C or G

<400> 410
ggctgggttg caagaatgaa atgaatgatt ctacagctag gacttaacct tgaaatggaa 60
agtcttgcaa tcccatgtgc aggatccgtc tgtgcacatg cctctgtaga gagcagcatt 120
cccagggaac ttggaaacag ttggcactgt aagggtgctt ctccccaaga cacatcctaa 180
aagggtgttg aatggtgaaa accgcttctt tctttattgc cccttcttat ttatgtgaac 240
nactgggttg ctttttttgn atctttttta aactggaaag ttcaattgng aaaatgaata 300
tcntgc 306

<210> 411
<211> 261
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(261)
<223> n = A,T,C or G

<400> 411
agagatattn cttaggtnaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaatgtc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa ggngaggcaa a 261

<210> 412
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 412
gttcaatggt acctgacatt tctacaacac ccactcacc gatgtattcg ttgcccagtg 60
ggaacatacc agcctgaatt tggaaaaaat aattgtgttt cttgcccagg aaatactacg 120
actgactttg atggctccac aacataaacc cagtgtaaaa acagaagatg tggaggggag 180
ctgggagatt tcaactgggta cattgaattc caaaactacc cangaatta ccagccaac 240
a 241

<210> 413
<211> 231
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(231)
<223> n = A,T,C or G

<400> 413
aactcttaca atccaagtga ctcatctgtg tgcttgaatc cttccactg tctcatctcc 60
ctcatccaag ttcttagtac cttctctttg ttgtgaagga taatcaaact gaacaacaaa 120
aagtttactc tcctcatttg gaacctaaaa actctcttct tcctgggtct gagggctcca 180
agaatccttg aatcanttct cagatcattg gggacaccan atcaggaacc t 231

<210> 414
<211> 234
<212> DNA
<213> Homo sapiens

<400> 414

```
actgtccatg aagcactgag cagaagctgg aggcacaacg caccagacac tcacagcaag 60
gatggagctg aaaacataac ccactctgtc ctggaggcac tgggaagcct agagaaggct 120
gtgagccaag gagggagggt cttccttttg catgggatgg ggatgaagta aggagagggg 180
ctggaccccc tggaagctga ttcactatgg ggggagggtg attgaagtcc tcca      234
```

<210> 415

<211> 217

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(217)

<223> n = A,T,C or G

<400> 415

```
gcataggatt aagactgagt atcttttcta cattctttta acttttctaag gggcacttct 60
caaaacacag accaggtagc aaatctccac tgctctaagg ntctcaccac cactttctca 120
cacctagcaa tagtagaatt cagtcctact tctgaggcca gaagaatggt tcagaaaaat 180
antggattat aaaaaataac aattaagaaa aataatc      217
```

<210> 416

<211> 213

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(213)

<223> n = A,T,C or G

<400> 416

```
atgcatatnt aaagganact gcctcgcttt tagaagacat ctggnetgct ctctgcatga 60
ggcacagcag taaagctctt tgattcccag aatcaagaac tctccccttc agactattac 120
cgaatgcaag gtgggttaatt gaaggccact aattgatgct caaatagaag gatattgact 180
atattggaac agatggagtc tctactacaa aag      213
```

<210> 417

<211> 303

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(303)

<223> n = A,T,C or G

<400> 417

```
nagtcttcag gcccatcagg gaagttcaca ctggagagaa gtcatacata tgtactgtat 60
gtgggaaagg ctttactctg agttcaaadc ttcaagccca tcagagagtc cacactggag 120
agaagccata caaatgcaat gagtgtggga agagcttcag gagggattcc cattatcaag 180
ttcatctagt ggtccacaca ggagagaaac cctataaatg tgagatatgt ggggaagggt 240
tcantcaaag ttcgtatctt caaatccatc ngaaggncca cagtatanan aaacctttta 300
agt      303
```

<210> 418
<211> 328
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(328)
<223> n = A,T,C or G

<400> 418
tttttggcgg tgggtggggca gggacgggac angagtctca ctctgttgcc caggctggag 60
tgcacaggca tgatctcggc tcactacaac ccctgcctcc catgtccaag cgattcttgt 120
gcctcagcct tccctgtagc tagaattaca ggcacatgcc accacaccca gctagttttt 180
gtatttttag tagagacagg gtttcacccat gttggcagg ctggtctcaa actcctnacc 240
tcagnngtca ggctggtctc aaactcctga cctcaagtga tctgcccacc tcagcctccc 300
aaagtgctan gattacaggc cgtgagcc 328

<210> 419
<211> 389
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(389)
<223> n = A,T,C or G

<400> 419
cctcctcaag acggcctgtg gtccgcctcc cggcaaccaa gaagcctgca gtgccatattg 60
acccttgagc catggactgg agcctgaaag gcagcgtaca ccctgctcct gatcttctgtg 120
cttgtttctt ctctgtggct ccattcatag cacagtgtt gcactgaggc ttgtgcaggc 180
cgagcaaggc caagctggct caaagagcaa ccagtcaact ctgccacggg gtgccaggca 240
ccggttctcc agccaccaac ctactcgtt cccgcaaagt gcacatcagt tcttctaccc 300
taaaggttag accaaaagggc atctgctttt ctgaagtctt ctgctctatc agccatcacg 360
tggcagccac tcnggctgtg tcgacgcgg 389

<210> 420
<211> 408
<212> DNA
<213> Homo sapiens

<400> 420
gttctctcta actcctgcc aaaaacagctc tcttcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagttag tgactttggg gtttcggcat ggagaccgaa 180
gtcccattga cactttccc actgaccca taaaggaatc ctcattggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg aagtgctatg acaaacctgg caagcccc 408

<210> 421
<211> 352
<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(352)

<223> n = A,T,C or G

<400> 421

```
gctcaaaaat ctttttactg atnggcatgg ctacacaatc attgactatt acggaggcca 60
gaggagaatg aggcctggcc tgggagccct gtgcctacta naagcacatt agattatcca 120
ttcactgaca gaacaggtct tttttgggtc cttcttctcc accacnatac atttgcagtc 180
ctccttcttg aagattcttt ggcagttgtc tttgtcataa cccacaggtg tagaaacaag 240
ggtgcaacat gaaatttctg tttcgtagca agtgcattgc tcacaagttg gcangtctgc 300
cactccgagt ttattgggtg tttgtttcct ttgagatcca tgcatttcct gg 352
```

<210> 422

<211> 337

<212> DNA

<213> Homo sapiens

<400> 422

```
atgccaccat gctggcaatg cagcgggagg tcgaaggcct gcatatccag cccaagctgg 60
cgatgatcga cggcaaccgt tgcccgaagt tgccgatgcc agccgaagcg gtggtcaagg 120
gcatagacaa ggtgccggcg atcgcgggcg cgtcaatcct ggccaaggct agccgtgatc 180
gtgaaatggc agctgtcgaa ttgatctacc cgggttatgg catcggcggg cataagggtc 240
atccgacacc ggtgcacctg gaagccttgc agcgggtggg gccgacgccg attcaccgac 300
gcttcttccg ccggtacggc tggcctatga aaattat 337
```

<210> 423

<211> 310

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(310)

<223> n = A,T,C or G

<400> 423

```
gctcaaaaat ctttttactg atatggcatg gctacacaat cattgactat tagaggccag 60
aggagaatga ggcctggcct gggagccctg tgcctactan aagcncatta gattatccat 120
tcaactgacag aacaggtctt ttttgggtcc ttcttctcca ccacgatata cttgcagtc 180
tccttcttga agattctttg gcagttgtct ttgtcataac ccacaggtgt anaaacaagg 240
gtgcaacatg aaatttctgt ttcgtagcaa gtgcattgtc cacagttgtc aagtctgccc 300
tccgagtta 310
```

<210> 424

<211> 370

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(370)

<223> n = A,T,C or G

<400> 424
gctcaaaaat ctttttactg ataggcatgg ctacacaatc attgactatt agaggccaga 60
ggagaatgag gcctggcctg ggagccctgt gcctactaga agcacattag attatccatt 120
cactgacaga acaggtcttt tttgggtcct tcttctccac cacgatatac ttgcagtcct 180
ccttcttgaa gattcttttg cagttgtctt tgtcataacc cacaggtgta gaaacatcct 240
ggttgaatct cctggaactc cctcattagg tatgaaatag catgatgcat tgcataaagt 300
cacgaagggtg gcaaagatca caacgctgcc cagganaaca ttcattgtga taagcaggac 360
tccgtcgacg 370

<210> 425
<211> 216
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(216)
<223> n = A,T,C or G

<400> 425
aattgctatn ntttattttg ccactcaaaa taattaccaa aaaaaaaaaa tnttaaatga 60
taacaacnca acatcaaggn aaananaaca ggaatgngtg actntgcata aatnggccga 120
anattatcca ttatnttaag gggtgacttc aggntacagc acacagacaa acatgcccag 180
gaggntntca ggaccgctcg atgtntntng aggagg 216

<210> 426
<211> 596
<212> DNA
<213> Homo sapiens

<400> 426
cttccagtga ggataaccct gttgccccgg gccgaggttc tccattaggc tctgattgat 60
tggcagtcag tgatggaagg gtgttctgat cattccgact gcccgaaggg tcgctggcca 120
gctctctgtt ttgctgagtt ggcagtagga cctaatttgt taattaagag tagatggtga 180
gctgtccttg tattttgatt aacctaattg ctttcccagc acgactcgga ttcagctgga 240
gacatcacgg caacttttaa tgaaatgatt tgaagggccca ttaagaggca cttcccgtta 300
ttaggcagtt catctgcact gataacttct tggcagctga gctggtcgga gctgtggccc 360
aaacgcacac ttggcttttg gttttgagat acaactctta atcttttagt catgcttgag 420
gggtgatggc cttttcagct ttaacccaat ttgcaactgc ttggaagtgt agccaggaga 480
atacactcat atactcgtgg gcttagaggc cacagcagat gtcattgggtc tactgcctga 540
gtcccgtggt tcccatccca ggaccttcca tcggcgagta cctggggagcc cgtgct 596

<210> 427
<211> 107
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(107)
<223> n = A,T,C or G

<400> 427
gaagaattca agttaggttt attcaaaggg cttacngaga atcctanacc caggncaccag 60

ccccgggagca gccttanaga gctcctgttt gactgcccgg ctcagn 107

<210> 428

<211> 38

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(38)

<223> n = A,T,C or G

<400> 428

gaacttcena anaangactt tattcactat ttacatt 38

<210> 429

<211> 544

<212> DNA

<213> Homo sapiens

<400> 429

ctttgctgga cggaataaaa gtggacgcaa gcatgacctc ctgatgaggg cgctgcattt 60
attgaagagc ggctgcagcc ctgcggttca gattaaaatc cgagaattgt atagacgccg 120
atatccacga actcttgaag gactttctga tttatccaca atcaaatcat cggttttcag 180
tttggatggg ggctcatcac ctgtagaacc tgacttggcc gtggctggaa tccactcgtt 240
gccttcactc tcagttacac ctactcacc atcctctcct gttggttctg tgcgtcttca 300
agatactaag cccacatttg agatgcagca gccatctccc ccaattctc ctgtccatcc 360
tgatgtgcag ttaaaaaatc tgccttttta tgatgtcctt gatgttctca tcaagcccac 420
gagtttagtt caaagcagta ttcagcgatt tcaagagaag ttttttattt ttgctttgac 480
acctcaacaa gttagagaga tatgcatatc cagggatttt ttgccagggtg gtaggagaga 540
ttat 544

<210> 430

<211> 507

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(507)

<223> n = A,T,C or G

<400> 430

cttatcncaa tggggctccc aaacttggct gtgcagtgga aactccgggg gaattttgaa 60
gaacactgac acccatcttc caccctgaca ctctgattta attgggctgc agtgagaaca 120
gagcatcaat ttaaaaagct gcccagaatg ttntcctggg cagcgttctg atctttgccn 180
ccttcgtgac tttatgcaat gcatcatgct atttcatacc taatgaggga gttccaggag 240
attcaaccag gatgtttcta cncctgtggg ttatgacaaa gacaactgcc aaagaatntt 300
caagaaggag gactgcaagt atatcgtggg ggagaagaag gacccaaaaa agacctgttc 360
tgtcagtga tggataatct aatgtgcttc tagtaggcac agggctccca ggccaggcct 420
cattctctc tggcctctaa tagtcaatga ttgtgtagcc atgcctatca gtaaaaagat 480
ttttgagcaa aaaaaaaaaa aaaaaaa 507

<210> 431

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 431

```
gaaaattcag aatggataaa aacaaatgaa gtacaaaata tttcagattt acatagcgat 60
aaacaagaaa gcacttatca ggaggactta caaatggaag tacactctan aaccatcatc 120
tatcatggct aaatgtgaga ttagcacagc tgtattattt gtacattgca aacacctaga 180
aagagatggg aaacaaaatc ccaggagttt tgtgtgtgga gtcctgggtt ttccaacaga 240
catcattcca gcattctgag attagggnga ttggggatca ttctggagtt ggaatgttca 300
acaaaagtga tgttgtagg taaaatgtac aacttctgga tctatgcaga cattgaaggt 360
gcaatgagtc tggcttttac tctgctgttt ct 392
```

<210> 432

<211> 387

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(387)

<223> n = A,T,C or G

<400> 432

```
ggtatccnta cataatcaaa tatagctgta gtacatgttt tcattggngt agattaccac 60
aaatgcaagg caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg 120
ngtagtccaa gctctcgna gtccagccac tgngaaacat gctcccttta gattaacctc 180
gtggacnctn ttgttgnatt gtctgaactg tagngccctg tattttgctt ctgtctgnga 240
attctgttgc ttctggggca tttccttgng atgcagagga ccaccacaca gatgacagca 300
atctgaattg ntccaatcac agctgcgatt aagacatact gaaatcgta aggaccggga 360
acaacgtata gaacactgga gtccttt 387
```

<210> 433

<211> 281

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(281)

<223> n = A,T,C or G

<400> 433

```
ttcaactagc anagaanact gcttcagggn gtgtaaaatg aaaggcttcc acgcagttat 60
ctgattaaag aacactaaga gagggacaag gctagaagcc gcaggatgtc tacactatag 120
caggenctat ttgggttggc tggaggagct gtggaaaaca tggagagatt ggcgctggag 180
atcgccgtgg ctattcctcn ttgntattac accagnaggy ntctctgtnt gccactgggt 240
tnnaaaaccg ntatacaata atgatagaat aggacacaca t 281
```

<210> 434

<211> 484

<212> DNA

<213> Homo sapiens

<400> 434

```

ttttaaaata agcatttagt gctcagtcct tactgagtag tctttctctc ccctcctctg 60
aatttaattc ttccaacttg caatttgcaa ggattacaca ttccactgtg atgtatattg 120
tggtgcaaaa aaaaaaaagt gtctttgttt aaaattactt ggtttgtaga tccatcttgc 180
tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa acatctgaag 240
agctagtcta tcagcatctg acaggtgaat tggatgggtc tcagaacccat ttcaccaga 300
cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca taacaaaccc 360
tgctccaatc tgcacataa aagtctgtga cttgaagttt agtcagcacc cccaccaaac 420
tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataaag taccatgtc 480
ttaa
484

```

<210> 435

<211> 424

<212> DNA

<213> Homo sapiens

<400> 435

```

gcgcccgtca gagcaggtca ctttctgcct tccacgtcct ccttcaagga agcccatgt 60
gggtagcttt caatatcgca gggtcttact cctctgcctc tataagctca aaccaccaa 120
cgatcgggca agtaaacccc ctccctcgcc gacttcggaa ctggcgagag ttcagcgag 180
atgggcctgt ggggaggggg caagatagat gagggggagc ggcattgtgc ggggtgaccc 240
cttgagagaga ggaaaaggc cacaagaggg gctgccaccg ccactaacgg agatggcct 300
ggtagagacc tttgggggtc tggaacctct ggactcccca tgctctaact cccacactct 360
gctatcagaa acttaaaactt gaggattttc tctgtttttc actcgcaata aattcagagc 420
aaac
424

```

<210> 436

<211> 667

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(667)

<223> n = A,T,C or G

<400> 436

```

accttgggaa nactctcaca atataaaggg tcgtagactt tactccaaat tccaaaaagg 60
tcctggccat gtaatcctga aagttttccc aaggtagcta taaaatcctt ataagggtgc 120
agcctcttct ggaattcctc tgatttcaaa gtctcactct caagttcttg aaaacgaggg 180
cagttcctga aaggcaggtg tagcaactga tcttcagaaa gaggaactgt gtgcaccggg 240
atgggctgcc agagtaggat aggattccag atgctgacac cttctggggg aaacagggct 300
gccaggtttg tcatagcact catcaaagtc cgggtcaacgt ctgtgcttcg aatataaacc 360
tgttcatgtt tataggactc attcaagaat tttctatata tctttcttat atactctcca 420
agttcataat gctgctccat gccagctgg gtgagttggc caaatccttg tggccatgag 480
gattccttta tggggtcagt gggaaaggtg tcaatgggac ttcgggtctc atgccgaaac 540
accaaagtca caaacttcaa ctcttggtc agtacacttc ggtctagcca gaaaaaaagc 600
agaaacaaga agccaaggct aaggcttgct gccctgccag gaggaggggt gcagctctca 660
tgttgag
667

```

<210> 437

<211> 693

<212> DNA

<213> Homo sapiens

<400> 437

```
ctacgtctca accctcattt ttaggtaagg aatcttaagt ccaaagatat taagtgactc 60
acacagccag gtaaggaaag ctggattggc acactaggac tctaccatac cgggttttgt 120
taaaagctcag gttaggaggc tgataagctt ggaaggaaact tcagacagct ttttcagatc 180
ataaaagata attcttagcc catgttcttc tccagagcag acctgaaatg acagcacagc 240
aggtaactct ctattttcac cctcttgct tctactctct ggcaatcaga cctgtgggag 300
gccatgggag aaagcagctc tctggatgtt tgtacagatc atggactatt ctctgtggac 360
catttctcca ggttacccta ggtgtcacta ttggggggac agccagcatc tttagctttc 420
atttgagttt ctgtctgtct tcagtagagg aaacttttgc tcttcacact tcacatctga 480
acacctaaact gctgttgctc ctgaggtggt gaaagacaga tatagagctt acagtattta 540
tcctatttct aggcactgag ggctgtggg tgccaaaaca gatcctgttt 600
taaggacatg ttgcttcaga gatgtctgta actatctggg ggctctgttg gctctttacc 660
ctgcatcatg tgctctcttg gctgaaaatg acc 693
```

<210> 438

<211> 360

<212> DNA

<213> Homo sapiens

<400> 438

```
ctgcttatca caatgaatgt tctcctgggc agcgttgtga tctttgccac cttcgtgact 60
ttatgcaatg catcatgcta tttcatacct aatgaggagg ttccaggaga ttcaaccagg 120
atgtttctac acctgtgggt tatgacaaag acaactgcc aagaatcttc aagaaggagg 180
actgcaagta tatctgggtg agaagaagga ccaaaaaaag acctgttctg tcagtgaatg 240
gataatctaa tgtgcttcta gtaggcacag ggctcccagg ccaggcctca ttctcctctg 300
gcctctaata gtcaataatt gtgtagccat gcctatcagt aaaaagattt ttgagcaaac 360
```

<210> 439

<211> 431

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(431)

<223> n = A,T,C or G

<400> 439

```
gttccntnta actcctgcc aaaaacagctc tcctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggtc tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgacttttgt gtttcggcat ggagaccgaa 180
gtccatttga cacctttccc actgaccca taaaggaatc ctcattggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aathtagtag t 431
```

<210> 440

<211> 523

<212> DNA

<213> Homo sapiens

<400> 440

```
agagataaaag cttaggtcaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaatgtc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa ggagaggcaa agaaaggaga tacagtggag acatctggaa agttttctcc 300
actggaaaac tgctactatc tgtttttata tttctgttaa aatatatgag gctacagaac 360
taaaaattaa aacctctttg tgtcccttg tcttggaaca tttatgttcc ttttaaagaa 420
acaaaaatca aactttacag aaagatttga tgtatgtaat acatatagca gctcttgaag 480
tatatatatc atagcaaata agtcattctga tgagaacaag cta 523
```

<210> 441

<211> 430

<212> DNA

<213> Homo sapiens

<400> 441

```
gttcctccta actcctgcc aaaaacagctc tcttcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggtc tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtccatttga cacttttccc actgacccca taaaggaatc ctcatggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggccgcg 420
aatttagtag 430
```

<210> 442

<211> 362

<212> DNA

<213> Homo sapiens

<400> 442

```
ctaaggaaatt agtaggttcc ccatcacttg tttggagtgt gctattctaa aagattttga 60
tttcctggaa tgacaattat attttaactt tgggtgggga aagagttata ggaccacagt 120
cttcacttct gatacttgta aattaatctt ttattgcact tgttttgacc attaagctat 180
atgttttagaa atggtcattt tacggaaaaa ttagaaaaat tctgataata gtgcagaata 240
aatgaattaa tgttttactt aatttatatt gaactgtcaa tgacaaataa aaattctttt 300
tgattatttt ttgttttcat ttaccagaat aaaaactaag aattaaaagt ttgattacag 360
tc 362
```

<210> 443

<211> 624

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (624)

<223> n = A,T,C or G

<400> 443

```
tttttttttt gcaacacaat atacatcaca gtgaaatgtg taatccttgc aaattgcaag 60
ttgaaagaat taaattcaga ggaggggaga gaaagagtac tcagtaggga ctgagcacta 120
aatgcttatt ttaaaagaaa tgtaaagagc agaaagcaat tcaggctacc ctgccttttg 180
tgctggctag tactccggtc ggtgtcagca gcacgtggca ttgaacattg caatgtggag 240
```

```
cccaaaccac agaaaatggg gtgaaattgg ccaactttct attaacttgg cttcctgttt 300
tataaaatat tgtgaataat atcacctact tcaaagggca gttatgaggc ttaaataaac 360
taacgcctac aaaacactta aacatagata acataggtgc aagtactatg tatctggtac 420
atggtaaaca tccttattat taaagtcaac gctaaaatga atgtgtgtgc atatgctaata 480
agtacagaga gagggcactt aaaccaacta agggcctgga ggggaagggtt cctggaaaga 540
ngatgcttgt gctgggtcca aatcttgggc tactatgacc ttggccaaat tatttaaact 600
ttgtccctat ctgctaaaca gatac                                     624
```

<210> 444

<211> 425

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(425)

<223> n = A,T,C or G

<400> 444

```
gcacatcatt nntcttgcatt tctttgagaa taagaagatc agtaaatagt tcagaagtgg 60
gaagctttgt ccaggcctgt gtgtgaaccc aatgttttgc ttagaaatag aacaagtaag 120
ttcattgcta tagcataaca caaaatttgc ataagtggtg gtcagcaaatt ccttgaatgc 180
tgcttaatat gagaggttgg taaaatcctt tgtgcaacac tctaactccc tgaatgtttt 240
gctgtgctgg gacctgtgca tgccagacaa ggccaagctg gctgaaagag caaccagcca 300
cctctgcaat ctgccacctc ctgctggcag gatttgtttt tgcacacctg gaagagccaa 360
ggaggcacca gggcataagt gagtagactt atggtcgacg cggccgcgaa tttagtagta 420
gtaga                                     425
```

<210> 445

<211> 414

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(414)

<223> n = A,T,C or G

<400> 445

```
catgtttatg nttttggatt actttgggca cctagtgttt ctaaactcgtc tatcattctt 60
ttctgttttt caaaagcaga gatggccaga gtctcaacaa actgtatctt caagtctttg 120
tgaaattctt tgcatgtggc agattattgg atgtagtctt ctttaactag catataaatc 180
tgggtgtgtt cagataaatg aacagcaaaa tgtggtggaa ttaccatttg gaacattgtg 240
aatgaaaaat tgtgtctcta gattatgtaa caaataacta tttcctaacc attgatcttt 300
ggatttttat aatcctactc acaaatgact aggcttctcc tcttgtattt tgaagcagtg 360
tgggtgctgg attgataaaa aaaaaaaaaa tcgacgcggc cgcgaattta gtag      414
```

<210> 446

<211> 631

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(631)

<223> n = A,T,C or G

<400> 446

```
acaaattaga anaaagtgcc agagaacacc acataccttg tccggaacat tacaatggct 60
tctgcatgca tgggaagtgt gagcattcta tcaatatgca ggagccatct tgcaggtgtg 120
atgctgggta tactggacaa cactgtgaaa aaaaggacta cagtgttcta tacgttggtc 180
ccggctcctgt acgatttcag tatgtcttaa tcgcagctgt gattggaaca attcagattg 240
ctgtcatctg tgtgggtggtc ctctgcatca caagggccaa actttaggta atagcattgg 300
actgagattt gtaaaactttc caaccttcca ggaaatgccc cagaagcaac agaattcaca 360
gacagaagca aaatacaggg cactacagtt cagacaatac aacaagagcg tccacgaggt 420
taatctaaag ggagcatggt tcacagtggc tggactaccg agagcttgga ctacacaata 480
cagtattata gacaaaagaa taagacaaga gatctacaca tgttgccctg catttggtgt 540
aatctacacc aatgaaaaca tgtactacag ctatatgtga ttatgtatgg atatatttga 600
aatagtatac attgtcttga tgttttttct g 631
```

<210> 447

<211> 585

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (585)

<223> n = A,T,C or G

<400> 447

```
ccttgaggaaa antntcacia tataaagggt cgtagacttt actccaaatt caaaaagggt 60
cctggccatg taatcctgaa agttttccca aggtagctat aaaatcctta taaggggtgca 120
gcctcttctg gaattcctct gatttcaaag tctcactctc aagtctctga aaacgagggc 180
agttcctgaa aggcaggtat agcaactgat cttcagaaag aggaactgtg tgcaccggga 240
tgggctgcca gagtaggata ggattccaga tgctgacacc ttctggggga aacaggggtg 300
ccaggtttgt catagactc atcaaagtcc ggtaacgctc tgtgcttcga atataaacct 360
gttcagtgtt ataggactca ttcaagaatt ttctatatct ctttcttata tactctccaa 420
gttcataatg ctgctccatg cccagctggg tgagttggcc aaatccttgt ggccatgagg 480
attcctttat ggggtcagtg ggaaagggtg caatgggact tcggtctcca tgccgaaaca 540
ccaaagtcac aaacttcaac tccttggtga gtacacttcg gtcta 585
```

<210> 448

<211> 93

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (93)

<223> n = A,T,C or G

<400> 448

```
tgctcgtggg tcattctgan nnccgaactg accntgccag ccctgccgan gggccnccat 60
ggctccctag tgccttgag agganggggc tag 93
```

<210> 449

<211> 706

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(706)

<223> n = A,T,C or G

<400> 449

```
ccaagttcat gctntgtgct ggacgctgga caggggggcaa aagcnnttgc tcgtgggtca 60
ttctgancac cgaactgacc atgccagccc tgccgatggc cctccatggc tccctagtgc 120
cctggagagg aggtgtctag tcagagagta gtccctggaag gtggcctctg ngaggagcca 180
cggggacagc atcctgcaga tggtcgggag cgccccattc gccattcagg ctgcgcaact 240
gttgggaagg gcgatcgggtg cgggcctctt cgctattacg ccagctggcg aaagggggat 300
gtgctgcaag gcgattaagt tgggtaacgc caggggtttc ccagtcncga cgttgtaaaa 360
cgacggccag tgaattgaat ttaggtgacn ctatagaaga gctatgacgt cgcattgcacg 420
cgtacgtaag cttggatcct ctagagcggc cgcctactac tactaaattc gcggccgcgt 480
cgacgtggga tccnactga gagagtggag agtgacatgt gctggacnct gtccatgaag 540
cactgagcag aagctggagg cacaacgcnc cagacactca cagctactca ggaggctgag 600
aacaggttga acctgggagg tggaggttgc aatgagctga gatcaggccn ctgcncacca 660
gcatggatga cagagtgaag ctccatctta aaaaaaaaaa aaaaaa 706
```

<210> 450

<211> 493

<212> DNA

<213> Homo sapiens

<400> 450

```
gagacggagt gtcactctgt tgcccaggct ggagtgcagc aagacactgt ctaagaaaaa 60
acagttttta aaggtaaaac aacataaaaa gaaatatcct atagtggaaa taagagagtc 120
aaatgaggct gagaacttta caaagggatc ttacagacat gtcgccaata tcaactgcatg 180
agcctaagta taagaacaac ctttggggag aaaccatcat ttgacagtga ggtacaattc 240
caagtcaggt agtgaaatgg gtggaattaa actcaaatta atcctgccag ctgaaacgca 300
agagacactg tcagagagtt aaaaagttag ttctatccat gaggtgattc cacagtcttc 360
tcaagtcaac acatctgtga actcacagac caagttctta aaccactgtt caaactctgc 420
tacacatcag aatcacctgg agagctttac aaactcccat tgccgagggt cgacgcggcc 480
gcgaatttag tag 493
```

<210> 451

<211> 501

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(501)

<223> n = A,T,C or G

<400> 451

```
gggcgcgtcc cattcgccat tcaggctgag caactgttgg gaagggcgat cgggtgcgggc 60
ctcttcgcta ttacgccagc tggcgaaagg gggatgtgct gcaaggcgat taagttgggt 120
aacgccaggg ttttcccagt cncgacgttg taaaacgacg gccagtgaat tgaatttagg 180
tgacnctata gaagagctat gacgtcgcat gcacgcgtac gtaagcttgg atcctctaga 240
gcggccgcct actactacta aattcgcgcc cgcgtcgacg tgggatccnc actgagagag 300
tggagagtga catgtgctgg acnctgtcca tgaagcactg agcagaagct ggaggcacia 360
cgcncagac actcacagct actcaggagg ctgagaacag gttgaacctg ggaggtggag 420
gttgcaatga gctgagatca ggccnctgcn ccccgacatg gatgacagag tgaaactcca 480
```

tcttaaaaaa aaaaaaaaaa a

501

<210> 452

<211> 51

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(51)

<223> n = A,T,C or G

<400> 452

agacgggttc accnttacaa cnccttttag gatgggnntt ggggagcaag c

51

<210> 453

<211> 317

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(317)

<223> n = A,T,C or G

<400> 453

tacatcttgc tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa 60
acatctgaag agctagtcta tcagcatctg gcaagtgaat tggatgggtc tcagaaccat 120
ttcacccana cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca 180
taacaaaccc tgcctcaatc tgtcacataa aagtctgtga cttgaagttt antcagcacc 240
cccaccaaac tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataagg 300
tacctatgtc tttatta 317

<210> 454

<211> 231

<212> DNA

<213> Homo sapiens

<400> 454

ttcgaggtag aatcaactct cagagtgtag tttccttcta tagatgagtc agcattaata 60
taagccacgc cagctctctg aaggagtctt gaattctcct ctgctcactc agtagaacca 120
agaagaccaa attcttctgc atcccagctt gcaaacaaaa ttgttcttct aggtctccac 180
ccttcctttt tcagtgttcc aaagctcctc acaatttcat gaacaacagc t 231

<210> 455

<211> 231

<212> DNA

<213> Homo sapiens

<400> 455

taccaaagag ggcataataa tcagtctcac agtaggggtc accatcctcc aagtgaaaaa 60
cattgttccg aatgggcttt ccacaggcta cacacacaaa acaggaaaca tgccaagtgtt 120
gtttcaacgc attgatgact tctccaagga tcttcctttg gcatcgacca cattcagggg 180
caaagaattt ctcatagcac agtcacaaat acagggtctc tttctcctct a 231

<210> 456
<211> 231
<212> DNA
<213> Homo sapiens

<400> 456
ttggcaggta cccttacaaa gaagacacca taccttatgc gttattaggt ggaataatca 60
ttccattcag tattatcggt attattcttg gagaaaccct gtctgtttac tgtaaccttt 120
tgcactcaaa ttcctttatc aggaataact acatagccac tatttacaaa gccattggaa 180
cctttttatt tgggtgcagct gctagtcagt ccctgactga cattgccaag t 231

<210> 457
<211> 231
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(231)
<223> n = A,T,C or G

<400> 457
cgaggtagccc aggggtctga aaatctctnn ttantagtc gatagcaaaa ttgttcatca 60
gcattcctta atatgatctt gctataatta gatttttctc cattagagtt catacagttt 120
tatttgattt tattagcaat ctctttcaga agacccttga gatcattaag ctttgtatcc 180
agttgtctaa atcgatgcct catttcctct gaggtgtcgc tggcttttgc g 231

<210> 458
<211> 231
<212> DNA
<213> Homo sapiens

<400> 458
aggtctgggt cccccactt ccactccct ctactctctc taggactggg ctgggccaag 60
agaagagggg tgggttagga agccgttgag acctgaagcc ccacctcta ccttccttca 120
acaccctaac cttgggtaac agcatttga attatcattt gggatgagta gaatttccaa 180
ggtcctgggt taggcatttt ggggggcccag accccaggag aagaagattc t 231

<210> 459
<211> 231
<212> DNA
<213> Homo sapiens

<400> 459
ggtaccgagg ctgcgtgaca cagagaaacc ccaacgcgag gaaaggaatg gccagccaca 60
ccttcgcaaa acctgtggtg gccaccagt cctaacggga caggacagag agacagagca 120
gccctgcact gttttccctc caccacagcc atcctgtccc tcattggctc tgtgctttcc 180
actatacaca gtcaccgtcc caatgagaaa caagaaggag caccctccac a 231

<210> 460
<211> 231
<212> DNA
<213> Homo sapiens

<400> 460

gcagggtataa catgctgcaa caacagatgt gactaggaac ggccggtgac atggggaggg 60
cctatcaccc tattcttggg ggctgcttct tcacagtgat catgaagcct agcagcaaat 120
cccacctccc cacacgcaca cggccagcct ggagcccaca gaagggtcct cctgcagcca 180
gtggagcttg gtccagcctc cagtccaccc ctaccaggct taaggataga a 231

<210> 461

<211> 231

<212> DNA

<213> Homo sapiens

<400> 461

cgagggtttga gaagctctaa tgtgcagggg agccgagaag caggcggcct agggagggtc 60
gcgtgtgctc cagaagagtg tgtgcatgcc agaggggaaa caggcgcctg tgtgtcctgg 120
gtggggttca gtgaggagtg ggaaattggt tcagcagaac caagccgttg ggtgaataag 180
agggggattc catggcactg atagagccct atagtttcag agctgggaat t 231

<210> 462

<211> 231

<212> DNA

<213> Homo sapiens

<400> 462

aggtagcctc attgtagcca tgggaaaatt gatgttcagt ggggatcagt gaattaaatg 60
gggtcatgca agtataaaaa ttaaaaaaaa aagacttcat gcccaatctc atatgatgtg 120
gaagaactgt tagagagacc aacagggtag tggggttagag atttcagag tcttacattt 180
tctagaggag gtatttaatt tcttctcact catccagtgt tgtatttagg a 231

<210> 463

<211> 231

<212> DNA

<213> Homo sapiens

<400> 463

tactccagcc tggtagacaga gcgagaccct atcacgcgcc cccacccac caaaaaaaaa 60
actgagtaga cagggtgtcct cttggcatgg taagtcttaa gtcccctccc agatctgtga 120
catttgacag gtgtcttttc ctctggacct cgggtgtcccc atctgagtga gaaaaggcag 180
tggggagggt gatcttccag tcgaagcggg atagaagccc gtgtgaaaag c 231

<210> 464

<211> 231

<212> DNA

<213> Homo sapiens

<400> 464

gtactctaag attttatcta agttgccttt tctgggtggg aaagtttaac cttagtgtact 60
aaggacatca catatgaaga atgtttaagt tggagggtggc aacgtgaatt gcaaacaggg 120
cctgtcttcag tgaactgtgt cctgtagtcc cagctactcg ggagtctgtg tgaggccagg 180
ggtgccagcg caccagctag atgctctgta acttctaggg cccattttcc c 231

<210> 465

<211> 231

<212> DNA

<213> Homo sapiens

<400> 465

```

catgttggtg tagctgtggt aatgctggct gcatctcaga cagggttaac ttcagctcct 60
gtggcaaat agcaacaaat tctgacatca tatttatggt ttctgtatct ttgttgatga 120
aggatggcac aatttttctgt tgtgttcata atatactcag attagttcag ctccatcaga 180
taaactggag acatgcagga cattagggta gtgtttagc tctggtaatg a 231

```

<210> 466

<211> 231

<212> DNA

<213> Homo sapiens

<400> 466

```

caggtaacctc tttccattgg atactgtgct agcaagcatg ctctccgggg tttttttaat 60
ggccttcgaa cagaacttgc cacataccca ggtataatag tttctaacat ttgccagga 120
cctgtgcaat caaatattgt ggagaattcc ctagctggag aagtcacaaa gactatagga 180
aataatggag accagtcacca caagatgaca accagtcgtt gtgtgcggct g 231

```

<210> 467

<211> 311

<212> DNA

<213> Homo sapiens

<400> 467

```

gtacaccctg gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg 60
tggtggcttt tctccttttt catcaagact cctcagcagg gagccagac cagcctgcac 120
tgtgccttaa cagaaggtct tgagattcta agtgggaatc atttcagtga ctgtcatgtg 180
gcatgggtct ctgcccgaagc tcgtaatgag actatagcaa ggcggctgtg ggacgtcagt 240
tgtgacctgc tgggcctccc aatagactaa caggcagtgc cagttggacc caagagaaga 300
ctgcagcaga c 311

```

<210> 468

<211> 3112

<212> DNA

<213> Homo sapiens

<400> 468

```

cattgtgttg ggagaaaaac agaggggaga tttgtgtggc tgcagccgag ggagaccagg 60
aagatctgca tgggtgggaag gacctgatga tacagagttt gataggagac aattaaaggc 120
tggaaggcac tggatgcctg atgatgaagt ggactttcaa actggggcac tactgaaacg 180
atgggatggc cagagacaca ggagatgagt tggagcaagc tcaataacaa agtggttcaa 240
cgaggacttg gaattgcatg gagctggagc tgaagtttag cccaattggt tactagtga 300
gtgaatgtgg atgattggat gatcatttct catctctgag cctcaggttc cccatccata 360
aaatgggata cacagtatga tctataaagt gggatatagt atgatctact tcaactgggt 420
atttgaagga tgaattgaga taatttattt cagggtgccta gaacaatgcc cagattagta 480
catttgggtg aactgagaaa tggcataaca ccaaatttaa tatatgtcag atgttactat 540
gattatcatt caatctcata gttttgtcat ggcccaattt atcctcactt gtgcctcaac 600
aaattgaact gtaacaaaag gaatctctgg tcctgggttaa tggctgagca ccactgagca 660
tttccattcc agttggcttc ttgggtttgc tagctgcac actagtcac ttaaataaat 720
gaagttttaa catttctcca gtgatttttt tatctcacct ttgaagatac tatgttatgt 780
gattaaataa agaacttgag aagaacaggt ttcattaaac ataaaatcaa tgtagacgca 840
aattttctgg atgggcaata cttatgttca caggaaatgc tttaaaatat gcagaagata 900
attaaatggc aatggacaaa gtgaaaaact tagacttttt tttttttttt ggaagtatct 960
ggatgttcct tagtcactta aaggagaact gaaaaatagc agtgagttcc acataatcca 1020
acctgtgaga ttaaggctct ttgtggggaa ggacaaagat ctgtaaattt acagtttctt 1080
tccaaagcca acgtcgaatt ttgaaacata tcaaagctct tcttcaagac aaataatcta 1140
tagtacatct ttcttatggg atgcacttat gaaaaatggg ggctgtcaac atctagtcac 1200

```

```

tttagctctc aaaatgggtc attttaagag aaagtttttag aatctcatat ttattcctgt 1260
ggaaggacag cattgtggct tggactttat aaggctcttta ttcaactaaa taggtgagaa 1320
ataagaaagg ctgctgactt taccatctga ggccacacat ctgctgaaat ggagataatt 1380
aacatcacta gaaacagcaa gatgacaata taatgtctaa gtagtgacat gtttttgcac 1440
atttcagacc ccttttaaata tccacacaca caggaagcac aaaaggaagc acagagatcc 1500
ctgggagaaa tgcccggccg ccatcttggg tcatcgatga gcctcgccct gtgcctgggtc 1560
ccgcttgtga gggaaggaca ttagaaaatg aattgatgtg ttccctaaag gatgggcagg 1620
aaaacagatc ctgttgtgga tatttatttg aacgggatta cagatttgaa atgaagtcac 1680
aaagtgagca ttaccaatga gaggaaaaca gacgagaaaa tcttgatggc ttcacaagac 1740
atgcaacaaa caaaatggaa tactgtgatg acatgaggca gccaaagctgg ggaggagata 1800
accacggggc agaggggtcag gattctggcc ctgctgccta aactgtgcgt tcataaccaa 1860
atcatttcat atttctaacc ctcaaaacaa agctgttgta atatctgatc tctacgggtc 1920
cttctgggcc caacattctc catatatcca gccacactca tttttaatat ttagttccca 1980
gatctgtact gtgacctttc tactctgtag aataacatta ctcatcttct tcaaagacct 2040
ttcgtgttgc tgcctaatat gtagctgact gtttttctta aggagtgttc tggcccaggg 2100
gatctgtgaa caggctggga agcatctcaa gatctttcca gggttatact tactagcaca 2160
cagcatgatc attacggagt gaattatcta atcaacatca tcctcagtggt ctttgcccat 2220
actgaaatcc atttcccact tttgtgcccc ttctcaagac ctcaaaatgt cattccatta 2280
atatcacagg attaactttt ttttttaacc tggaagaatt caatgttaca tgcagctatg 2340
ggaatttaat tacatatattt gttttccagt gcaaagatga ctaagtcctt tatccctccc 2400
ctttgtttga ttttttttcc agtataaagt taaaatgctt agccttgtag tgaggctgta 2460
tacagccaca gcctctcccc atccctccag ccttatctgt catcaccatc aacccctccc 2520
atgcacctaa acaaaatcta acttgtaatt ccttgaacat gtcaggcata cattattcct 2580
tctgcctgag aagctcttcc ttgtctctta aatctagaat gatgtaaagt tttgaataag 2640
ttgactatct tacttcatgc aaagaaggga cacatatgag attcatcatc acatgagaca 2700
gcaataacta aaagtgtaat ttgattataa gagtttagat aaatatatga aatgcaagag 2760
ccacagaggg aatgtttatg gggcacgttt gtaagcctgg gatgtgaagc aaaggcaggg 2820
aacctcatag tatcttatat aatatacttc atttctctat ctctatcaca atatccaaca 2880
agcttttcac agaattcatg cagtgcaaat ccccaaaggc aacctttatc catttcatgg 2940
tgagtgcgct ttagaatttt ggcaaatcat actggtcact tatctcaact ttgagatgtg 3000
tttgtccttg tagttaattg aaagaaatag ggcactcttg tgagccactt taggggtcac 3060
tcctggcaat aaagaattta caaagagcaa aaaaaaaaaa aaaaaaaaaa aa 3112

```

<210> 469

<211> 2229

<212> DNA

<213> Homo sapiens

<400> 469

```

agctctttgt aaattcttta ttgccaggag tgaaccctaa agtggctcac aagagtgcgc 60
tatttctttc aattaactac aaggacaaac acatctcaaa gttgagataa gtgaccagta 120
tgatttgcca aaattctaaa gcgcactcac catgaaatgg ataaagggtta cctttgggga 180
tttgactgac atgaattctg tgaaaagctt gttggatatt gtgatagaga tagagaaatg 240
aagtatatta tataagatac tatgaggttc cctgcctttg cttcacatcc caggcttaca 300
aacgtgcccc ataaacattc cctctgtggc tcttgcattt catatattta tctaaactct 360
tataatcaaa tactctttta gtatttgctg tctcatgtga tgatgaatct catatgtgtc 420
ccttctttgc atgaagtaag atagtcaact tattcaaaac tttacatcat tctagattta 480
agagacaagg aagagcttct caggcagaag gaataatgta tgacctgacat gttcaaggaa 540
ttacaagtta gattttgttt aggtgcatgg gaggggttga tgggtgatgac agataaggct 600
ggagggatgg ggagaggctg tggctgtata cagcctcagt acaaggctaa gcattttaac 660
tttatactgg aaaaaaatc aaacaaaggg gagggataaa ggacttagtc atctttgcac 720
tggaatacaa aatatgtaat taaattccca tagctgcatg taacattgaa ttcttccagg 780
ttaaaaaaaa agttaatcct gtgatattaa tggaaatgaca ttttgagggtc ttgagaatgg 840
gcacaaaagt gggaaatgaa tttcagtatg ggcaaaagaca ctgaggatga tgttgattag 900
ataattcact ccgtaatgat catgctgtgt gctagtaagt ataaccctgg aaagatcttg 960

```

```

agatgcttcc cagcctgttc acagatcccc tgggccagaa cactccttag gaaaaacagt 1020
cagctacata ttaggcagca acacgaaggg tctttgaaca aaatgagtaa tgttattcta 1080
cagtgtagaa aggtcacagt acagatctgg gaactaaata ttaaaaatga gtgtggcttg 1140
atatatggag aatgttgggc ccagaaggaa ccgtagagat cagatattac aacagctttg 1200
ttttgagggg tagaaatatg aaatgatttg gttatgaacg cacagttagg gcagcagggc 1260
cagaatcctg accctctgcc ccgtgggttat ctctcccca gcttggctgc ctcatgtcat 1320
cacagtattc cattttgttt gttgcatgtc ttgtgaagcc atcaagattt tctcgtctgt 1380
tttctctca ttggtaatgc tcactttgtg acttcatttc aaatctgtaa tcccgttcaa 1440
ataaatatcc acaacaggat ctgttttctt gcccatcctt taaggaaacac atcaattcat 1500
tttctaagt ccttccctca caagcgggac caggcacagg gcgaggctca tcgatgacct 1560
aagatggcgg ccgggcattt ctcccagggg tctctgtgct tccttttggt cttcctgtgt 1620
gtgtggatat ttaaaagggc tggaaatgtg caaaaacatg tcactactta gacattatat 1680
tgtcatcttg ctgtttctag tgatgttaat tatctccatt tcagcagatg tgtggcctca 1740
gatggtaaag tcagcagcct ttcttatttc tcacctggaa atacatacga ccatttgagg 1800
agacaaatgg caaggtgtca gcataccctg aacttgagtt gagagctaca cacaatatta 1860
ttgggttccg agcatcacia acaccctctc tgtttcttca ctgggcacag aattttaata 1920
cttatttcag tgggctgttg gcaggaacaa atgaagcaat ctacataaag tactagtgc 1980
agtgcctgac acacaccatt ctcttgaggt cccctctaga gatcccacag gtcatatgac 2040
ttcttgggga gcagtggctc acacctgtaa tcccagcaet ttgggaggct gaggcagggt 2100
ggtcacctga ggtcaggagt tcaagaccag cctggccaat atggtgaaac ccatctcta 2160
ctaaaaatac aaaaattagc tgggcgtgct ggtgcatgcc tgtaatccca gcccacac 2220
aatggaatt
2229

```

<210> 470

<211> 2426

<212> DNA

<213> Homo sapiens

<400> 470

```

gtaaattctt tattgccagg agtgaaccct aaagtggctc acaagagtgc cctatttctt 60
tcaattaact acaaggacaa acacatctca aagttgagat aagtgaccag tatgatttgc 120
caaaattcta aagcgactc accatgaaat ggataaagg tacccttggg gatttgcact 180
gcatagaattc tgtgaaaagc ttgttgata ttgtgataga gatagagaaa tgaagtatat 240
tatataagat actatgaggt tccctgcctt tgcttcacat cccaggctta caaacgtgcc 300
ccataaacat tccctctgtg gctcttgcac ttcatatatt tatctaaact cttataatca 360
aattacactt ttagtatttg ctgtctcatg tgatgatgaa tctcatatgt gtcccttctt 420
tgcatgaagt aagatagtca acttattcaa aactttacat cattctagat ttaagagaca 480
aggaagagct tctcaggcag aaggaataat gtatgcctga catgttcaag gaattacaag 540
ttagattttg tttaggtgca tgggaggggt tgatggtgat gacagataag gctggaggga 600
tggggagagg ctgtggctgt atacagcctc agtacaaggc taagcatttt aactttatac 660
tggaaaaaaa atcaacaaa ggggagggat aaaggactta gtcattcttg cactggaaaa 720
caaaatatgt aattaaattc ccatagctgc atgtaacatt gaattcttcc aggttaaaaa 780
aaaaagttaa tcctgtgata ttaatggaat gacattttga ggtcttgaga atgggcacaa 840
aagtgggaaa tgaatttcag tatgggcaaa gacactgagg atgatgttga ttagataatt 900
cactccgtaa tgatcatgct gtgtgctagt aagataaacc ctggaaagat cttgagatgc 960
tccccagcct gttcacagat cccctgggccc agaactctcc ttaggaaaaa cagtcagcta 1020
catattagga agcaacacga agggctcttg acaaaaatga gtaatgttat tctacagtgt 1080
agaaagggtc cagtacagat ctgggaacta aatattaaaa atgagtgtgg ctggatatat 1140
ggagaatgtt gggcccagaa ggaaccgtag agatcagata ttacaacagc tttgttttga 1200
gggttagaaa tatgaaatga tttggttatg aacgcacagt ttaggcagca gggccagaat 1260
cctgaccctc tgccccgtgg ttatctctc cccagcttgg ctgcctcatg tcatcacagt 1320
attccatttt gtttgttgca tgtcttgtga agccatcaag attttctcgt ctgttttctt 1380
ctcattggta atgctcactt tgtgacttca tttcaaatct gtaatcccg tcaataaat 1440
atccacaaca ggatctgttt tcctgcccac ctttaagga acacatcaat tcattttcta 1500
atgtccttcc ctcaacagc ggaccaggca cagggcgagg ctcatcgatg acccaagatg 1560

```

```

gcggccgggc atttctccca gggatctctg tgcttccttt tgtgcttcct gtgtgtgtgg 1620
atatttaaag gggctggaaa tgtgcaaaaa catgtcacta cttagacatt atattgtcat 1680
cttgctgttt ctagtgatgt taattatctc catttcagca gatgtgtggc ctcagatggg 1740
aaagtcagca gcctttctta tttctcacct ggaatacat acgaccattt gaggagacaa 1800
atggcaagggt gttagcatac cctgaacttg agttgagagc tacacacaat attattgggt 1860
tccgagcatc acaaacaccc tctctgtttc ttcactgggc acagaatttt aatacttatt 1920
tcagtgggct gttggcagga acaaatgaag caatctacat aaagtcacta gtgcagtgcc 1980
tgacacacac cattctcttg aggtccctc tagagatccc acaggtcata tgacttcttg 2040
gggagcagtg gctcacacct gtaatcccag cactttggga ggctgaggca ggtgggtcac 2100
ctgaggtcag gagtccaaga ccagcctggc caatatgggt aaaccccatc tctactaaaa 2160
atacaaaaaat tagctgggcg tgctggtgca tgctgtaat ccagctact tgggaggctg 2220
aggcaggaga attgctggaa catgggaggc ggaggttgca gtgagctgta attgtgccat 2280
tgactcgaa cctgggcgac agagtggaac tctgtttcca aaaaacaaac aaacaaaaaa 2340
ggcatagtca gatacaacgt ggggtgggat tgtaaataga agcaggatat aaagggcatg 2400
gggtgacggg tttgccccac acaatg
2426

```

<210> 471

<211> 812

<212> DNA

<213> Homo sapiens

<400> 471

```

gaacaaaatg agtaatgtta ttctacagtg tagaaaggtc acagtacaga tctgggaact 60
aaatattaaa aatgagtgtg gctggatata tggagaatgt tgggcccaga aggaaccgta 120
gagatcagat attacaacag ctttgttttg agggtagaa atatgaaatg atttggttat 180
gaacgcacag tttaggcagc agggccagaa tctgaccct ctgccccgtg gttatctcct 240
ccccagcttg gctgcctcat gtcacacag tattccattt tgttgttgc atgtcttgtg 300
aagccatcaa gattttctcg tctgttttcc tctcattggg aatgctcact ttgtgacttc 360
atttcaaadc tgtaatcccg ttcaaataaa tatccacaac aggatctgtt ttctgccc 420
tcctttaagg aacacatcaa ttcatcttct aatgtccttc cctcacaagc gggaccaggc 480
acagggcgag gctcatcgat gaccaagat ggcggccggg catttctccc agggatctct 540
gtgtctcctt ttgtgcttcc tgtgtgtgtg gatattttaa ggggctggaa atgtgcaaaa 600
acatgtcact acttagacat tatattgtca tcttgctgtt tctagtgatg ttaattatct 660
ccatttcagc agatgtgtgg cctcagatgg taaagtcagc agcctttctt atttctcacc 720
tctgtatcat caggtccttc ccaccatgca gatcttctcg gtctccctcg gctgcagcca 780
cacaaatctc ccctctgttt ttctgatgcc ag
812

```

<210> 472

<211> 515

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1) ... (515)

<223> n = A,T,C or G

<400> 472

```

acggagactt attttctgat attgtctgca tatgtatgtt ttaagagtc tggaaatagt 60
cttatgactt tcctatcatg cttattaata aataatacag cccagagaag atgaaaatgg 120
gttccagaat tattggtcct tgcagcccgg tgaatctcag caagaggaac caccaactga 180
caatcaggat attgaacctg gacaagagag agaaggaaca cctccgatcg aagaacgtaa 240
agtagaagggt gattgccagg aaatggatct ggaaaagact cggagtggagc gtggagatgg 300
ctctgatgta aaagagaaga ctccacctaa tcctaagcat gctaagacta aagaagcagg 360
agatgggcag ccataagtta aaaagaagac aagctgaagc tacacacatg gctgatgtca 420

```

cattgaaaat gtgactgaaa atttgaaaat tctctcaata aagtttgagt tttctctgaa 480
gaaaaaaaaa naaaaaaaaa aaanaaaan aaaaaa 515